CONFIDENTIAL / INTERNAL USE ONLY



CODY / VIBEWARE

Manga Status Atlas

Expressions, materials and small moments

DRAFT / 12 October 2026

Copyright (c) 2026 Umberto Giacobbi

umbertogiacobbi.biz

Contents

Main sections / click a row to jump to its page

Overview and current screens 3

The fourteen expressive cues 5

Pearl Mist 7

Aurora Veil 9

Cosmic Stardust 11

Enchanted Mosaic 13

Comparison, layout and decisions 15

Idle moments 18

Current behavior 21

VibeWare boot identity 27

Current screen revisions 30

This edition / revision record 34

Page numbers refer to this PDF. Earlier page references in historical notes retain their original edition numbering.

Cody / Manga Status Atlas

Four authored looks. Fourteen cues each. One consistent front-facing cloud.

A SMALL SYMBOL.
A CLEAR FEELING.

Manga cues add a readable second channel to Cody's face. The skin changes its material; the meaning of each symbol stays the same.



Pearl Mist



Aurora Veil



Cosmic Stardust



Enchanted Mosaic

56 CLOUD + CUE VARIANTS

ImageGen concept artwork, circular screen studies and writing space. English labels and page graphics are deterministic PDF elements.

SOURCE / ImageGen; skins.json; existing Cody atlas builders

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Identity before expressive cues

Current boot and setup context / the fourteen cue identities remain stable.



BOOT

Identity and timing

Cody AI Companion and A distraction-free sidekick appear together, above the complete floppy artwork. The original 42-frame animation retains its 3.5-second cycle; startup work can extend wall time.

Cues respect the route

Boot, onboarding, settings and small headers suppress manga symbols. Main/Idle and semantic Sleep keep their existing cue rules. Preferences and pairing do not fabricate device health or replace canonical snapshot data.

STATIC SCHEMATICS / illustrative fonts and values / no device capture

The fourteen cues / sensations

Stable proposed cue identities; the same symbol vocabulary is used across all four skins.

CUE	SYMBOL / FACE	MEANING AND TRIGGER
C01 / Sleep Narrative / rest	**Z letters + moon** Closed eyes, small resting mouth.	A deliberate rest state; not proof that display or CPU is asleep.
C02 / Fear Narrative / emotion	**Sweat drop + tremble** Raised inner brows, worried mouth.	A story reaction or uncertainty cue; keep technical failure text explicit.
C03 / Joy Narrative / emotion	**Golden sparkles** Crescent eyes, open smile.	A positive reaction; task completion requires a separate confirmed event.
C04 / Hunger Narrative / need	**Rice bowl + chopsticks** Hopeful eyes, lip-licking mouth.	A fictional companion need. Never present this as a measured sensor value.
C05 / Thirst Narrative / need	**Water glass + drop** Heavy eyelids, tongue out.	A fictional companion need. Distinguish the blue water drop from fear sweat.
C06 / Hot Narrative / sensation	**Sun + heat waves** Squeezed eyes, panting mouth.	Use as a story sensation. A real temperature notice needs valid data and units.
C07 / Cold Narrative / sensation	**Snowflake + tremble** Worried eyes, zigzag mouth.	Use as a story sensation. Do not invent a thermal threshold or reading.

SOURCE / Cody manga concept brief / 4 October 2026

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

The fourteen cues / device and emotion

Stable proposed cue identities; the same symbol vocabulary is used across all four skins.

CUE	SYMBOL / FACE	MEANING AND TRIGGER
C08 / Low battery Device / measured	**One red battery bar** Low eyelids, tired mouth.	Only from a valid current battery state and configured policy; no invented percent.
C09 / Charging Device / measured	**Battery + lightning** Relaxed eyes, small smile.	Only from confirmed charging state. The green fill is a cue, not a charge estimate.
C10 / No Wi-Fi Device / observed	**Wi-Fi arcs + slash** Concerned eyes, downturned mouth.	No Wi-Fi association. Keep Wi-Fi loss distinct from a missing PC or CCP session.
C11 / Curious Narrative / attention	**Question mark** One raised brow, small round mouth.	A soft interest cue. A user question still needs readable copy and explicit choice.
C12 / Confused Narrative / emotion	**Violet spiral** Uneven eyebrows, uncertain mouth.	Signals uncertainty; use explicit error/recovery copy for an actual failure.
C13 / Affection Narrative / emotion	**Two pink hearts** Happy eyes, gentle smile.	A warm companion reaction, with no claim about user feelings or device health.
C14 / Frustrated Narrative / emotion	**Manga anger vein** Angled brows, mild frown.	Brief mild frustration. Keep the character friendly and avoid blaming the user.

SOURCE / Cody manga concept brief / 4 October 2026

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Pearl Mist / 01

Sensations / C01-C07 / circular screen concepts at the 466 x 466 design ratio.



C01 / Sleep

Z letters + moon



C02 / Fear

Sweat drop + tremble



C03 / Joy

Golden sparkles



C04 / Hunger

Rice bowl + chopsticks



C05 / Thirst

Water glass + drop



C06 / Hot

Sun + heat waves



C07 / Cold

Snowflake + tremble

LOOK NOTES

Milky pearl, mint-cyan top, lilac base and warm highlights.

Same cue IDs in every look.

SOURCE / ImageGen / cody.skin.pearl_mist.v1


NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Pearl Mist / 02

Device and emotion / C08-C14 / circular screen concepts at the 466 x 466 design ratio.



C08 / Low battery

One red battery bar



C09 / Charging

Battery + lightning



C10 / No Wi-Fi

Wi-Fi arcs + slash




C11 / Curious

Question mark



C12 / Confused

Violet spiral



C13 / Affection

Two pink hearts



C14 / Frustrated

Manga anger vein

LOOK NOTES

Milky pearl, mint-cyan top, lilac base and warm highlights.

Same cue IDs in every look.

SOURCE / ImageGen / cody.skin.pearl_mist.v1

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Aurora Veil / 01

Sensations / C01-C07 / circular screen concepts at the 466 x 466 design ratio.



C01 / Sleep

Z letters + moon



C02 / Fear

Sweat drop + tremble



C03 / Joy

Golden sparkles



C04 / Hunger

Rice bowl + chopsticks



C05 / Thirst

Water glass + drop



C06 / Hot

Sun + heat waves



C07 / Cold

Snowflake + tremble

LOOK NOTES

Smooth cool azure-to-lilac gradient with white highlights.

Same cue IDs in every look.

SOURCE / ImageGen / cody.skin.aurora_veil.v1


NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential


Aurora Veil / 02

Device and emotion / C08-C14 / circular screen concepts at the 466 x 466 design ratio.



C08 / Low battery

One red battery bar



C09 / Charging

Battery + lightning



C10 / No Wi-Fi

Wi-Fi arcs + slash




C11 / Curious

Question mark



C12 / Confused

Violet spiral



C13 / Affection

Two pink hearts



C14 / Frustrated

Manga anger vein

LOOK NOTES

Smooth cool azure-to-lilac gradient with white highlights.

Same cue IDs in every look.

SOURCE / ImageGen / cody.skin.aurora_veil.v1

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Cosmic Stardust / 01

Sensations / C01-C07 / circular screen concepts at the 466 x 466 design ratio.



C01 / Sleep

Z letters + moon



C02 / Fear

Sweat drop + tremble



C03 / Joy

Golden sparkles



C04 / Hunger

Rice bowl + chopsticks



C05 / Thirst

Water glass + drop



C06 / Hot

Sun + heat waves



C07 / Cold

Snowflake + tremble

LOOK NOTES

Sapphire and purple nebula; a lighter face zone preserves black features.

Same cue IDs in every look.

SOURCE / ImageGen / cody.skin.cosmic_stardust.v1

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Cosmic Stardust / 02

Device and emotion / C08-C14 / circular screen concepts at the 466 x 466 design ratio.



C08 / Low battery

One red battery bar



C09 / Charging

Battery + lightning



C10 / No Wi-Fi

Wi-Fi arcs + slash




C11 / Curious

Question mark



C12 / Confused

Violet spiral



C13 / Affection

Two pink hearts



C14 / Frustrated

Manga anger vein

LOOK NOTES

Sapphire and purple nebula; a lighter face zone preserves black features.

Same cue IDs in every look.

SOURCE / ImageGen / cody.skin.cosmic_stardust.v1

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Enchanted Mosaic / 01

Sensations / C01-C07 / circular screen concepts at the 466 x 466 design ratio.



C01 / Sleep

Z letters + moon



C02 / Fear

Sweat drop + tremble



C03 / Joy

Golden sparkles



C04 / Hunger

Rice bowl + chopsticks



C05 / Thirst

Water glass + drop



C06 / Hot

Sun + heat waves



C07 / Cold

Snowflake + tremble

LOOK NOTES

Glass-like jewel mosaic with gold seams and a calm pearl face zone.

Same cue IDs in every look.

SOURCE / ImageGen / cody.skin.enchanted_mosaic.v1


NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential


Enchanted Mosaic / 02

Device and emotion / C08-C14 / circular screen concepts at the 466 x 466 design ratio.



C08 / Low battery

One red battery bar



C09 / Charging

Battery + lightning



C10 / No Wi-Fi

Wi-Fi arcs + slash



C11 / Curious

Question mark



C12 / Confused

Violet spiral



C13 / Affection

Two pink hearts



C14 / Frustrated

Manga anger vein

LOOK NOTES

Glass-like jewel mosaic with gold seams and a calm pearl face zone.

Same cue IDs in every look.

SOURCE / ImageGen / cody.skin.enchanted_mosaic.v1

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Compare the four materials

The cue retains its identity. The cloud keeps its front-facing silhouette.

Pearl Mist



Fear / sweat + tremble



Low battery / one red bar

Aurora Veil



Fear / sweat + tremble



Low battery / one red bar

Cosmic Stardust



Fear / sweat + tremble



Low battery / one red bar

Enchanted Mosaic



Fear / sweat + tremble



Low battery / one red bar

Pearl Mist and Aurora Veil give the quietest surface. Cosmic Stardust and Enchanted Mosaic require a light face zone and bold isolated cues; avoid adding more surface detail behind the symbols.

SOURCE / Four ImageGen sheets / unchanged original PNGs

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Fit the circle, protect the face

Proposed logical coordinates; local circle chords constrain every occupied y.



Back shown only for a valid previous route.

Canvas	466 x 466; center (233,233); radius 233.
Safe square	[73,393) x [73,393), 320 x 320.
Cloud + cue	Proposed 300-square viewport at (83,88).
Cue anchor	Upper-right inside that viewport; separate from face.
State label	Centered at x=233, baseline y=423; 21 px bold mono.
Back slot	(10,203), 60 x 60; centered chevron, no text.

x_min(y)=233-sqrt(233^2-(y-233)^2). Check the narrowest chord across the full element height. Drawing, clipping and touch use the same 0/90/180/270 orientation.

SOURCE / docs/architecture/circular-display-layout.md

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

Handoff and decisions

The atlas is a concept workbook; production assets and behavior need a separate implementation step.

Identity	Use the exact skin ID and cody.cue.<name>.v1. C01-C14 are document labels, not runtime array identity.
Artwork	The four 5 x 3 sheets contain fourteen vignettes and one intentionally empty cell. Preserve originals.
Production	These opaque sheets are concept references. Separate body, face and cue layers need authored alpha assets.
Legibility	Proposed production cue size: 48-64 logical px, 3-4 px light keyline. Inspect at native 466 px and RGB565.
Motion	Use discrete cue/pose changes. Animation timing and effects remain to be designed; no interpolation required.
Device truth	No invented battery values, charging claims, Wi-Fi health or temperature. Explicit errors remain visible.
Scope	No firmware, simulator, build, hardware or serial operation was run for this document-authoring task.

SOURCE / ImageGen prompts and source manifests saved beside this PDF

NOTES / QUESTIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

CODY / MANGA STATUS / IDLE SCENES / 05 OCT 2026

Small moments while Cody waits

Four presentations within screen 16 / Idle. Cody remains front-facing.

IS01 / Breathing

One continuous breathing clock. A visible mouth pulse remains under stress.



Exhale



Inhale



Exhale

IS02 / Yawn

Eyes soften and the mouth opens widely, then returns to the base face. Silent.



Rest



Yawn peak



Return

IS03 / Whistle

Small pursed mouth. One original 300-ms two-note whistle at the visible peak.



Prepare



Purse + sound



Return

IS04 / Greeting

A friendly smile, right-eye wink and cheek lift. A quiet hello with no new route.



Notice



Hello / wink



Return

Umberto Giacobbi | hello@umberto giacobbi.biz

DESIGN / STATIC SOURCE REVIEW ONLY

Copyright umbertogiacobbi.biz 2026 - confidential

Keep the breath readable under stress

Stronger opening and closing; preserve the selected expression and the existing rhythm.



Stressed / exhale



Stressed / inhale

The stressed preset begins with a closed mouth. The revised pulse opens it to 0.22 on inhalation, even with no motion-derived stress contribution. These are illustrative channel extremes, not rendered firmware frames.

Visible breathing

Exhalation closes 35% of the current opening; inhalation uses 16-22% of the remaining range. Closed expressions receive the extra boost. Width pulses by 4.5%.

A quiet random rhythm

Wait 20-40 active seconds in eligible Idle. After a scene, cool down for 40 seconds and then wait again. Never repeat the last selected gesture.

One character, one route

Each gesture lasts the authored 3.2 seconds. Body placement, skin, circular clipping and route history remain owned by the existing renderer.

Device facts take priority

Current device cues and interactions suppress idle gestures. The three gestures are artistic accents and add no fabricated measurements or C01-C14 status meanings.

Canvas 466 x 466; center (233,233), radius 233. Safe square [73,393) x [73,393). IS01-IS04 are document labels. Runtime gesture IDs are typed identities, not screen numbers. No additional controls or touch targets.

Copyright umbertogiacobbi.biz 2026 - confidential

Errata and corrections

Revision date: 05 October 2026. Previous pages and addenda remain intact.

Breathing visibility	Clarifies a visible mouth pulse under stress: 35% closing, 16-22% reopening and a 4.5% width pulse. Affects screen 16 / Idle and the Stressed expression.
Three idle scenes	Adds IS02 Yawn, IS03 Whistle and IS04 Greeting alongside IS01 Breathing. These are transient screen-16 accents, not new routes or status measurements.
Random scheduling	Replaces the fixed idle-yawn trigger with a random 20-40-second eligible wait, a 3.2-second gesture and a 40-second cooldown. Excludes immediate repeats.
Audio and interruption	Adds one original 300-ms whistle via the existing optional sound owner. Documents cancellation, quiet/volume/busy suppression and canonical playback identity.
Affected original references	Manga pages 03-04 (cue language), 14 (circular placement), 15 (handoff/motion); Navigation pages 02, 06, 10, 11-12. Screens 04, 16, 35A/35B, 36-38 retain their identities and navigation.
Preservation and evidence	Original pages 1-15, including all earlier addenda/errata, are preserved. This revision appends two design pages and this errata page. Runtime behavior and acoustics have static source review only.

Umberto Giacobbi | hello@umbertogiacobbi.biz

Copyright umbertogiacobbi.biz 2026 - confidential

A mouth that visibly breathes

M01 / Replaces the mouth values in the 05 October idle appendix.



Calm / Exhale

`open 0.010`

`width 0.680`



Calm / Inhale

`open 0.248`

`width 0.878`



Stressed / Exhale

`open 0.000`

`width 0.500`



Stressed / Inhale

`open 0.240`

`width 0.698`

Thin resting smile; stronger inhalation

Exhalation removes 75% of the current opening. Inhalation adds 16-24% of the remaining range; a closed Stressed mouth reaches 0.24 without measured movement. Width moves 18% toward its authored minimum/maximum at the two endpoints.

One existing rhythm

The rest lip is thinner and the tongue follows the lower lip. The tongue remains clipped and retains its 0.28 visibility threshold. Images use current Windows rig code, not a physical-device capture. The artistic rhythm does not represent a measured respiratory rate.

Read the emotion at a glance

M02 / Corrects the original cue and circular-layout guidance (pages 03-04 and 14).




C01 Sleep

SFX 220 ms



C02 Fear

SFX 180 ms



C03 Joy

SFX 280 ms



C04 Hunger

SFX 240 ms



C05 Thirst

SFX 180 ms



C06 Heat

SFX 220 ms



C07 Cold

SFX 240 ms



C08 LowBattery

SFX 250 ms



C09 Charging

SFX 230 ms



C10 NoWifi

SFX 240 ms



C11 Curiosity

SFX 170 ms



C12 Confusion

SFX 280 ms



C13 Affection

SFX 300 ms



C14 Frustration

SFX 200 ms

Position and size

Main and Sleep use the same facial anchor, shifted 30 logical pixels right and 40 down. The former 3x size becomes 3.6x (+20%). Extents: Full 104 px, Greeting 94 px, Medium 76 px; smaller eligible sizes use the 43 px minimum. Micro suppresses symbols.

Scene permission still applies

One symbol at a time. Main/Idle and semantic Sleep permit symbols; onboarding, settings, boot and small headers do not. The complete footprint must fit the circle and avoid Back/status controls. Lack of space reports BlockedByLayout; icons are never silently shrunk or relocated.

The same symbol at different sizes


M03 / Actual Windows channel composition; synthetic illustrations, not device captures.




Full / 104 px



Medium / 76 px



Tiny / 43 px



Micro / hidden

Attached to Cody

All sizes use the same evaluated nose anchor and fixed-pixel correction. Icons follow position over 360 ms and scale over 400 ms, with at most 4 px separation before raster rounding. The enlarged icon is painted above Cody's artwork and may overlap its upper body.

Fade and admission

Ordinary admission: stable target 300 ms -> fade in 400 ms -> full-opacity hold at least 2,500 ms -> fade out 400 ms. A new target replaces the single desired identity. Sleep owns its semantic cue; boot and excluded routes cannot display symbols.

Illustrations show the same Affection request at full opacity on the Main view. Tiny is eligible here; a small-header or settings route still suppresses it. Micro is intentionally hidden before geometry preparation.

Touch, fading and sound

M04 / Current interaction contract for Idle 16 and Sleep 35A.

Stroke Cody: Affection

A caress is a moving contact above the eyes or below the mouth: 300-3,000 ms, bounded movement and sampling gaps. It requests four seconds of Affection, with a six-second caress cooldown. A stationary press is not a caress.

Touch an eye: varied reactions

The eye closes through its own response. Fear or Frustration supplies the manga reaction, with stress-aware selection and repeat avoidance. A reaction requests four seconds. Existing hysteresis and urgent device-symbol priorities still apply.

Every fresh tap

A new press requests the existing 20-ms PCM impulse at gain 8. Drag and hold frames do not repeat the click. Volume, quiet hours and busy/expiry admission still apply; feedback never waits on the UI thread.

400 ms in / 400 ms out

An ordinary desired cue must be stable for 300 ms. Smoothstep fade-in lasts 400 ms, full-opacity hold at least 2,500 ms, and fade-out 400 ms. Timing uses active animation time. Only one sprite is displayed; replacements do not crossfade.

All fourteen cues have an SFX

Each newly visible, successfully retired symbol requests its original 16-kHz mono PCM clip. Busy admission can retry within 400 ms; a hidden, expired or muted request cannot play later. No global sound cooldown is added. A held symbol does not replay its sound every frame.

One voice, best effort

There is no mixer. The existing audio owner arbitrates playback and reports real errors. A tap or decorative sound can be dropped when unavailable. Logging is also best effort: a log write cannot stall rendering or touch.

Small moments during Idle

M05 / Replaces the 05 October gesture and stressed-breathing examples; route 16 stays active.



Yawn / broad opening



Whistle / narrow mouth



Greeting / right wink

A shuffled cycle

Wait 20-40 eligible active seconds, play a 3.2-second gesture, then cool down for 40 seconds. A shuffled bag presents Yawn, Whistle and Greeting once each in random order and prevents repetition across bag boundaries.

Interruptible, with a valid whistle

Touch, held contact, motion stress, microphone activity and unrelated playback interrupt immediately. Whistle targets the rig minimum width 0.5, replacing invalid 0.42; it attempts one original 300-ms sound after a completed visible frame. Yawn and Greeting remain silent.

Windows rig illustrations of gesture peaks, not device observations. Stress, Sleep, setup, settings, pauses and current symbol/caress presentations exclude scheduled idle gestures.

Errata and corrections

Revision date: 06 October 2026 / Earlier pages and errata remain intact.

Mouth / Manga 03-04, 15 and 05 October idle appendix

Replace the earlier 35% closing and 16-22% reopening guidance with 75% closing and 16-24% reopening. Width moves 18% toward its limits. Stressed peak opening is 0.24. Rest lip and tongue geometry now follow the revised rig.

Icons / Manga 03-04, 14; Navigation 10-12; Idle 16

Correct Main/Sleep placement to +30 px right, +40 px down and scale to 3.6x (+20% over 3x). Both fades are 400 ms. Micro remains excluded. All fourteen cues retain an enabled, original appearance sound with bounded admission.

Interaction / Idle 16 and Sleep 35A

Document moving caress recognition, Affection, varied Fear/Frustration eye responses, hysteresis and one fresh-press tap click. Single-voice playback and best-effort logging cannot block touch/rendering.

Idle / 05 October appendices; Navigation 10-12

Correct Whistle width 0.42 to authored minimum 0.5. Retain the 20-40 s eligible wait, 3.2 s gesture and 40 s cooldown. Yawn/Greeting are silent; Whistle attempts one 300-ms sound. Stress does not schedule idle gestures.

Boot / Navigation 02, 06; screens 01-05, 16, 35A/35B

Use 2.0 s Sleeping, 1.5 s Waking and 2.0 s Ready, excluding actual service waits. Paired returning devices skip setup and request random Affection/Joy in Idle. Standby wake remains a separate sequence.

Desktop / Navigation simulator appendix; Manga 15 handoff

Record the PC fake audio driver, Consolas UI, equal tabs, approved VibeWare asset and project/site/manifesto links. Synthetic PC observations are separate from firmware and physical-device evidence.

Preserved pages 01-18, including earlier errata. Firmware checkpoint de9b8b18 built/flashed on COM10; newer mouth/Whistle checkpoint f5ae5e2 has not been compiled or flashed. Two approved checks passed; four stopped/failed and have not been rerun. No physical visual/audio observation is claimed.

Canonical sources for this revision

assets/cody/cody.yaml; assets/cody/personality.yaml; CODY_rig.cpp / CODY_response.cpp; docs/architecture/cody/runtime.md, idle-scenes.md and personality-icons.md; simulator/windows/cody_simulator.py and cody_fake_audio.py. Clip durations come from the versioned personality audio manifest.

VibeWare first. Cody next.

B01 / The approved floppy-insertion animation becomes the opening brand signature.

Every cold boot begins with the VibeWare floppy. Its familiar pixel form introduces the maker before the companion comes to life.



0.00 s 0.58 s 1.25 s 1.91 s 3.00 s

A recognizable opening

The blue floppy and VW mark remain the original approved artwork. Black resolves the transparent background; exact twofold pixel scaling keeps the retro visual character crisp and centered on the circular display.

From identity to personality

The insertion motion belongs to the VibeWare introduction. Cody's existing Sleeping 01, Waking 02 and Ready 03 follow it, so the brand has its own moment before the character takes over.

VibeWare manifesto

https://umbertogiacobbi.biz/vibeware/manifesto

A shared opening signature for Cody and Luna.

The VibeWare startup sequence

B02 / VibeWare precedes screens 01-03; first-run setup and returning-device routes retain their identities.

VIBEWARE	01 / SLEEPING	02 / WAKING	03 / READY	NEXT ROUTE
3.5 s per cycle	**2.0 s**	**1.5 s**	**2.0 s**	**Existing policy**
Approved floppy	Existing Cody fade	Existing expression	Existing expression	Hello 04 or Idle 16

Nominal artwork dwell: at least 3.5 s of branding plus the existing 5.5 s character sequence. Real startup work, frame transfer and deliberate DMA parking can add wall time.

Complete the visible cycle

The 42 original frames retain their 80/90-ms timings. Cody starts each dwell after frame retirement and repeats while the real service checkpoint is pending. A successful checkpoint never truncates the current cycle or invents numeric loading progress.

Keep the right owner

Cody uses native 2D and its existing bounded DMA owner. Luna uses LVGL with the same flash-owned data. Original transparency is composited on black. No removable SD, network request or on-device GIF decoder is required.

Preserve ordinary wake

The introduction belongs to cold boot and software reset. Cody standby wake and actual deep-sleep Wake keep their existing presentation. First-boot, pairing and stored preferences are unchanged. Errors remain real and startup-critical failures stop handoff.

Implementation evidence

Approved GIF packaged; native/LVGL and Windows source integrated. Firmware build/size, host checks, simulator execution, rotations and physical fluidity are still pending explicit authorization.

Errata and corrections

Revision date: 06 October 2026 / VibeWare boot identity / Every earlier page and correction is preserved.

Affected original pages and screens

Original page 02 (meaning before decoration); page 14 (circular layout); page 24 (earlier errata). The branding introduction precedes screens 01-03; the fourteen manga cue identities, face geometry and Idle 16 remain unchanged.

Corrections in this revision

Add the maker identity before the character and its cue vocabulary. Place the original floppy artwork at (105,87), size 256 x 292, wholly within the central safe square. Keep brand animation independent of device measurements, narrative cue selection and ordinary wake.

Preservation and evidence

All 24 existing pages, earlier errata, bookmarks and original page content are retained. New pages B01 and B02 document the supplied artwork and implemented behavior. This final page records the revision; it does not certify firmware compilation or physical behavior.

Approved source and canonical reference

Source: Obsidian / VibeWare / press-kit / assets / boot / vibeware-floppy-insert-transparent.gif. The original is copied unchanged into the repository; generated metadata records its SHA-256, disposal-composited crop, original durations and flash pixel-data size.

https://umbertogiacobbi.biz/vibeware/manifesto

Pending validation

Build and size budgets, frame dwell under load, real errors, rotation, first setup/returning boot, standby/deep-sleep wake, Windows presentation and physical appearance remain unverified. No firmware tests, simulator launch or hardware operation accompanied this revision.

Addendum / boot and Wi-Fi

Revision date: 10 October 2026 / branding, 01-09 and 42.

Identity and timing

Cody AI Companion and A distraction-free sidekick appear together, above the complete floppy artwork. The original 42-frame animation retains its 3.5-second cycle; startup work can extend wall time.

Layout and next route

Title y=60; subtitle y=110; artwork (137,164), 192 x 219. After local startup, absent Wi-Fi opens Welcome 04; missing association/IP opens 42; a valid LAN without pairing opens 40; retained pairing searches its PC on 14.

Show QR, then Pair Cody

05 opens the installation QR on 06 without starting radios. Pair Cody starts Bluetooth on 07. A session QR appears only at ReadyToScan, then retires when credentials or connection are in progress. Cancel waits for confirmed cleanup.

A real local connection

09 offers Continue only with valid current Wi-Fi/IP. No connection on 42 offers Network setup or Later. CCP needs the local LAN; public Internet availability is a separate fact. Debug handoff 39 needs a fresh tap; Release continues to 09.

Addendum / pairing and connection

Revision date: 10 October 2026 / screens 12-15, 40 and 41.

Reopen choices

Hold the visible character still for 1.5 seconds to open Setup. Connect Codex and Network setup share one row; Options is centered below. Release the opening contact before selecting. Back retraces the valid previous route.

Keep, replace or forget

Already paired offers Keep pairing, Pair again and Forget. Only Pair again authorizes replacement; Forget opens a second confirmation. Pairing paused identifies an incomplete candidate. Pairing error preserves the storage cause and admits explicit removal only.

Prepare, then read

12 shows Preparing secure code / Please wait / About 30 seconds until a code exists. The estimate is not measured progress. Use only all six characters visible on the intended Cody after discovery. The backend window is five minutes; screen inactivity is three minutes from code readiness.

Confirm and connect

You're all set on 13 follows the two-sided persisted handshake. Let's go searches the retained PC immediately on 14, or reuses valid authenticated presence on 15. The earlier ten-second Idle detour is removed. READY establishes presence; genuine prompt hooks establish chat activity.

Addendum / settings and controls

Revision date: 10 October 2026 / screens 10, 11, 36 and 41.

Four compact rows

Shake to wake, Auto-rotate and Sounds each have persistent On/Off values. Orientation shows Auto while auto-rotation is enabled; manual choices are 0 or 180 when it is Off. Sounds Off stops playback while keeping microphone and wake word active.

Save before confirming

Next opens Settings: Personalization / Choose Cody's look. Continue opens Skin: Pearl Mist, Aurora Veil, Cosmic Stardust, Enchanted Mosaic and Dreamwave, saved by stable ID. Saving retains the prior value; successful write/readback confirms the change. Save failed and Retry preserve the cause and requested value; no silent repair.

Controls appear together

Two actions use rounded gradient cards side by side; three add one centered action below. Single actions use an icon-left capsule. Captions have no teletype: controls and touch become available together after the title and main body line. QR quiet zones and local circular chords remain protected.

How to read the drawings

These are static documentation schematics derived from current source geometry and approved action references, not simulator frames or physical captures. Numeric values are layout coordinates, not sensor measurements. Firmware, simulator and device validation are outside this document revision.

Errata and corrections

Revision date: 10 October 2026 / CODY-SCREENS-20261010

Affected original pages

cody-manga-status-atlas-v1.pdf: current pages 2. Original screen references: branding before 01-03; Wi-Fi 04-09/42; preferences 10/36/11; Codex 12-15/40/41. Page numbers and screen IDs are distinct.

Corrections recorded

Replace the old title-free/twofold boot illustration with the current title, subtitle and 192 x 219 artwork. Replace outdated setup, code preparation, connection detour and settings descriptions with the source-based contracts above.

Historical record

All earlier addenda and errata are preserved in their existing order, along with unrelated pages. Historical boot sizes and old next-route diagrams remain dated evidence; the revised current pages and this addendum supersede them only for these topics.

How to read the drawings

These are static documentation schematics derived from current source geometry and approved action references, not simulator frames or physical captures. Numeric values are layout coordinates, not sensor measurements. Firmware, simulator and device validation are outside this document revision.

Revision register

Dated decisions, corrections and evidence. Historical entries retain their original scope.

DATE / TYPE	REVISION DETAILS AND SUPPORTING MATERIAL
2026-10-12 CHANGE	**Coordinated cover and navigable contents** Affected: All original pages; existing correction and Security sections preserved Add VibeWare cover artwork, author copyright and Draft / Confidential / Internal use only classification. Contents and bookmarks point to the final document pages; historical page and screen references retain their original identities. Evidence / limits: PDF authoring and visual review; no firmware execution.