






|    |               |           |
|----|---------------|-----------|
|    | check_results | VARCHAR   |
|    | created_at    | TIMESTAMP |
|    | updated_at    | TIMESTAMP |
| FK | booking_id    | INT       |
| FK | passenger_id  | INT       |

| Booking Change |                    |           |
|----------------|--------------------|-----------|
| Key            | Attribute          | Data Type |
| PK             | booking_change_id  | INT       |
| FK             | booking_id         | INT       |
|                | change_description | VARCHAR   |
|                | created_at         | TIMESTAMP |
|                | updated_at         | TIMESTAMP |

|    |               |           |
|----|---------------|-----------|
|    | check_results | VARCHAR   |
|    | created_at    | TIMESTAMP |
|    | updated_at    | TIMESTAMP |
| FK | passenger_id  | INT       |

The Airport Database is designed to manage information about airports, airlines, flights, passengers, bookings, boarding passes, baggage, and security checks.

**Airport** stores information about airports, including their name, country, state, city, and creation/update dates.

**Airline** stores information about airline companies. One airline can operate many flights.

**Flight** stores scheduled and actual flight information. Each flight is associated with an airline, a departure airport, and an arrival airport.

**Passenger** stores personal information about passengers, including name, date of birth, citizenship, residence, and passport number.

**Booking** represents a passenger's reservation for a particular flight. It stores the booking status, platform, ticket price, passenger, and flight.

**Boarding Pass** stores information about boarding passes issued for bookings, including seat and boarding time.

**Baggage** stores information about baggage registered for a booking, including its weight.

**Baggage Check** stores the results of baggage checks associated with bookings and passengers.

**Security Check** stores the results of security checks performed for passengers.

**Booking Change** stores information about changes made to existing bookings.


## Key and Relationship Notation

PK – Primary Key, uniquely identifies each record.

FK – Foreign Key, connects one table to another.

1:N – One-to-Many relationship.

Crow's Foot symbol – represents the "many" side of a relationship.



## Relationships

Airline 1:N Flight

Airport 1:N Flight (Departure Airport)

Airport 1:N Flight (Arrival Airport)

Flight 1:N Booking

Passenger 1:N Booking

Booking 1:N Boarding Pass

Booking 1:N Baggage

Booking 1:N Baggage Check

Passenger 1:N Baggage Check

Passenger 1:N Security Check

Booking 1:N Booking Change