Index Accent Sensitive (AS) Aggregate functions Atomicity consistency isolation durability (ACID) В Balanced (B)-Trees clustered index non-clustered index BULK INSERT statement basic structure check constraints custom script data file contacts table CSV importing text importing Rollback.sql files generating Rollback.sql files truncating tables DBCC command definition results rollback script creation rollback script output rollback scripts compilation C Case Sensitive (CS) Check constraint



Column aliases

Column constraint

address insertion

ALTER TABLE statement CREATE TABLE statement DateOfBirth value new row insertion out-of-range DateOfBirth Constraints default constraints See (Default constraints) indexes NULL constraints See (NULL constraints) Table Constraints See (Table Constraints) CONVERT function D Database diagrams adding tables ContactId column ContactNotes table foreign key creation one-to-many relationship unconnected tables Database Normalization completed diagram $Contact Phone Numbers\ table$ $Contact Verification Details\ table$ CREATE TABLE statement enhancement highlighting columns, for cut 1NF See (First Normal Form (1NF) PhoneNumberTypes table 2NF ALTER TABLE statement ContactId CREATE TABLE statement FirstAddress and SecondAddress



IF EXISTS check

INSERT and UPDATE specification

many-to-many relationship, database diagram ON DELETE CASCADE ON UPDATE NO ACTION RoleId and RoleTitle Roles table Roles Table.sql script TABLE statement table-by-table basis 3NF Databases ALTER DATABASE statement creation SSMS See (SQL SerManagement Studio (SSMS)) T-SQL See (Transact-SQL (T-SQL)) functions MSDN documentation scripts creation stored procedures system databases master model MSDB in Object Explorer ReportServer databases resource SSMS TempDB tables user database views Data Definition Language (DDL) Data import scripts adding subrecords contact record

outcome purpose reference data rollback script variables Data Manipulation Language (DML) CRUD deleting records database administrator Roles rollback script structure inserting data adding phone number checking records ContactPhoneNumbers Home PhoneNumberType open new query Window removing duplicate record role table running script preceding statement reference vs. real data UPDATE statement DBCC command DECLARE statement Default constraint Contacts and ContactVerificationDetails creation $Allow Contact By Phone\ column$ AllowContactByPhone line badly named ContactVerified column CreatedDate line DEFAULT clause FirstName and LastName



GETDATE() new row display new row, with default values primary key refreshing well-named definition NULL values Dynamic Management Views (DMV) E Extended events adding event filters $Always On_health$ choosing global fields choosing session template creation events capture generated script naming session running storing system_health viewing in XML format F, G, H First Normal Form (1NF) contact data Edit Top 200 Rows multiple-column repeating groups ALTER TABLE statements CREATE TABLE statement database diagram foreign key relationship properties Foreign key table IDENTITY column



New Query Editor Window

one-to-many relationship Primary key table Save Diagram_o Tables Affected box table ContactNotes VARCHAR(200) non-normalized version Notes1 and Notes2 columns PhoneNumbers column sp_rename procedure SSMS standard SQL statements system stored procedure Fixed Database Roles Fixed Server Roles Functions benefits ${\tt deterministic}\ vs.\ {\tt non-deterministic}$ dropping limitations queries saving scalar SELECT statement side effects statement creation testing capitalization code manual error message fixing bugs stan returns TVFs user-define vs. system I

IF NOT EXISTS statement

II NOT IMIOTO SILICIICIII	
Indexes	
affect	
ALTER statement	
B-Trees See (Balanced (B)-Trees)	
clustered indexes	
creation	
modification	
seek and scan	
system table holding	
definition	
disabling indexes	
DML statement executes	
dropping indexes	
EventLog table	
execution plan	
filtered indexes	
fragmentation	
identification	
vs. included columns	
indexed views creation	
non-clustered indexes	
execution plan	
identification	
rebuilding indexes	
reorganizing indexes	
statement creation	
statistics	
Table Scans	
unique indexes	
uses	
XML data type	
Instance root directory	
J, K, L	
Joining tables	_

CROSS JOIN

DML statements deletion INSERT Roles table outcome SELECT statement preparation UPDATE FULL OUTER JOIN INNER JOIN adding CASE statement adding ContactPhoneNumbers AllowContactByPhone matching rows Phone Number Type Idquery completion table aliases and targeted columns WHERE clause LEFT OUTER JOINS/LEFT JOINS chaning records GROUP BY limiting result set making result matching data Phone Number Typesrecords returned regardless returning home number counts returns all contacts WHERE clause limits RIGHT OUTER JOIN/RIGHT JOIN Master Data File (MDF) N NULL constraints Apply.sql file $Allow Contact By Phone\ column$

apply scripts modification CREATE TABLE statement empty-string LastName value empty string values error message IS NULL new row addition NOT NULL NULL LastName value query rollback script o Ordering data P, Q PRINT statement Profiler adding filters trace new trace creation SQL Server tool trace events selection screen trace start trace stop R Real data Reference data Relational DataBase Management System (RDBMS) @@ROWCOUNT s Scalar functions SCHEMABINDING Schemas Second Normal Form (2NF) ALTER TABLE statement

ContactId

CREATE TABLE statement	
FirstAddress and SecondAddress	
IF EXISTS check	
INSERT and UPDATE specification	
many-to-many relationship, database diagram	
ON DELETE CASCADE	
ON UPDATE NO ACTION	
RoleId and RoleTitle	
Roles Table.sql	
script	
Security	
built-in roles	
DENY and REVOKE	
Fixed Database Roles	
Fixed Server Roles	
GRANT	
schemas	
SELECT statement	
column aliases	
contacts table	
grouping data	
COUNT()	
HAVING clause	
merging columns	
ordering data	
purpose	
TOP clause	
WHERE clause	
AllowContactByPhone	
AND operator	
IN operator	
Mixing operators	
OR operator	1
Shared feature directory	

SQLCMD	
apply script	
definition	
error messages	
rollback scripts	
AddressBook database	
code	
Contacts Table script	
Contacts Table Rollback.sql creation	
ContactVerificationDetails table	
execution	
files	
New Query Window	
path	
PRINT statement	
:r command	
setvar	
set variable	
SQLCMD Mode option, SSMS	
USE master statement	
SQL Server	
agent	
browser	
business intelligence	
collation	
database engine	
configuration	
data directories	
FILESTREAM	
<u>user instances</u>	
database instances	
default	
development	
multiple	1
name	

testing	
definition	
editions	
express download page	
full text search	
history	
installation center	
installation completion	
installation wizards	
instance configuration page	
RDBMS	
reporting services configuration	
service accounts	
SSMS overview	
time to install	
tools and utilities	
updates and features	
instance	
selection	
share	
SQL Server Analysis Services (SSAS)	
SQL Server Integration Services (SSIS)	
SQL Server Management Studio (SSMS)	
AddressBook	
authentication	
Autogrowth/Maxsize	
CamelCase	
Database Normalization, 1NF	
drop database	
Filegroup	
file name	
file type	
initial size (MB)	
LDF file	•
logical name	_

MDF file
new database creation
objects/writing code
password
path
queries
secondary data file
server name
server type
SQL Server 2014 Management Studio
system databases
user name
SQL Server Reporting Services (SSRS)
Stored procedures
CREATE and ALTER
declaration
DROP
encapsulation
execution
InsertContact
maintainability
multiple output options
parameters
default values
input
output
READONLY
performance
PRINT statements
returning data
rollback
schema names
set-based logic
SET NOCOUNT ON and OFF



SSMS

UDTs See (User-Defined Types (UDTs)) System objects functions global variables stored procedures system stored procedure Т **Table Constraint** ALTER TABLE statement AND constraint blank FirstName and LastName entries check constraint check expression CREATE TABLE statement empty FirstName value modified Check constraint noncompliant row, delete refreshunique constraints valid row insertion Tables clustered and nonclustered keys columns CREATE TABLE SQL statement CREATE TABLE statement CREATE To option data types dbo.Contacts Edit Top 200 Rows foreign keys ContactPhoneNumbers Contacts table many to many relationship one-to-many relationship one to one relationship



GO statement IDENTITY columns naming New Query Editor Window primary keys ContactId column CreatedDate line CREATE TABLE T-SQL statement INT/BIGINT naming rows Script Table as table editor types of USE statement Table Scans Table-valued functions (TVFs) advantage building adding script to SQLCMD call @CountTable join queries requiring table RETURNS @CountsTable TABLE rollback script creation disadvantage operator CROSS APPLY OUTER APPLY performance issues Third Normal Form (3NF) TOP clause Transact-SQL (T-SQL)

AddressBook
CREATE DATABASE statement
DDL statement
definition
DML statement
drop database
ELSE
error
GO command
log file specification
5Master database
New Database dialog
ON PRIMARY
properties
Query with Current Connection
RDBMS
script creation
Transaction
ACID
committing
ContactVerificationDetails
definition
explicit
implicit
rolling back
rules
$\underline{\mathbf{sp}}_{\underline{\mathbf{w}}}\underline{\mathbf{w}}\underline{\mathbf{ho}}$
table locks
@@TRANCOUNT
T-SQL statements
Triggers
U
User-Defined Types (UDTs)
adding custom
ContactNote

creation execution purposes rollback script V, W, X Views adding columns broken view creation CREATE VIEW statement dropping indexing joins purpose VerifiedContactRoles Y, Z YEAR() function



PREV
Appendix D: Exercises

© 2017 Safari. Terms of Service / Privacy Policy

