#### Mr. WASIM

M/S. FEROZE1888 MILLS (UNIT A5)



## **KARACHI**

#### SUB: LT PANELS FOR AUTO-PHASE REVERSAL

Dear Sir,

With reference to your query, attached please find the quotation for the subject project

### **NOTES:**

- 1) Components will be as per attached component list.
- 2) Our offer is valid for 10 days, beyond the validity, M/s. R.A Engineering. reserves the right to review / revise the quotation.
- 3) Delivery / transportation will be Ex-Factory Karachi.
- 4) Above Prices are exclusive of Sales Tax.
- 5) Our offer is for Supply, Installation and Commissioning.
- 6) If delivery is not taken within 10 days after notification / intimation of readiness, extra charges will be applicable.
- 7) Our offer is subject to the Force-Majure.
- 8) Our offer is based on Current 177 US Dollar rate if Dollar rate change our Quotation will be revised accordingly.

## **MODE OF PAYMENT:**

50% advance alongwith order. 50% before delivery.

### **DELIVERY:**

Ex-Work's delivery will be made within 08-10 weeks after financial & technical go-ahead.

## Best Regards.

### **Muhammad Masood**

**Syed Saad Kamran** 

(Manager Switchgear)

0346-8201739

(Sales & Application Engineer) 0301-8255964

# **Schedule Of Prices**

CLIENT: FEROZE1888 MILLS								
PROJECT: LT PHASE REVERSAL PANELS FOR A5 UNIT								
S.No.	Description	Qty	Rate (Rs)	Amount(Rs)				
1	1MW PR PANEL	1	2,818,253	2,818,253				
2	2.5MW PR PANEL	1	9,663,776	9,663,776				
	Net Total (Excl GST)	12,482,028						

Twelve Million Four Hundred Eighty Two Thousand Twenty Eight Rupees only

# CLIENT: FEROZE1888 MILLS PROJECT: LT PHASE REVERSAL PANELS FOR A5 UNIT

## COMPONENTS LIST AS PER PROVIDED B.O.Q

				1	1
S.No	DESCRIPTION	RATING		MAKE	QTY
		AMP	SC		-
1	1MW PR PANEL				
	APR			T	
	ACB TP (ADJ.)	2000A	66kA	ABB	2
	MOTOR MECHANISM			ABB	2
	SHUNT TRIP FOR ACB			ABB	2
	CLOSING COIL			ABB	2
	UVT			ABB	2
	SP FOR CONTROL/ FUSE			CAMSCO/HIMMEL	6
	PHASE INDICATION LIGHTS (R/Y/B)	220VAC		S.A/EMAS	6
	ON/OFF INDICATION LIGHTS (G/R)	220VAC		S.A/EMAS	4
	CURRENT TRANSFORMER	1800/5A		FICO	3
	DIGITAL ENERGY ANALYZER			JANITZA	
APR CONTROL					
	EVR RELAY			EMIREL	1 1
	PHASE REVERSAL RELAY			EMIREL	1
	CONTROL RELAY + BASE			PHOENIX	1 1
	TIMER + BASE			AUTONICS	1 1
	LINEUP TERMINALS			IMPORTED	40
	STOPPER			IMPORTED	20
	SP FOR CONTROL/ FUSE			CAMSCO/HIMMEL	2
	NORMAL/ABNORMAL INDICATION LIGHTS			S.A/EMAS	2
1	2.5MW PR PANEL  APR				
	ACB TP (ADJ.)	5000A	100kA	ABB	2
	MOTOR MECHANISM			ABB	2
	SHUNT TRIP FOR ACB			ABB	2
	CLOSING COIL			ABB	2
	UVT			ABB	2
	SP FOR CONTROL/ FUSE			CAMSCO/HIMMEL	6
	PHASE INDICATION LIGHTS (R/Y/B)	220VAC		S.A/EMAS	6
	ON/OFF INDICATION LIGHTS (G/R)	220VAC		S.A/EMAS	4
	CURRENT TRANSFORMER	4500/5A		FICO	3
	DIGITAL ENERGY ANALYZER			JANITZA	1
	APR CONTROL				1
	EVR RELAY			EMIREL	1
	PHASE REVERSAL RELAY			EMIREL	1
	CONTROL RELAY + BASE			PHOENIX	1 1
	TIMER + BASE			AUTONICS	1 10
	LINEUP TERMINALS			IMPORTED	40
	STOPPER SP FOR CONTROL/ FUSE		+	IMPORTED CAMSCO/HIMMEL	20
	NORMAL/ABNORMAL INDICATION LIGHTS		+	S.A/EMAS	2
	INOUNINE INDICATION FIGURE			J.A/EIVIAS	