NAME :- UMER SALEEM

CLASS :- BS CS (E)

ROLL NO :- 49

SUBMIT BY :- SIR ASAD

LAB-3

TASK 1 Assume that the following variable are defined.

```
int age;
double pay;
Char section;
```

Write a single cin statement that will read input into each of these variable.

```
#include<iostream>
using name space std;
int main(){
int age;
double pay;
Char section;
Cout<< " Enter age, pay, section: ";
Cin >> age >> pay >> section;
Cout << "Age:" <<age <<endl;
Cout<<"Pay:" <<pay <<endl;
Cout << "Section:" <<section <<endl;
return 0;
}
```

Output

```
Enter age, pay, section: 19 27000 E
Age: 19
Pay: 27000
Section: E
```

Task 2: Complete the following table by writing the value of each expression in the value column according to C++ language rules.

Expression	Value
28/4-2	5
6+12*2-8	22
4+8*2	20
6+17%3-2	6
2+22*(9-7)	46
(8+7)*2	30
(16+7)%2-1	0
12/(10-6)	3

Task 4: Assume a program has the following variable definitions:
int a,b=2; float c=4.2; and the following a=b*c;
What value will be stored in a?

A. 8.4 B. 8 C. 0 D. None of the above

Answer ⇒ B=8

Reason:
Answer is 8.4 but computer convert the datatype float to int then a= 8.

Task 5: Assume that qty and salesReps are both integers. Use a type cast expression to rewrite the following statement so it will no longer perform integer division.

```
unitsEach = qty/salesReps;
```

Answer:

```
unitsEach = static_cast<double>(qty) / salesReps;
```

Reason: 'qty' aur 'salesReps' dono integer hain is liye unka jawab integer aya. To hum ne type casting kar ke integer ko double mein change kiya.

LAB-4

Task-1
Write a Program to print Positive Number entered by the user.
if the user enter negative number print number entred is positive otherwise Print number is negative.

```
#include<iostream>
using namespace std;
int main(){
  int num;
Cout<<" Enter a number:";
 cin>> num;
 if(num<0)
   Cout<<" Number is Positive";
else
   cout<<" Number is Negative";
return 0; }
```

Output

```
Enter a number: -6
Number is Positive
Enter a number: 7
Number is Negative
```

Task 2: Program to check whether an integer is Positive negative, or zero.

```
#include<iostream>
using namespace std;
int main() {
int num;
cout<<"Enter any Number: ";
cin>> num;
if (num>0)
  cout<<"Number is Positive";
else if (num<0)
  cout<<"Number is Negative";
else
  cout<<"Number is Zero";

return 0;

}
```

Output

```
Enter any Number: 5
Number is Positive
```

Task 3: Input : Mark

Process: If mark greater than 75 or equal to, Score will be A. or Scan.

If mark less than 30, score will be D.

```
#include<iostream>
using namespace std;
int main(){
  int mark;
  cout << "Enter your Marks:";
   cin >> mark;
if(mark>=75)
  cout <<"Grade A";
else if (mark>=60 && mark<75)
  cout <<"Grade B";
else if (mark>=45 && mark<60)
  cout <<"Grade C";
else
  cout<<"Grade D";
return 0;
}
```

Output

```
Enter your Marks: 89
Grade A
```

LAB-5