```
<h3 class="breadcrumb"> Tambah Tujuan Training <small>Isi dengan lengkap</small></h3>
<div class="col-md-6">
    <div class="form-group">
    <label for="tujuan" >Tujuan Training </label>
    <div class="form-group">
    <label for="InputMessage"><h4><small>Tujuan 1</small></h4></label>
    <input type="text" name="tujuan_pelatihan[]" id="InputMessage" class="form-control"</pre>
rows="5" data-toggle="tooltip" data-placement="right" title="Isikan Rincian Pelatihan Anda">
    </div>
    <div class="form-group">
    <label for="InputMessage"><h4><small>Tujuan 2</small></h4></label>
    <input type="text" name="tujuan pelatihan[]" id="InputMessage" class="form-control"
rows="5" data-toggle="tooltip" data-placement="right" title="Isikan Rincian Pelatihan Anda">
    </div>
    <div class="form-group">
    <label for="InputMessage"><h4><small>Tujuan 3</small></h4></label>
    <input type="text" name="tujuan_pelatihan[]" id="InputMessage" class="form-control"</pre>
rows="5" data-toggle="tooltip" data-placement="right" title="Isikan Rincian Pelatihan Anda">
    </div>
    <div class="form-group" id="dynamicInput">
    </div>
```

```
<button><a hreff="#" class="btn btn-default" value="ADD MORE" id="addScnt"
onClick="addInput('dynamicInput');" >ADD MORE</a>
    </button>
    </div>
    <div class="form-group">
    <input type="submit" name="tambah" id="tambah" value="SUBMIT" class="btn btn-success</p>
pull-right" />
    </div>
</div>
<script>
var counter = 3;
var limit = 1000;
function addInput(divName){
  if (counter == limit) {
     alert("You have reached the limit of adding " + counter + " inputs");
  }
  else {
     var newdiv = document.createElement('div');
     newdiv.innerHTML = "<label for='p_scnts' ><h4><small> Tujuan " + (counter + 1) +
"</small></h4></label> <br><input type='text' name='tujuan_pelatihan[] ' class='form-control'
rows='5' >";
     document.getElementById(divName).appendChild(newdiv);
     counter++;
```

```
}
```

</script>