21) When implementing linear regression of some dependent variable y on the set of independent variables $\mathbf{x} = (x_1,, x_r)$, where r is the number of predictors, which of the following statements will be true?
a) $\beta_0, \beta_1,, \beta_r$ are the regression coefficients .
b) Linear regression is about determining the best predicted weights by using the method of ordinary least squares .
C) E is the random interval

22)

d) Both and b

What indicates that you have a **perfect fit** in linear regression?

```
a) The value R^2 < 1, which corresponds to SSR = 0
```

- b) The value $R^2 = 0$, which corresponds to SSR = 1
- c) The value $R^2 > 0$, which corresponds to SSR = 1
- d) The value $R^2 = 1$, which corresponds to SSR = 0


23)

In simple linear regression, the value of **what** shows the point where the estimated regression line crosses the y axis?

- a) Y
- b) B0
- c) B1
- d) F

24)

Check out these four linear regression plots:



Which one represents an underfitted model?

a)The bottom-left plot

- b) The top-right plot
- c) The bottom-right plot
- d) The top-left plot

25)

There are five basic steps when you're implementing linear regression:

- a. Check the results of model fitting to know whether the model is satisfactory.
- **b.** Provide data to work with, and eventually do appropriate transformations.
- **c.** Apply the model for predictions.
- **d.** Import the packages and classes that you need.
- e. Create a regression model and fit it with existing data.

However, those steps are currently listed in the wrong order. What's the correct order?

b) e, d, b, a, c c) d, e, c, b, a d) d, b, e, a, c
26) Which of the following are optional parameters to LinearRegression in scikit-learn?
a) Fit
b) fit_intercept c) normalize d) copy_X e) n_jobs f) reshape
27) While working with scikit-learn, in which type of regression do you need to transform the array of inputs to include nonlinear terms such as x^2 ?
a)Multiple linear regression
b) Simple linear regression
c) Polynomial regression
28) You should choose statsmodels over scikit-learn when:
A)You want graphical representations of your data.
b) You're working with nonlinear terms.
c) You need more detailed results.
d) You need to include optional parameters.
 29) is a fundamental package for scientific computing with Python. It offers comprehensive mathematical functions, random number generators, linear algebra routines, Fourier transforms, and more. It provides a high-level syntax that makes it accessible and productive. a) Pandas b) Numpy c) Statsmodel
d) scipy
30) is a Python data visualization library based on Matplotlib. It provides a high-level interface for drawing attractive and informative statistical graphics that allow you to explore and understand your data. It integrates closely with pandas data structures.

a) e, c, a, b, d

- a) Bokeh
- b) Seaborn
- c) Matplotlib
- d) Dash