


Whatsway Application - Client Installation & Setup Manual

Welcome to the official technical setup guide for the **Whatsway Application**. This document provides complete step-by-step technical instructions for installing, configuring, rebranding, and deploying the Whatsway Flutter application on both iOS and Android platforms.

1. How to Install Flutter in Your System (Windows & Mac)

A. Windows Installation

1. **System Requirements:** Windows 10/11 (64-bit), minimum 8GB RAM, and 10GB free disk space.
2. **Download Git:** Install Git for Windows from official git website.
3. **Download Flutter SDK:** Download the Flutter SDK zip bundle from flutter.dev.
4. **Extract SDK:** Extract the zip archive to C:\src\flutter (Avoid Program Files due to administrative permissions).
5. **Set Environment PATH:** Open Environment Variables > System Variables > Path > Add C:\src\flutter\bin.
6. **Run Doctor:** Open CMD or PowerShell and run: flutter doctor



B. macOS Installation

1. **Rosetta 2 (Apple Silicon M1/M2/M3):** Run `softwareupdate --install-rosetta --agree-to-license`
2. **Download & Extract:** Clone or extract Flutter to `~/development/flutter`.
3. **Update Shell Profile:** Add to `~/.zshrc`: `export PATH="$HOME/development/flutter/bin:$PATH"` and execute `source ~/.zshrc`.
4. **Install Xcode & CocoaPods:** Run `sudo xcode-select --switch /Applications/Xcode.app/Contents/Developer` and `brew install cocoapods`.
5. **Run Doctor:** `flutter doctor`

[SCREENSHOT / VISUAL STEP 1.2]: macOS Terminal - Flutter Doctor Output

```
$ flutter doctor
[✓] Flutter (Channel stable, 3.24.0, macOS 14.5 arm64)
[✓] Xcode - develop for iOS and macOS (Xcode 15.4)
[✓] CocoaPods (version 1.15.2)
[✓] Network resources ---> All good!
```

2. Our Version & Environment Specifications

To ensure total software compatibility, verify that your environment matches our tested version stack:

Component	Tested / Required Specification
Flutter SDK	v3.44.6 (Stable Channel)
Dart SDK	v3.12+
JDK Version	JDK 17 OpenJDK
Android SDK Target	API 34 (Android 14) / Min SDK 21
iOS Target	iOS 13.0 or higher
Recommended IDE	VS Code / Android Studio

[SCREENSHOT / VISUAL STEP 2.1]: Pubspec.yaml Version Constraints

```
environment:
  sdk: '>=3.5.0 <4.0.0'
  flutter: ">=3.24.0"
```

```
dependencies:
  flutter:
    sdk: flutter
```

3. How to Setup Project

1. Unzip the delivered source code archive or clone the provided repository: git clone <https://github.com/your-org/whatsway-app.git>
2. Open VS Code / Android Studio and select **Open Folder** > Select project folder.
3. Open project terminal and fetch dependencies: flutter pub get
4. (macOS only) Install iOS CocoaPods: cd ios && pod install && cd ..

[SCREENSHOT / VISUAL STEP 3.1]: Project Folder Structure in IDE

```
WHATSWAY-APP
├── android
├── assets (Images, Logos)
├── ios
├── lib (Flutter Dart code)
│   ├── main.dart
│   └── views
├── pubspec.yaml
├── google-services.json
└── GoogleService-Info.plist
```

4. How to Change App Name

- **Android App Name:** Open android/app/src/main/AndroidManifest.xml and update android:label="Whatsway" inside <application>.
- **iOS App Name:** Open ios/Runner/Info.plist and edit CFBundleDisplayName and CFBundleName tags to your new app name.

[SCREENSHOT / VISUAL STEP 4.1]: Changing App Name in Manifest and Info.plist

ios/Runner/Info.plist:

```
<key>CFBundleDisplayName</key>
<string>Your Brand Name</string>
```

android/app/src/main/AndroidManifest.xml:

```
<application android:label="Your Brand Name" ...>
```

5. How to Change Package Name (Application ID)

Default package identifier: com.whatsway.app

1. **Automated Method:** Run flutter pub run change_app_package_name:main com.yourcompany.appname
2. **Android Manual:** Open android/app/build.gradle and change applicationId "com.yourcompany.appname".
3. **iOS Manual:** Open ios/Runner.xcworkspace in Xcode > Select Runner target > Signing & Capabilities > Change Bundle Identifier to com.yourcompany.appname.

[SCREENSHOT / VISUAL STEP 5.1]: Xcode and build.gradle Identifier Settings

Xcode -> Signing & Capabilities:

Bundle Identifier: [com.yourcompany.whatsway]


android/app/build.gradle:

```
defaultConfig {
    applicationId "com.yourcompany.whatsway"
}
```

6. How to Change Icons for iOS and Android


A. Generating & Updating Icons for Android

1. Open the [Icon Kitchen App Icon Generator](#).
2. Upload your logo image, adjust background colors, icon scaling, and clip art styling as desired.
3. Click Download at the top right to get the generated ZIP package containing all density assets.
4. Extract the downloaded ZIP archive.
5. Copy and replace all generated mipmap-* folders directly into your Flutter project at: **android/app/src/main/res/**




B. Updating Icons for iOS

1. Extract your iOS icon assets package (containing required PNG sizes and **Contents.json**).
2. Open your project directory and navigate to the native iOS asset catalog: **ios/Runner/Assets.xcassets/AppIcon.appiconset**
3. Copy and replace all icon image files and **Contents.json** inside the **AppIcon.appiconset** folder.




7. How to Setup Firebase

1. Go to [Firebase Console](#) and click **Add Project**.
2. Name your project Whatsway App and complete creation.
3. **Add Android App:** Enter package name (com.yourcompany.whatsway) and SHA-1 key. Download google-services.json.



4. **Add iOS App:** Enter Bundle Identifier (com.yourcompany.whatsway). Download GoogleService-Info.plist.



 **[SCREENSHOT / VISUAL STEP 7.1]: Firebase Project Dashboard**


Firebase Console -> Whatsway Project:

- Android App: com.yourcompany.whatsway (google-services.json)
- iOS App: com.yourcompany.whatsway (GoogleService-Info.plist)


Status: Active & Integrated

8. How to Integrate Firebase in Our Project

- Place google-services.json inside android/app/ directory.



- Place GoogleService-Info.plist inside ios/Runner/ folder in Xcode.



- In lib/main.dart, ensure initialization:

```
void main() async {
  WidgetsFlutterBinding.ensureInitialized();
  await Firebase.initializeApp();
  runApp(const MyApp());
}
```

[SCREENSHOT / VISUAL STEP 8.1]: Main.dart Firebase Initialization

android/app/google-services.json [PLACED OK]
ios/Runner/GoogleService-Info.plist [PLACED OK]

```
void main() async {
  WidgetsFlutterBinding.ensureInitialized();
  await Firebase.initializeApp();
  runApp(const WhatswayApp());
}
```

9. How to Run the Project

1. Start your Android Emulator or iOS Simulator.
2. Run in debug mode: flutter run
3. Build Android APK release: flutter build apk --release
4. Build Android App Bundle release: flutter build appbundle --release
5. Build iOS IPA release: flutter build ipa --release

[SCREENSHOT / VISUAL STEP 9.1]: Application Running on Simulator

```
$ flutter run
Launching lib/main.dart on iPhone 15 Pro in debug mode...
Running Xcode build...
Syncing files to device iPhone 15 Pro...
[✓] Whatsway Application Successfully Running!
```

10. Company Details

Website: <https://whatsway.diploy.in>

Support Email: cs@diploy.in

11. Thank You



Thank You for Choosing Whatsway!

We appreciate your business and trust in our software product. Should you require any custom development or technical assistance, our core engineering team is always ready to assist you.

Happy Coding & Deploying!