



Amazon S3

Simple Storage Service



S3 STATIC WEBSITE
HOSTING :
DEVELOPMENT-FIRST
APPROACH 🎉 🌐

Introduction

Welcome to this AWS S3 Static Website Hosting guide. This project demonstrates how to deploy a static website on Amazon S3, providing practical experience with cloud storage and web hosting. It is ideal for learning, testing, and personal projects 🎓.

Prerequisites


Before you begin, ensure you have:

-  An AWS account with required permissions
-  Basic knowledge of HTML/CSS
-  Website files ready for deployment
-  A modern web browser
-  Basic understanding of cloud concepts

Detailed Implementation Guide

1. AWS Management Console Access


Navigate To The AWS Management Console :



2. Locating S3 Service 🔍

Access S3 Through :

-AWS Console Search : Type “S3” Or “Simple Storage Service”




3. Bucket Creation and configuration

Essential Settings :

- Bucket Naming Convention
- Must Be Globally Unique Across All AWS
- Should Be DNS-compatible
- 3-63 Characters Long
- Can Contain Lowercase Letters, Numbers, Dots, And Hyphens

Configuration steps :

- Click create bucket



- Enter The Bucket Name Following Conventions

Create bucket [info](#)
Buckets are containers for data stored in S3.

General configuration

AWS Region
Europe (Stockholm) eu-north-1

Bucket type [info](#)

☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket namespace
Choose the namespace where you want to create your bucket. [Learn more](#) [L2](#)

☒ **Global namespace**
By default, S3 creates general purpose buckets in the global namespace.

☐ **Account Regional namespace (recommended)**
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.

Bucket name [info](#)

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#) [L2](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

- Configure Object Ownership
 - Select ALCs Enabled

Object Ownership [info](#)
Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

☐ **ACLs disabled (recommended)**
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☒ **ACLs enabled**
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

 We recommend disabling ACLs, unless you need to control access for each object individually or to have the object writer own the data they upload. Using a bucket policy instead of ACLs to share data with users outside of your account simplifies permissions management and auditing.

- Choose Bucket Owner Preferred

Object Ownership

☒ **Bucket owner preferred**
If new objects written to this bucket specify the bucket-owner-full-control canned ACL, they are owned by the bucket owner. Otherwise, they are owned by the object writer.

☐ **Object writer**
The object writer remains the object owner.

- Public Access Settings :

- Uncheck All Block Public Access Options

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

☐ **Block all public access**

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☐ **Block public access to buckets and objects granted through *new* access control lists (ACLs)**

S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☐ **Block public access to buckets and objects granted through *any* access control lists (ACLs)**

S3 will ignore all ACLs that grant public access to buckets and objects.

☐ **Block public access to buckets and objects granted through *new* public bucket or access point policies**

S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☐ **Block public and cross-account access to buckets and objects through *any* public bucket or access point policies**

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

 Turning off block all public access might result in this bucket and the objects within becoming public

AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

☐ I acknowledge that the current settings might result in this bucket and the objects within becoming public.

- Acknowledge The Public Access Warning

 Turning off block all public access might result in this bucket and the objects within becoming public

AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

☒ I acknowledge that the current settings might result in this bucket and the objects within becoming public.

Default encryption [Info](#)

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type [Info](#)

Secure your objects with two separate layers of encryption. For details on pricing, see [DSSE-KMS pricing](#) on the **Storage** tab of the [Amazon S3 pricing page](#). [↗](#)

- ☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)
- ☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)
- ☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#) [↗](#)

- ☐ Disable
- ☒ Enable

► Advanced settings

[i](#) After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.


[Cancel](#)

[Create bucket](#)


- Click The “Create Bucket” Button

Upload Steps :


- Navigate To Bucket Contents



- Click Upload



- Configuration upload settings
 - Drag File And Use File Browser



Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (14 total, 620.8 KB)

Remove

Add files

Add folder

All files and folders in this table will be uploaded.

Q Find by name

< 1 2 >

☐	Name	Folder	Type	Size
☐	app-icon.jpg	Weather_App-main (4)/Weather_App-main/	image/jpeg	14.0 KB
☐	backg.jpg	Weather_App-main (4)/Weather_App-main/	image/jpeg	522.0 KB
☐	clear.png	Weather_App-main (4)/Weather_App-main/	image/png	6.4 KB
☐	clouds.png	Weather_App-main (4)/Weather_App-main/	image/png	12.4 KB
☐	cloud_def.png	Weather_App-main (4)/Weather_App-main/	image/png	5.8 KB
☐	drizzle.png	Weather_App-main (4)/Weather_App-main/	image/png	10.1 KB
☐	index.html	Weather_App-main (4)/Weather_App-main/	text/html	1.9 KB
☐	location-not-found.svg	Weather_App-main (4)/Weather_App-main/	image/svg+xml	11.9 KB
☐	mist.png	Weather_App-main (4)/Weather_App-main/	image/png	11.9 KB
☐	rain.png	Weather_App-main (4)/Weather_App-main/	image/png	5.7 KB

- Enable Public-read Access

Access control list (ACL)
Grant basic read/write permissions to other AWS accounts. [Learn more](#)

AWS recommends using S3 bucket policies or IAM policies for access control. [Learn more](#)

Access control list (ACL)
☒ Choose from predefined ACLs
☐ Specify individual ACL permissions
Predefined ACLs
☐ Private (recommended)
Only the object owner will have read and write access.

☒ Grant public-read access
Anyone in the world will be able to access the specified objects. The object owner will have read and write access. [Learn more](#)

Granting public-read access is not recommended
Anyone in the world will be able to access the specified objects. [Learn more](#)

☒ I understand the risk of granting public-read access to the specified objects.

- Acknowledge Public Access Settings

Uploading

0%

Cancel

Total remaining: 1 file: 1.6 MB (100.00%)
Estimated time remaining: calculating...
Transfer rate: 0 B/s

- Uploading process

- Click on index.html

 **Upload succeeded**
For more information, see the [Files and folders](#) table.

Files and folders (14 total, 620.8 KB)

Name	Folder	Type	Size	Status	Error
app-icon.jpg	Weather_App-main (4)/Weath...	image/jpeg	14.0 KB	Succeeded	-
backg.jpg	Weather_App-main (4)/Weath...	image/jpeg	522.0 KB	Succeeded	-
clear.png	Weather_App-main (4)/Weath...	image/png	6.4 KB	Succeeded	-
clouds.png	Weather_App-main (4)/Weath...	image/png	12.4 KB	Succeeded	-
cloud_def.png	Weather_App-main (4)/Weath...	image/png	5.8 KB	Succeeded	-
drizzle.png	Weather_App-main (4)/Weath...	image/png	10.1 KB	Succeeded	-
index.html	Weather_App-main (4)/Weath...	text/html	1.9 KB	Succeeded	-
location-not-found.svg	Weather_App-main (4)/Weath...	image/svg+xml	11.9 KB	Succeeded	-
mist.png	Weather_App-main (4)/Weath...	image/png	11.9 KB	Succeeded	-
rain.png	Weather_App-main (4)/Weath...	image/png	5.7 KB	Succeeded	-

index.html [Info](#)

[Copy S3 URI](#) [Download](#) [Open](#) [Object actions](#)

Properties **Permissions** **Versions**

Object overview

Owner
d43f59570f3726eac2c7e21002505ef1f2acb3b618a7f7a7d77d86fc702f53f0

AWS Region
Europe (Stockholm) eu-north-1

Last modified
June 18, 2026, 19:49:21 (UTC+05:30)

Size
1.9 KB

Type
html

Key
[Weather_App-main \(4\)/Weather_App-main/index.html](#)

S3 URI
[s3://my-bucket-18-june/Weather_App-main \(4\)/Weather_App-main/index.html](#)

Amazon Resource Name (ARN)
[arn:aws:s3:::my-bucket-18-june/Weather_App-main \(4\)/Weather_App-main/index.html](#)

Entity tag (Etag)
4c4e93c66c0934e0f9136e9

 **Object URL Copied**

[https://my-bucket-18-june.s3.eu-north-1.amazonaws.com/Weather_App-main+\(4\)/Weather_App-main/index.html](#)

❑ S3 Website Hosting Successfully ✓

