


Home Projects Qualys.com Contact


You are here: Home > Projects > SSL Server Test > home.treasury.gov > 23.59.207.5


SSL Report: <u>home.treasury.gov</u> (23.59.207.5)

Assessed on: Mon, 19 Feb 2018 16:06:24 UTC | Hide | Clear cache

Scan Another »









Certification Paths

Click here to expand

Configuration



Protocols

| TLS 1.3 | No |
|---------|-----|
| TLS 1.2 | Yes |
| TLS 1.1 | Yes |
| TLS 1.0 | Yes |
| SSL 3 | No |
| SSL 2 | No |

For TLS 1.3 tests, we currently support draft version 18.



Cipher Suites

| # TLS 1.2 (suites in server-preferred order) | |
|--|------------------|
| TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030) ECDH secp256r1 (eq. 3072 bits RSA) FS | 256 |
| TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f) ECDH secp256r1 (eq. 3072 bits RSA) FS | 128 |
| TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 (0xcca8) ECDH secp256r1 (eq. 3072 bits RSA) FS | 256 ^P |
| TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028) ECDH secp256r1 (eq. 3072 bits RSA) FS | 256 |
| TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027) ECDH secp256r1 (eq. 3072 bits RSA) FS | 128 |
| TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014) ECDH secp256r1 (eq. 3072 bits RSA) FS | 256 |
| TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) ECDH secp256r1 (eq. 3072 bits RSA) FS | 128 |
| TLS_RSA_WITH_AES_256_GCM_SHA384 (0x9d) WEAK | 256 |
| TLS_RSA_WITH_AES_128_GCM_SHA256 (0x9c) WEAK | 128 |
| TLS_RSA_WITH_AES_256_CBC_SHA256 (0x3d) WEAK | 256 |
| TLS_RSA_WITH_AES_128_CBC_SHA256 (0x3c) WEAK | 128 |
| TLS_RSA_WITH_AES_256_CBC_SHA (0x35) WEAK | 256 |
| TLS_RSA_WITH_AES_128_CBC_SHA(0x2f) WEAK | 128 |
| # TLS 1.1 (suites in server-preferred order) | + |
| #TLS 1.0 (suites in server-preferred order) | + |
| | |

(P) This server prefers ChaCha20 suites with clients that don't have AES-NI (e.g., Android devices)



Handshake Simulation

| Android 2.3.7 No SNI ² | RSA 2048 (SHA256) TLS 1.0 | TLS_RSA_WITH_AES_128_CBC_SHA No FS |
|-----------------------------------|---------------------------|---|
| Android 4.0.4 | RSA 2048 (SHA256) TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| Android 4.1.1 | RSA 2048 (SHA256) TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| Android 4.2.2 | RSA 2048 (SHA256) TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| Android 4.3 | RSA 2048 (SHA256) TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| Android 4.4.2 | RSA 2048 (SHA256) TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Android 5.0.0 | RSA 2048 (SHA256) TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS |
| | | |

| Handshake Simulation | | | |
|-------------------------------------|---------------------|------------------------|---|
| Android 6.0 | RSA 2048 (SHA256) | TLS 1.2 > http/1.1 | TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS |
| Android 7.0 | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 ECDH secp256r1 FS |
| Baidu Jan 2015 | RSA 2048 (SHA256) | TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| BingPreview Jan 2015 | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Chrome 49 / XP SP3 | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS |
| Chrome 57 / Win 7 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Firefox 31.3.0 ESR / Win 7 | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS |
| Firefox 47 / Win 7 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS |
| Firefox 49 / XP SP3 | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Firefox 53 / Win 7 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Googlebot Feb 2015 | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS |
| IE 7 / Vista | RSA 2048 (SHA256) | TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| IE 8 / XP No FS 1 No SNI 2 | Server sent fatal a | lert: handshake_failui | re |
| I <u>E 8-10 / Win 7</u> R | RSA 2048 (SHA256) | TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| I <u>E 11 / Win 7</u> R | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp256r1 FS |
| I <u>E 11 / Win 8.1</u> R | RSA 2048 (SHA256) | TLS 1.2 > http/1.1 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp256r1 FS |
| IE 10 / Win Phone 8.0 | RSA 2048 (SHA256) | TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| IE 11 / Win Phone 8.1 R | RSA 2048 (SHA256) | TLS 1.2 > http/1.1 | TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS |
| IE 11 / Win Phone 8.1 Update R | RSA 2048 (SHA256) | TLS 1.2 > http/1.1 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp256r1 FS |
| IE 11 / Win 10 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Edge 13 / Win 10 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Edge 13 / Win Phone 10 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Java 6u45 No SNI ² | RSA 2048 (SHA256) | TLS 1.0 | TLS_RSA_WITH_AES_128_CBC_SHA No FS |
| Java 7u25 | RSA 2048 (SHA256) | TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS |
| Java 8u31 | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS |
| OpenSSL 0.9.8v | RSA 2048 (SHA256) | TLS 1.0 | TLS_RSA_WITH_AES_256_CBC_SHA_No.FS |
| OpenSSL 1.0.1I R | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| OpenSSL 1.0.2e R | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Safari 5.1.9 / OS X 10.6.8 | RSA 2048 (SHA256) | | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| Safari 6 / iOS 6.0.1 | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp256r1 FS |
| <u>Safari 6.0.4 / OS X 10.8.4</u> R | RSA 2048 (SHA256) | TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS |
| Safari 7 / iOS 7.1 R | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp256r1 FS |
| <u>Safari 7 / OS X 10.9</u> R | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp256r1 FS |
| Safari 8 / iOS 8.4 R | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp256r1 FS |
| Safari 8 / OS X 10.10 R | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp256r1 FS |
| Safari 9 / iOS 9 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Safari 9 / OS X 10.11 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Safari 10 / iOS 10 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Safari 10 / OS X 10.12 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Apple ATS 9 / iOS 9 R | RSA 2048 (SHA256) | TLS 1.2 > h2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| Yahoo Slurp Jan 2015 | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |
| YandexBot Jan 2015 | RSA 2048 (SHA256) | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp256r1 FS |

Not simulated clients (Protocol mismatch)

 $\underline{\text{IE 6 / XP}} \hspace{0.2cm} \text{No FS} \hspace{0.1cm} ^{1} \hspace{0.1cm} \text{No SNI} \hspace{0.1cm} ^{2} \hspace{1cm} \text{Protocol mismatch (not simulated)}$

- (1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
- (2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
- (3) Only first connection attempt simulated. Browsers sometimes retry with a lower protocol version.
- (R) Denotes a reference browser or client, with which we expect better effective security.
- (All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).
- (All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.



Protocol Details

DROWN

No, server keys and hostname not seen elsewhere with SSLv2

- (1) For a better understanding of this test, please read $\underline{\text{this longer explanation}}$
- $(2) \ \text{Key usage data kindly provided by the } \underline{\text{Censys}} \ \text{network search engine; original DROWN website } \underline{\text{here}}$
- (3) Censys data is only indicative of possible key and certificate reuse; possibly out-of-date and not complete

-

| | Server Test. Home.treasury.gov (Fowered by Quarys SSL Labs) |
|---|---|
| Protocol Details | |
| Secure Renegotiation | Supported |
| Secure Client-Initiated Renegotiation | Yes |
| Insecure Client-Initiated Renegotiation | No |
| BEAST attack | Not mitigated server-side (more info) TLS 1.0: 0xc014 |
| POODLE (SSLv3) | No, SSL 3 not supported (more info) |
| POODLE (TLS) | No (more info) |
| Downgrade attack prevention | Yes, TLS_FALLBACK_SCSV supported (more info) |
| SSL/TLS compression | No |
| RC4 | No |
| Heartbeat (extension) | No |
| Heartbleed (vulnerability) | No (more info) |
| Ticketbleed (vulnerability) | No (more info) |
| OpenSSL CCS vuln. (CVE-2014-0224) | No (more info) |
| OpenSSL Padding Oracle vuln. (CVE-2016-2107) | No (more info) |
| ROBOT (vulnerability) | No (more info) |
| Forward Secrecy | With modern browsers (more info) |
| ALPN | Yes h2 h2-14 http/1.1 |
| NPN | Yes http/1.1 http/1.0 |
| Session resumption (caching) | Yes |
| Session resumption (tickets) | Yes |
| OCSP stapling | Yes |
| Strict Transport Security (HSTS) | No |
| HSTS Preloading | Not in: Chrome Edge Firefox IE |
| Public Key Pinning (HPKP) | No (more info) |
| Public Key Pinning Report-Only | No |
| Public Key Pinning (Static) | No (more info) |
| Long handshake intolerance | No |
| TLS extension intolerance | No |
| TLS version intolerance | No |
| Incorrect SNI alerts | No |
| Uses common DH primes | No, DHE suites not supported |
| DH public server param (Ys) reuse | No, DHE suites not supported |
| ECDH public server param reuse | No |
| Supported Named Groups | secp256r1, x25519 (server preferred order) |
| SSL 2 handshake compatibility | Yes |
| | |



HTTP Requests







Miscellaneous

| Test date | Mon, 19 Feb 2018 16:04:53 UTC | |
|-----------------------|---|--|
| Test duration | 91.298 seconds | |
| HTTP status code | 200 | |
| HTTP server signature | nginx | |
| Server hostname | a23-59-207-5.deploy.static.akamaitechnologies.com | |
| | | |

SSL Report v1.30.8

Copyright © 2009-2018 Qualys, Inc. All Rights Reserved.

Terms and Conditions

Qualys is the leading provider of integrated infrastructure security, cloud infrastructure security, endpoint security, devsecops, compliance and web app security solutions.