Astronomy - Structural Correspondence with the Five-Stage Model

2026-03-21

Contents

Astronomy . . . 1
Survey Overview . . . 1
Structural Correspondence Diagram . . . 1
Overview of the Five-Stage Model . . . 1
Overview of Structural Correspondences . . . 3
Key Entry 1: Star Formation and Stellar Evolution (Jeans, B2FH, Shu, Kippenhahn) . . . 4
Key Entry 2: Accretion Disks and Jet Formation (Blandford & Znajek, Balbus & Hawley) . . . 4
Key Entry 3: Planetary System Formation (Pollack, Boss, Johansen, Hayashi) . . . 5
Cross-Cutting Patterns . . . 5
Open Questions . . . 5
Conclusion . . . 6

Astronomy

Structural correspondence survey with the five-stage model (Field · Wave · Edge · Vortex · Bundle)

Survey Overview

- **Survey targets**: 10 major theories in astronomy
- **Research question**: Do the theories of astronomy correspond structurally to the five-stage model?
- **Results**: Strong correspondence in 9 cases, partial correspondence in 1 case

---

Structural Correspondence Diagram

Overview of the Five-Stage Model

Stage	Definition
Field (ba)	An undifferentiated state. The initial condition in which no direction or structure has yet been established
Wave (nami)	The stage of exploration in which multiple directions diverge and compete
Edge (en)	A state of tension in which opposing elements coexist without converging toward either side. The place where elements meet at a boundary, influence each other, and relationships emerge
Vortex (uzu)	The stage in which a new coherence (order) arises spontaneously from within the tension
Bundle (taba)	The stage in which form is established and stabilizes as a reusable structure



Figure 1: Structural correspondence diagram

Overview of Structural Correspondences

Figure 2: Domain — Theory x 5-Stage Correspondence Matrix

#	Theory / Phenomenon	Key Researchers	Corresponding Stages	Judgment
1	Star formation and stellar evolution	Jeans, B2FH, Shu	Field→Wave→Edge→Vortex→Bundle→Field'	Strong correspondence
2	Hierarchical galaxy formation	White & Rees, Press & Schechter	Field→Wave→Edge→Vortex→Bundle	Strong correspondence
3	Cosmic baryon cycle	Tumlinson, Dekel & Birnboim	Field→Wave→Edge→Vortex→Bundle	Strong correspondence
4	Accretion disks and jet formation	Blandford & Znajek, Balbus & Hawley	Field→Wave→Edge→Vortex→Bundle	Strong correspondence
5	Planetary system formation	Pollack, Johansen, Hayashi	Field→Wave→Edge→Vortex→Bundle	Strong correspondence
6	Supernova remnants and interstellar medium interaction	Taylor, Sedov, Bell	Field→Wave→Edge→Vortex→Bundle	Strong correspondence
7	Solar magnetic activity cycle	Babcock, Leighton, Charbonneau	Field→Wave→Edge→Vortex→Bundle	Strong correspondence
8	Large-scale structure of the universe	Zel'dovich, Planck Collaboration	Field→Wave→Edge→Vortex→Bundle	Strong correspondence
9	Neutron star mergers and kilonovae	Abbott et al., Lattimer & Schramm	Field→Wave→Edge→Vortex→Bundle	Strong correspondence

#	Theory / Phenomenon	Key Researchers	Corresponding Stages	Judgment
10	Dynamical evolution of globular clusters	Spitzer, Heggie, Lynden-Bell	Field→Wave→Edge→Vortex→Bundle	Partial correspondence

---

Key Entry 1: Star Formation and Stellar Evolution (Jeans, B2FH, Shu, Kippenhahn)

- Stars are the most fundamental unit of structure formation in the universe. Cold molecular clouds collapse under gravity to give birth to protostars, which sustain themselves through nuclear fusion and ultimately return heavy elements to the interstellar medium. This sequence is one of the most well-established physical processes in astronomy.
- **As established fact**: In a molecular cloud, gravitational collapse begins when the mass of gas exceeds the Jeans mass — the critical mass at which the cloud's self-gravity and thermal pressure are balanced (Jeans 1902). The collapsing material rotates and forms a protostellar disk; when temperature and density at the center become sufficient, hydrogen fusion ignites. The star stabilizes as a main-sequence star for a long period and follows an evolutionary path determined by its mass. Massive stars release heavy elements into the interstellar medium through supernova explosions, and that material becomes the raw material for the next generation of stars and planets (B2FH 1957, Kippenhahn et al. 2012).
- **As a reading**: Here we read a threshold mechanism — collapse begins when a density fluctuation exceeds a threshold — and a feedback structure in which material circulates through supernova explosions. The level of analogy is process. What we focus on is the sequential structure: "undifferentiated matter → growth of instability → disk where multiple elements interact → self-sustaining fusion → stable evolutionary path → return of matter." In particular, the final return is not a reversal but an irreversible spiral that generates a more complex field.
- **As interpretation**: The molecular cloud corresponds to the Field (the sea of undifferentiated matter). The gravitational growth of density fluctuations is the Wave (amplification of instability). The protostellar disk, as a surface of multi-element interaction coupling gravity, magnetic fields, angular momentum, and radiative cooling, corresponds to the Edge. Self-sustaining nuclear fusion in the stellar core is the Vortex (maintenance of spontaneously established order). The evolutionary path on the HR diagram can be read as the Bundle (establishment of a stable pattern). The process in which heavy elements return to the interstellar medium through supernova explosions is a return from Bundle to the next Field, but because composition shifts from hydrogen gas to heavy-element-enriched gas, it does not return to the same field. The five stages proceed not in a simple cycle but in a spiral — this is what stellar evolution reveals.

Key Entry 2: Accretion Disks and Jet Formation (Blandford & Znajek, Balbus & Hawley)

- Accretion disks that form around black holes and neutron stars are systems that release energy while transporting angular momentum as matter falls toward the compact object. These systems produce relativistic jets — streams of matter ejected at speeds close to the speed of light.
- **As established fact**: The magnetorotational instability (MRI) demonstrates that a differentially rotating disk with a weak magnetic field is fundamentally unstable (Balbus & Hawley 1991). This instability generates turbulence, and the turbulence transports angular momentum outward, sustaining infall of matter. The Blandford-Znajek mechanism (Blandford & Znajek 1977) theoretically showed that energy can be extracted from a rotating black hole via electromagnetic fields. The Event Horizon Telescope (EHT) produced the first direct image of the structure near the black hole at the center of the galaxy M87 in 2019, confirming the existence of an accretion flow and magnetic field structure.
- **As a reading**: Here we read a rare case in which a physical "vortex" (MRI turbulence) directly coincides with the conceptual Vortex. The level of analogy is structure. From the condition field of a differentially rotating magnetized disk, instability grows linearly; nonlinear turbulent structure self-sustainingly transports angular momentum; and ultimately a stable structure — a collimated jet

— is produced. In this system, all five stages are simultaneously observable within a single physical system.

- **As interpretation**: The magnetized differentially rotating disk and the black hole spacetime constitute the Field. The linear growth of MRI is the Wave. The inner disk edge (innermost stable circular orbit), disk surface, and magnetospheric boundary are multiple boundaries where energy conversion is localized, corresponding to the Edge. A characteristic of this system is that the Edge is established simultaneously in multiple layers rather than just one. The self-sustaining angular momentum transport by MRI turbulence is the Vortex, and the collimated relativistic jet is the Bundle. The directness with which physical turbulence overlaps with the conceptual Vortex is striking even across the full survey of 30 domains.

Key Entry 3: Planetary System Formation (Pollack, Boss, Johansen, Hayashi)

- How planets form around stars like the Sun is a central question in solar system science and exoplanet science. The process by which micron-sized dust grains in a protoplanetary disk accumulate to eventually become planet-sized bodies is a multi-stage structure formation involving multiple physical mechanisms.
- **As established fact**: In the core accretion model, a solid core accretes disk gas to form a giant planet (Pollack et al. 1996). In the disk gravitational instability model, a massive disk fragments directly by self-gravity (Boss 1997). Which scenario dominates depends on the mass and temperature conditions of the disk. Streaming instability is a mechanism in which aerodynamic coupling between gas and dust causes particle concentrations to grow spontaneously, forming planetesimals (Johansen et al. 2007). In 2015, the ALMA telescope directly imaged ring and gap structures in the protoplanetary disk of HL Tau. The snow line — the sublimation boundary for water ice — is the location where dust composition and particle size change abruptly, and it strongly influences the efficiency of planet formation (Hayashi 1981).
- **As a reading**: Here we read that the boundary is "a zone rather than a line," and that multiple formation scenarios compete for the same system. The level of analogy is process, with attention to the sequence: "disk → fluctuations → material transformation at boundaries → self-organization of concentrations → stability as orbital resonance." The snow line is a zone in which temperature, pressure, and dust composition change continuously, and ALMA observations have directly confirmed its extended structure.
- **As interpretation**: The protoplanetary disk is the Field. Linear growth of density waves and gravitational instabilities is the Wave. Snow lines and gap edges, as locations where material growth and differentiation are localized, correspond to the Edge. The snow line is not a sharp line but a zone where temperature changes continuously. Within this zone, dust properties change abruptly, solid surface density increases, and planetesimal formation is promoted. The nonlinear growth of particle concentrations and vorticity structures by streaming instability is the Vortex. The stage at which stable patterns are established as orbital resonance configurations in the planetary system (mean motion resonances of 2:1 or 3:2) corresponds to the Bundle. The fact that two scenarios — core accretion and gravitational instability — compete for the same system is notable as a real example of how different Bundles can emerge from different pathways from the same Field.

Cross-Cutting Patterns

- The most repeatedly appearing pattern across astronomy is the universality of threshold mechanisms
- Second, the diversity and multi-layered character of the Edge stands out
- Third, the spontaneity of the Vortex
- Fourth, the structure in which the return from Bundle to Field is irreversible

---

Open Questions

- **The scale problem of the Edge**: The snow line (in planetary system formation) is observed as a zone with spatial extent, but the moment of a neutron star merger is essentially "a single



Figure 3: Domain — Cross-Cutting Patterns Diagram

point." Is the Edge not a binary choice between a line or a zone, but something distributed on a spectrum? This question cannot be resolved within astronomy alone and requires comparison with other domains.

- **The relationship between unidirectional progression and cycles**: Supernova remnants show a unidirectional progression that does not cycle, yet still contain the five-stage structure. Stellar evolution and the baryon cycle proceed in a spiral cycle. The solar dynamo oscillates and returns. The relationship among "non-cycling five stages," "cycling five stages," and "oscillating five stages" has not yet been organized.
- **Negative heat capacity and the inversion of intuition**: In the dynamical evolution of globular clusters, losing energy causes temperature to rise — the opposite of ordinary thermodynamics. This is a physical example of an Edge passage that does not follow "the extension of intuition," but whether this is a general property of the Edge in the five-stage model or a special case remains unresolved.
- **The status of order generation without consciousness**: All 10 cases show the five-stage structure without the involvement of a conscious agent. Astronomy provides the most large-scale demonstration that "consciousness is not a necessary condition for order generation," but what, if anything, consciousness adds to the five stages when it is present cannot be answered from astronomy alone.

Conclusion

- This survey examined the structural correspondence of 10 major physical processes in astronomy and astrophysics with the five-stage model
- There are three most important findings from astronomy
- First, the five-stage structure holds even without a conscious agent
- Second, that the same structure was confirmed across more than 20 orders of magnitude in spatial scale and more than 14 orders of magnitude in temporal scale suggests that the five-stage model is a descriptive framework not limited to any particular scale