

AWS CERTIFIED CLOUD PRACTITIONER

CEVAPLAR - 1

1.	Cevap	3
2.	Cevap	3
3.	Cevap	4
4.	Cevap	4
5.	Cevap	5
6.	Cevap	5
7.	Cevap	6
8.	Cevap	7
9.	Cevap	7
10.	Cevap	8
11.	Cevap	8
12.	Cevap	9
13.	Cevap	9
14.	Cevap	10
15.	Cevap	11
16.	Cevap	11
17.	Cevap	11
18.	Cevap	12
19.	Cevap	12
20.	Cevap	13
21.	Cevap	14
22.	Cevap	14
23.	Cevap	15
24.	Cevap	15
25.	Cevap	15
26.	Cevap	16
27.	Cevap	17
28.	Cevap	18
29.	Cevap	18
30.	Cevap	18
31.	Cevap	19
32.	Cevap	20
33.	Cevap	20
34.	Cevap	21

35.	Cevap	22
36.	Cevap	22
37.	Cevap	22
38.	Cevap	23
39.	Cevap	24
40.	Cevap	24
41.	Cevap	25
42.	Cevap	25
43.	Cevap	26
44.	Cevap	26
45.	Cevap	27
46.	Cevap	27
47.	Cevap	28
48.	Cevap	29
49.	Cevap	29
50.	Cevap	30
51.	Cevap	30
52.	Cevap	31
53.	Cevap	31
54.	Cevap	32
55.	Cevap	32
56.	Cevap	33
57.	Cevap	33
58.	Cevap	34
59.	Cevap	34
60.	Cevap	35
61.	Cevap	35
62.	Cevap	36
63.	Cevap	36
64.	Cevap	37
65.	Cevap	37

1. Cevap

Amazon QuickSight is a scalable, serverless, embeddable, machine learning-powered business intelligence (BI) service built for the cloud.

QuickSight lets you easily create and publish interactive BI dashboards that include Machine Learning-powered insights.

QuickSight dashboards can be accessed from any device, and seamlessly embedded into your applications, portals, and websites.



CORRECT: "Amazon QuickSight" is the correct answer.

INCORRECT: "Amazon Redshift" is incorrect. RedShift is a data warehouse solution not a dashboard. You can use QuickSight with RedShift.

INCORRECT: "Amazon Kinesis" is incorrect. This is a service for collecting streaming data.

INCORRECT: "Amazon Athena" is incorrect. Athena is used for running SQL queries on data in Amazon S3.

References:

<https://aws.amazon.com/quicksight/>

Save time with our AWS cheat sheets:

<https://quicksight.aws.amazon.com/>

Etki aları

AWS Analytics

2. Cevap

A couple of the benefits that companies will realize immediately when using the AWS Cloud are increased agility and a change from capital expenditure to variable operational expenditure.

Agility is enabled through the flexibility of cloud services and the ease with which applications can be deployed, scaled, and managed. When using cloud services you pay for what you use and this is a variable, operational expense which can be beneficial to company cashflow.

CORRECT: "Capital expenses are replaced with variable expenses" is a correct answer.

CORRECT: "Increased agility" is also a correct answer.

INCORRECT: "Variable expenses are replaced with capital expenses" is incorrect. This is the wrong way around, capital expenses are replaced with variable expenses.

INCORRECT: "User control of physical infrastructure" is incorrect. This is not true, you do not get control of the physical infrastructure.

INCORRECT: "No responsibility for security" is incorrect. This is not true, you are still responsible for "security in the cloud".

References:

<https://docs.aws.amazon.com/whitepapers/latest/aws-overview/six-advantages-of-cloud-computing.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-cloud-computing-concepts/>

Etki aları

AWS Cloud Benefits

3. Cevap

The AWS CloudHSM service helps you meet corporate, contractual, and regulatory compliance requirements for data security by using dedicated Hardware Security Module (HSM) instances within the AWS cloud. AWS CloudHSM enables you to easily generate and use your own encryption keys on the AWS Cloud.

CORRECT: "AWS CloudHSM" is the correct answer.

INCORRECT: "AWS Secrets Manager" is incorrect. AWS Secrets Manager enables you to easily rotate, manage, and retrieve database credentials, API keys, and other secrets throughout their lifecycle.

INCORRECT: "AWS Key Management Service (AWS KMS)" is incorrect. This service is also involved with creating and managing encryption keys but does not use dedicated hardware.

INCORRECT: "AWS Directory Service" is incorrect. AWS Directory Service for Microsoft Active Directory, also known as AWS Managed Microsoft AD, enables your directory-aware workloads and AWS resources to use managed Active Directory in the AWS Cloud.

References:

<https://aws.amazon.com/cloudhsm/features/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-security-services/>

Etki alanı

AWS Security, Identity, & Compliance

4. Cevap

You can use the consolidated billing feature in AWS Organizations to consolidate billing and payment for multiple AWS accounts. This can be used for multiple business units within an organization.

Consolidated billing has the following benefits:

One bill – You get one bill for multiple accounts.

Easy tracking – You can track the charges across multiple accounts and download the combined cost and usage data.

Combined usage – You can combine the usage across all accounts in the organization to share the volume pricing discounts, Reserved Instance discounts, and Savings Plans. This can result in a lower charge for your project, department, or company than with individual standalone accounts.

No extra fee – Consolidated billing is offered at no additional cost.

Consolidated billing includes:

- **Paying Account** – independent and cannot access resources of other accounts
- **Linked Accounts** – all linked accounts are independent

CORRECT: "AWS Organizations consolidated billing" is the correct answer (as explained above.)

INCORRECT: "AWS Organizations service control policies (SCPs)" is incorrect. Service Control Policies set a limit of the maximum amount of permissions within Organizational Units (OUs) within AWS Organizations.

INCORRECT: "All Upfront Reserved Instances" is incorrect, as Reserved Instances are an EC2 instance pricing option, which has nothing to do with billing an organization.

INCORRECT: "Cost Explorer utilization reports" is incorrect. Cost Explorer does not allocate a billing strategy, and only shows billing information.

References:

<https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/consolidated-billing.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-cloud-management-services/>

Etki alanı

AWS Cost Management

5. Cevap

When performing a TCO analysis you must include all costs you are currently incurring in the on-premises environment that you will not pay for in the AWS Cloud. This should include labor costs for activities that will be reduced or eliminated. Labor costs that will continue to be incurred in the cloud need not be included.

CORRECT: "Physical compute hardware" is a correct answer.

CORRECT: "Network infrastructure in the data center" is also a correct answer.

INCORRECT: "Operating system administration" is incorrect. You don't need to include these costs as you will continue to incur them in the AWS Cloud.

INCORRECT: "Project management services" is incorrect. You don't need to include these costs as you will continue to incur them in the AWS Cloud.

INCORRECT: "Database schema development" is incorrect. You don't need to include these costs as you will continue to incur them in the AWS Cloud.

References:

<https://docs.aws.amazon.com/whitepapers/latest/how-aws-pricing-works/aws-pricingtco-tools.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-billing-and-pricing/>

Etki alanı

AWS Cost Management

6. Cevap

AWS Glue is a serverless data integration service that makes it easy to discover, prepare, and combine data for analytics, machine learning, and application development. AWS Glue provides all of the capabilities needed for data integration so that you can start analyzing your data and putting it to use in minutes instead of months.

AWS Glue provides both visual and code-based interfaces to make data integration easier. Users can easily find and access data using the AWS Glue Data Catalog. Data engineers and ETL (extract, transform, and load) developers can visually create, run, and monitor ETL workflows with a few clicks in AWS Glue Studio.

See how AWS Glue works with ETL workloads:



CORRECT: "AWS Glue" is the correct answer.

INCORRECT: "Amazon QuickSight" is incorrect. Amazon QuickSight is a cloud-native, serverless, business intelligence service.

INCORRECT: "Amazon Athena" is incorrect. Amazon Athena is a serverless, interactive query service to query data and analyze big data in Amazon S3 using standard SQL

INCORRECT: "Amazon S3 Select" is incorrect. This service enables applications to retrieve only a subset of data from an object by using simple SQL expressions.

References:

<https://aws.amazon.com/glue/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-analytics-services/>

Etki alanı

AWS Analytics

7. Cevap

Consolidated billing has the following benefits:

One bill – You get one bill for multiple accounts.

Easy tracking – You can track the charges across multiple accounts and download the combined cost and usage data.

Combined usage – You can combine the usage across all accounts in the organization to share the volume pricing discounts and Reserved Instance discounts. This can result in a lower charge for your project, department, or company than with individual standalone accounts.

CORRECT: "You receive a single bill for multiple accounts" is a correct answer.

CORRECT: "You can combine usage and share volume pricing discounts" is also a correct answer.

INCORRECT: "You receive one bill per AWS account" is incorrect as you receive a single bill for multiple accounts.

INCORRECT: "You pay a fee per linked account" is incorrect as you do not pay a fee.

INCORRECT: "You are charged a fee per user" is incorrect as you do not pay a fee.

References:

<https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/consolidated-billing.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-billing-and-pricing/>

Etki alani

AWS Cost Management

8. Cevap

AWS CodeCommit is a fully-managed [source control](#) service that hosts secure Git-based repositories. It makes it easy for teams to collaborate on code in a secure and highly scalable ecosystem.

CodeCommit eliminates the need to operate your own source control system or worry about scaling its infrastructure. You can use CodeCommit to securely store anything from source code to binaries, and it works seamlessly with your existing Git tools.

CORRECT: "AWS CodeCommit" is the correct answer.

INCORRECT: "AWS CodeBuild" is incorrect. AWS CodeBuild is a fully managed continuous integration service that compiles source code, runs tests, and produces software packages that are ready to deploy.

INCORRECT: "AWS CodeDeploy" is incorrect. CodeDeploy is a deployment service that automates application deployments to Amazon EC2 instances, on-premises instances, serverless Lambda functions, or Amazon ECS services.

INCORRECT: "AWS CodePipeline" is incorrect. AWS CodePipeline is a fully managed [continuous delivery](#) service that helps you automate your release pipelines for fast and reliable application and infrastructure updates.

References:

<https://aws.amazon.com/codecommit/features/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/additional-aws-services/>

Etki alani

AWS Developer Tools

9. Cevap

Amazon SES is specifically designed to help users send transactional emails, marketing messages, and other types of content to their customers. It provides a reliable and cost-effective way for businesses to communicate with their customer base through emails, which is precisely what the e-commerce company needs for sending transactional emails like order confirmations and password resets.

CORRECT: "Amazon Simple Email Service (Amazon SES)" is the correct answer (as explained above.)

INCORRECT: "Amazon Simple Notification Service (Amazon SNS)" is incorrect. While Amazon SNS can send notifications via email, it is primarily designed to send messages to a distributed set of recipients and is not optimized for transactional emails.

INCORRECT: "Amazon Simple Queue Service (Amazon SQS)" is incorrect. Amazon SQS is a message bus service used for decoupling applications that need to pass information between them. It is not suitable for sending emails.

INCORRECT: "Amazon Elastic Compute Cloud (Amazon EC2)" is incorrect. Amazon EC2 can host applications and services, but it does not provide specialized functionalities for sending transactional emails, which is what the e-commerce company requires.

References:

<https://aws.amazon.com/ses/features/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-application-integration/>

Etki alanı

AWS Application Integration

10. Cevap

AWS Shield is a managed Distributed Denial of Service (DDoS) protection service that safeguards applications running on AWS. AWS Shield provides always-on detection and automatic inline mitigations that minimize application downtime and latency, so there is no need to engage AWS Support to benefit from DDoS protection.

There are two tiers of AWS Shield - Standard and Advanced.

CORRECT: "AWS Shield" is the correct answer (as explained above.)

INCORRECT: "Network access control list (ACL)" is incorrect. Network ACLs exist within a VPC, and act as a stateless firewall for network traffic in and out of your subnets.

INCORRECT: "Security group" is incorrect. A Security Group is a Stateful firewall which exists to prevent unwarranted access to any instances running within a VPC.

INCORRECT: Amazon GuardDuty" is incorrect. Amazon GuardDuty is an intelligent threat detection service which has nothing to do with Distributed Denial of Service (DDoS) protection.

References:

<https://aws.amazon.com/shield/features/>

Save time with our AWS cheat sheets:


<https://digitalcloud.training/aws-security-services/>

Etki alanı

AWS Security, Identity, & Compliance

11. Cevap

Amazon Simple Notification Service (SNS) is a highly available, durable, secure, fully managed pub/sub messaging service that enables you to decouple microservices, distributed systems, and serverless applications.



Amazon SNS provides topics for high-throughput, push-based, many-to-many messaging. Using Amazon SNS topics, your publisher systems can fan out messages to a large number of subscriber endpoints for parallel processing, including [Amazon SQS](#) queues, [AWS Lambda](#) functions, and HTTP/S webhooks.

Additionally, SNS can be used to fan out notifications to end users using mobile push, SMS, and email.

CORRECT: "Amazon Simple Notification Service (Amazon SNS)" is the correct answer.

INCORRECT: "Amazon Simple Email Service (Amazon SES)" is incorrect. This service is used for sending email but not SMS text messages.

INCORRECT: "Amazon Simple Workflow Service (Amazon SWF)" is incorrect. Amazon SWF helps developers build, run, and scale background jobs that have parallel or sequential steps. You can think of Amazon SWF as a fully-managed state tracker and task coordinator in the Cloud.

INCORRECT: "Amazon Simple Queue Service (Amazon SQS)" is incorrect. Amazon Simple Queue Service (SQS) is a fully managed message queuing service that enables you to decouple and scale microservices, distributed systems, and serverless applications.

References:

<https://aws.amazon.com/sns/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-application-integration/>

Etki aları

AWS Application Integration

12. Cevap

According to the AWS Shared Responsibility Model updating Amazon EC2 guest operating systems falls under the area of security "in" the cloud which is a customer responsibility. With EC2, AWS manage the underlying platform on which EC2 runs but you must launch and manage your operating systems.

CORRECT: "Updating the guest operating system on Amazon EC2 instances" is the correct answer.

INCORRECT: "Maintaining the infrastructure needed to run Amazon DynamoDB" is incorrect. This is a responsibility of AWS.

INCORRECT: "Updating the operating system of AWS Lambda instances" is incorrect. This is a responsibility of AWS.

INCORRECT: "Maintaining Amazon API Gateway infrastructure" is incorrect. This is a responsibility of AWS.

References:

<https://aws.amazon.com/compliance/shared-responsibility-model/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-shared-responsibility-model/>

Etki aları

AWS Shared Responsibility Model

13. Cevap

Pay-as-you-go-pricing is an example of the AWS advantage "Trade capital expense for variable expense". This is documented in the [Six Advantages of Cloud Computing](#).

Instead of having to invest heavily in data centers and servers before you know how you're going to use them, you can pay only when you consume computing resources, and pay only for how much you consume.

CORRECT: "Pay-as-you-go pricing" is the correct answer.

INCORRECT: "Economies of scale" is incorrect. This is not an example of replacing fixed expenses with variable expenses. The benefit of economies of scale relates to achieving a lower variable cost than you can get on your own. Because usage from hundreds of thousands of customers is aggregated in the cloud, providers such as AWS can achieve higher economies of scale, which translates into lower pay as-you-go prices.

INCORRECT: "Global reach" is incorrect. This is most closely associated with the advantage "Go global in minutes". With AWS you can easily deploy your application in multiple regions around the world with just a few clicks. This means you can provide lower latency and a better experience for your customers at minimal cost.

INCORRECT: "High availability" is incorrect. High availability is not related to pricing. Instead, it means you can design your applications to be available with minimum downtime even when disruptions occur.

References:

<https://docs.aws.amazon.com/whitepapers/latest/aws-overview/six-advantages-of-cloud-computing.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-cloud-computing-concepts/>

Etki aları

AWS Cost Management

14. Cevap

AWS Storage Gateway is a hybrid cloud storage service that gives you on-premises access to virtually unlimited cloud storage. Customers use Storage Gateway to simplify storage management and reduce costs for key hybrid cloud storage use cases.

These include moving tape backups to the cloud, reducing on-premises storage with cloud-backed file shares, providing low latency access to data in AWS for on-premises applications, as well as various migration, archiving, processing, and disaster recovery use cases.

CORRECT: "AWS Storage Gateway" is the correct answer.

INCORRECT: "AWS Backup" is incorrect. AWS Backup is a fully managed backup service that makes it easy to centralize and automate the backup of data across AWS services. It is not used for connecting on-premises storage to cloud storage.

INCORRECT: "Amazon Connect" is incorrect. Amazon Connect is an easy to use omnichannel cloud contact center that helps companies provide superior customer service at a lower cost. It has nothing to do with storing data.

INCORRECT: "AWS Direct Connect" is incorrect. AWS Direct Connect is a cloud service solution that makes it easy to establish a dedicated network connection from your premises to AWS. It is not related to storage of data.

References:

<https://aws.amazon.com/storagegateway/?whats-new-cards.sort-by=item.additionalFields.postDateTime&whats-new-cards.sort-order=desc>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/additional-aws-services/>

Etki aları

AWS Storage

15. Cevap

Amazon Elastic Container Service (ECS) is a highly scalable, high performance container management service that supports Docker containers and allows you to easily run applications on a managed cluster of Amazon EC2 instances.

CORRECT: "Amazon ECS" is the correct answer.

INCORRECT: "AWS Lambda" is incorrect. AWS Lambda is a serverless technology that lets you run code in response to events as functions

INCORRECT: "Amazon ECR" is incorrect. Amazon Elastic Container Registry (ECR) is a fully-managed Docker container registry that makes it easy for developers to store, manage, and deploy Docker container images

INCORRECT: "Amazon AMI" is incorrect. Amazon Machine Images (AMI) store configuration information for Amazon EC2 instances.

References:

<https://aws.amazon.com/ecs/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-compute-services/>

Etki alanı

AWS Compute

16. Cevap

You can run Amazon EC2 compute instances hosted on a Snowball Edge with the sbe1, sbe-c, and sbe-g instance types. The sbe1 instance type works on devices with the Snowball Edge Storage Optimized option. The sbe-c instance type works on devices with the Snowball Edge Compute Optimized option. Both the sbe-c and sbe-g instance types work on devices with the Snowball Edge Compute Optimized with GPU option.

CORRECT: "Amazon EC2" is the correct answer.

INCORRECT: "AWS Server Migration Service (AWS SMS)" is incorrect. AWS SMS does not integrate natively with Snowball Edge.

INCORRECT: "AWS Database Migration Service (AWS DMS)" is incorrect. AWS DMS does not integrate natively with Snowball Edge.

INCORRECT: "AWS Trusted Advisor" is incorrect. Trusted Advisor does not integrate natively with Snowball Edge.

References:

<https://docs.aws.amazon.com/snowball/latest/developer-guide/using-ec2.html#ec2-overview-edge>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/additional-aws-services/>

Etki alanı

AWS Migration & Transfer

17. Cevap

AWS Budgets allows you to set custom budgets to track your cost and usage. With AWS Budgets, you can choose to be alerted by email or SNS notification when actual or forecasted cost and usage exceed your budget threshold, or when your actual RI and Savings Plans' utilization or coverage drops below your desired threshold.

CORRECT: "AWS Budgets" is the correct answer.

INCORRECT: "Consolidated billing" is incorrect. This is associated with AWS Organizations and provides a single bill across multiple member accounts.

INCORRECT: "AWS Trusted Advisor" is incorrect. This service provides guidance on AWS best practices.

INCORRECT: "Cost Explorer" is incorrect. This service is used for exploring the costs incurred within your account.

References:

<https://aws.amazon.com/aws-cost-management/aws-budgets/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-billing-and-pricing/>

Etki aları

AWS Cost Management

18. Cevap

In a highly available system the failure of a single component should not affect the application. This means that if a single component such as an application server fails, there should be other applications servers available that can seamlessly take over operations and ensure the application continues to operate.

CORRECT: "The failure of a single component should not affect the application" is the correct answer.

INCORRECT: "Servers have low-latency and high throughput network connectivity" is incorrect. It is not necessary for all architectures to have low-latency and high throughput network connectivity and this does not ensure high availability.

INCORRECT: "There are enough servers to run at peak load available at all times" is incorrect. This would be wasteful in terms of resources and cost. There should be enough servers available to handle current load with adequate capacity to operate functionally in the event of a system failure. Additional servers can be launched automatically, as the application demand increases.

INCORRECT: "A single monolithic application component handles all operations" is incorrect. This is a bad design practice that reduces the availability of the system as the failure of update of any individual component can bring the whole system down.

References:

<https://docs.aws.amazon.com/whitepapers/latest/real-time-communication-on-aws/high-availability-and-scalability-on-aws.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-cloud-computing-concepts/>

Etki aları

AWS Cloud Architecture & Design

19. Cevap

AWS Marketplace is a curated digital catalog that makes it easy for organizations to discover, procure, entitle, provision, and govern third-party software. You can find thousands of software listings from popular categories like security, business applications, and data & analytics, and across specific industries, such as healthcare, financial services, and public sector.

CORRECT: "AWS Marketplace" is the correct answer (as explained above.)

INCORRECT: "AWS Managed Service" is incorrect as this describes services in which AWS customers don't have to provision their own infrastructure.

INCORRECT: "AWS License Manager" is incorrect as it is a service that makes it easier for you to manage Software Licenses.

INCORRECT: "AWS Resource Access Manager" is incorrect as it is a service that helps you to securely share your resources across AWS accounts, within your organization or organizational units (OUs) within AWS and has nothing to do with third party services.

References:


<https://aws.amazon.com/mp/marketplace-service/overview/>

Etki alanı

AWS Cost Management

20. Cevap

All client-side and server-side encryption is a responsibility of the customer using the AWS Cloud. This can be clearly seen in the shared responsibility model infographic below:



CORRECT: "Maintaining server-side encryption" is the correct answer.

INCORRECT: "Securing servers and racks at AWS data centers" is incorrect. This is an AWS responsibility.

INCORRECT: "Maintaining firewall configurations at a hardware level" is incorrect. This is an AWS responsibility.

INCORRECT: "Maintaining physical networking configuration" is incorrect. This is an AWS responsibility.

References:

<https://aws.amazon.com/compliance/shared-responsibility-model/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-shared-responsibility-model/>

Etki alanı

AWS Shared Responsibility Model

21. Cevap

AWS Billing Conductor is the correct answer because it is a customizable billing service that allows the organization to define billing groups, set pricing rules, create custom line items, and generate a unique Cost and Usage Report (CUR) for each billing group. This service would help the corporation to streamline and customize their billing data efficiently according to different business logics.

CORRECT: "AWS Billing Conductor" is the correct answer (as explained above.)

INCORRECT: "AWS Budgets" is incorrect. AWS Budgets is incorrect because, while it allows organizations to set custom cost and usage budgets, it does not offer the extensive customization and grouping features that are central to the scenario described.

INCORRECT: "AWS Cost Explorer" is incorrect. AWS Cost Explorer is incorrect because, although it helps in visualizing and managing AWS spending and usage over time, it doesn't offer functionalities to create billing groups and set pricing rules at a granular level as described in the scenario

INCORRECT: "AWS Billing and Cost Management" is incorrect. This answer is incorrect because, while it is a tool to track your AWS usage and expenditures, it doesn't offer the specialized functionalities for creating billing groups and defining custom billing parameters as provided by AWS Billing Conductor.

References:

<https://aws.amazon.com/aws-cost-management/aws-billing-conductor/features/>

Etki alanı

AWS Cost Management

22. Cevap

AWS Activate for Startups is the correct answer because this program is specially designed to provide startups with the low-cost, easy-to-use infrastructure needed to scale and grow. It offers a host of benefits including AWS credits, training, technical support, and other resources which can aid startups in building their business successfully.

CORRECT: "AWS Activate for Startups" is the correct answer (as explained above.)

INCORRECT: "AWS Educate" is incorrect because this program is primarily targeted at the educational sector, providing students and educators with the resources needed to accelerate cloud-related learning.

INCORRECT: "AWS Marketplace" is incorrect because it is a digital catalog that helps customers find, buy, deploy, and manage third-party software, services, and data. While it can be a resource for a startup, it doesn't offer the range of benefits that AWS Activate for Startups does.

INCORRECT: "AWS Partner Network" is incorrect because it is aimed at helping APN Partners to build successful AWS-based businesses or solutions by providing business, technical, marketing, and go-to-market support. It is more suited for established companies or businesses that are partnering with AWS, rather than startups looking to build their business.

References:

<https://aws.amazon.com/startups>

Etki alanı

AWS Support

23. Cevap

AWS Virtual Private Network solutions establish secure connections between your on-premises networks, remote offices, client devices, and the AWS global network.

CORRECT: "Virtual Private Network" is the correct answer.

INCORRECT: "AWS Mobile Hub" is incorrect. This service is used for building, testing, and monitoring mobile applications that make use of one or more AWS services.

INCORRECT: "AWS Web Application Firewall (WAF)" is incorrect. This service is used for protecting against common web exploits.

INCORRECT: "Amazon Virtual Private Cloud (VPC)" is incorrect. This is a virtual network in the cloud. You connect your AWS VPN to your Amazon VPC.

References:

<https://aws.amazon.com/vpn/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-networking-services/>

Etki alanı

AWS Networking & Content Delivery

24. Cevap

In a cloud computing environment, new IT resources are only a click away, which means that you reduce the time to make those resources available to your developers from weeks to just minutes.

This results in a dramatic increase in agility for the organization, since the cost and time it takes to experiment and develop is significantly lower.

CORRECT: "Agility" is the correct answer.

INCORRECT: "Elasticity" is incorrect. Elasticity enables infrastructure to scale based on demand and helps applications perform and be cost effective. It does not reduce time to market.

INCORRECT: "Fault tolerance" is incorrect as this is involved with ensuring applications stay available in the event of a fault.

INCORRECT: "Cost effectiveness" is incorrect. The AWS Cloud can be cost effective but this is not the benefit that allows faster time to market.

References:

<https://docs.aws.amazon.com/whitepapers/latest/aws-overview/six-advantages-of-cloud-computing.html>

Save time with our AWS cheat sheets:


<https://digitalcloud.training/aws-cloud-computing-concepts/>

Etki alanı

AWS Cloud Benefits

25. Cevap

AWS Personal Health Dashboard provides alerts and remediation guidance when AWS is experiencing events that may impact you. While the Service Health Dashboard displays the general status of AWS services, Personal Health Dashboard gives you a personalized view into the performance and availability of the AWS services underlying your AWS resources.



The dashboard displays relevant and timely information to help you manage events in progress, and provides proactive notification to help you plan for scheduled activities. With Personal Health Dashboard, alerts are triggered by changes in the health of AWS resources, giving you event visibility, and guidance to help quickly diagnose and resolve issues.

CORRECT: "AWS Personal Health Dashboard" is the correct answer.

INCORRECT: "AWS Service Health Dashboard" is incorrect. This shows the current status of services across regions. However, it does not provide proactive notifications of scheduled activities or guidance of any kind.

INCORRECT: "AWS Trusted Advisor dashboard" is incorrect. AWS Trusted Advisor is an online tool that provides you real time guidance to help you provision your resources following AWS best practices.

INCORRECT: "Amazon CloudWatch dashboard" is incorrect as this service is used for monitoring performance related information for your infrastructure and resources, not the underlying AWS resources.

References:

<https://aws.amazon.com/premiumsupport/technology/personal-health-dashboard/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-security-services/>

Etki alanı

AWS Management & Governance

26. Cevap

This is the list of valid IAM best practices:

- [Lock away your AWS account root user access keys](#)
- [Create individual IAM users](#)
- [Use groups to assign permissions to IAM users](#)
- [Grant least privilege](#)
- [Get started using permissions with AWS managed policies](#)
- [Use customer managed policies instead of inline policies](#)
- [Use access levels to review IAM permissions](#)
- [Configure a strong password policy for your users](#)
- [Enable MFA](#)
- [Use roles for applications that run on Amazon EC2 instances](#)

- [Use roles to delegate permissions](#)
- [Do not share access keys](#)
- [Rotate credentials regularly](#)
- [Remove unnecessary credentials](#)
- [Use policy conditions for extra security](#)
- [Monitor activity in your AWS account](#)
- [Video presentation about IAM best practices](#)

CORRECT: "Create individual IAM users" is a correct answer.

CORRECT: "Use groups to assign permissions to IAM users" is also a correct answer.

INCORRECT: "Embed access keys in application code" is incorrect. This is not a best practice; you should always try and avoid embedding any secret credentials and access keys in application code. Instead, it is preferable to use IAM roles to delegate permission to applications.

INCORRECT: "Use inline policies instead of customer managed policies" is incorrect. This is not a best practice. You should use customer managed policies instead of inline policies.

INCORRECT: "Grant maximum privileges to IAM users" is incorrect. You should instead follow the principle of least privilege and grant the minimum permissions a user needs to perform their job role.

References:

<https://docs.aws.amazon.com/IAM/latest/UserGuide/best-practices.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-identity-and-access-management/>

Etki aları

AWS Security, Identity, & Compliance

27. Cevap

If you have multiple EC2 instances that are part of an application, you should deploy them into separate availability zones (AZs). Each AZ has redundant power and is also fed from a different grid. AZs also have low-latency network links which is often advantageous for most applications.

You do not need to deploy into separate regions to prevent a power outage bringing your application down. AZs have redundant power and grids so you are safe deploying your applications into multiple AZs. If you split your applications across regions you introduce latency which may impact your application. You may also run into data sovereignty issues in some cases.

Deploying your EC2 instances into different VPCs is not required and would complicate your application deployment. Also, bear in mind that VPCs within a region use the same underlying infrastructure so deploying into different VPCs may still result in your EC2 instances being deployed into the same AZs. It is a best practice to deploy into separate AZs.

CORRECT: "Launch the EC2 instances into different Availability Zones" is the correct answer.

INCORRECT: "Launch the EC2 instances in separate regions" is incorrect as described above.

INCORRECT: "Launch the EC2 instances into different VPCs" is incorrect as described above.

INCORRECT: "Launch the EC2 instances into Edge Locations" is incorrect. You cannot deploy EC2 instances into Edge Locations.

References:

<https://aws.amazon.com/about-aws/global-infrastructure/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-global-infrastructure/>

Etki aları

AWS Compute

28. Cevap

Cost optimization can include using Auto Scaling groups to scale the number of EC2 instances according to actual demand. Also, using Amazon EC2 reserved instances for suitable workloads is a good way of optimizing costs over the longer term.

CORRECT: "Implement Auto Scaling groups to add and remove instances based on demand" is a correct answer.

CORRECT: "Purchase Amazon EC2 Reserved Instances" is also a correct answer.

INCORRECT: "Create a policy to restrict IAM users from accessing the Amazon EC2 console" is incorrect. This is not an optimization strategy; it will just prevent access completely which could be going too far.

INCORRECT: "Set a budget to limit spending on Amazon EC2 instances using AWS Budgets" is incorrect. You can use AWS Budgets to notify you of spend but not to actually limit spend.

INCORRECT: "Create users in a single Region to reduce the spread of EC2 instances globally" is incorrect. You cannot create users in a single Region, all IAM Users are global.

References:

<https://aws.amazon.com/aws-cost-management/aws-cost-optimization/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-billing-and-pricing/>

Etki aları

AWS Cost Management

29. Cevap

If you suspect that AWS resources are used for abusive purposes, contact the AWS Trust & Safety team using the [Report Amazon AWS abuse form](#), or by contacting abuse@amazonaws.com. Provide all the necessary information, including logs in plaintext, email headers, and so on, when you submit your request.

CORRECT: "AWS Trust & Safety team" is the correct answer.

INCORRECT: "AWS Professional Services" is incorrect. This is not the correct team.

INCORRECT: "AWS Partner Network (APN)" is incorrect. This is not the correct team.

INCORRECT: "AWS Technical Account Manager (TAM)" is incorrect. This is not the correct team.

References:

<https://aws.amazon.com/premiumsupport/knowledge-center/report-aws-abuse/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-security-services/>

Etki aları

AWS Security, Identity, & Compliance

30. Cevap

AWS Trusted Advisor checks security groups for rules that allow unrestricted access (0.0.0.0/0) to specific ports. Unrestricted access increases opportunities for malicious activity (hacking, denial-of-service attacks, loss of data). The ports with highest risk are flagged red, and those with less risk are flagged yellow. Ports flagged green are typically used by applications that require unrestricted access, such as HTTP and SMTP.

The following image shows the results of the security group checks in an AWS account:

	Region	Security Group Name	Security Group ID	Protocol	From Port	To Port
	ap-southeast-1	Web-Access	sg-07436d56194786bb4	tcp	3389	3389
	ap-southeast-2	default	sg-d0af14ad	tcp	3306	3306
	ap-southeast-2	launch-wizard-3	sg-0dcf0c1a7e7a2789d	tcp	3389	3389
	ap-southeast-2	Web-Access	sg-0f3f8f4ec27acd22e	tcp	3389	3389
	ap-southeast-2	launch-wizard-2	sg-08b07bd99e6a0167b	tcp	3389	3389
	eu-west-1	Web-Access	sg-0099a305fbdabd462	tcp	3389	3389
	eu-west-2	Web-Access	sg-01d0a779c7a03e940	tcp	3389	3389
	us-east-1	Web-Access	sg-026d3dc0b93925646	tcp	3389	3389
	us-west-1	Web-Access	sg-0f6b746076130845f	tcp	3389	3389
	us-west-2	Web-Access	sg-0709de13300816496	tcp	3389	3389
	ap-northeast-2	Web-Access	sg-035ae49310a074dac	tcp	3389	3389
	ap-south-1	Web-Access	sg-0b958ef76e13ca576	tcp	3389	3389
	eu-central-1	Web-Access	sg-0f361cd8ed3c33c02	tcp	3389	3389
	eu-west-3	Web-Access	sg-056e9c19d2210f1bc	tcp	3389	3389
	us-east-2	Web-Access	sg-045e88cf0bd4223f8	tcp	3389	3389
	ap-southeast-1	launch-wizard-1	sg-0c60b93df73bd9a3c	tcp	22	22
	ap-southeast-1	Web-Access	sg-07436d56194786bb4	tcp	22	22
	ap-southeast-2	launch-wizard-1	sg-00169f4e4adaa6d34	tcp	22	22
	ap-southeast-2	Web-Access	sg-098ad3c1eb4c6ae68	tcp	22	22
	ap-southeast-2	Web-Access	sg-0d3b8dc769032330c	tcp	22	22

CORRECT: "AWS Trusted Advisor" is the correct answer.

INCORRECT: "Amazon CloudWatch" is incorrect. CloudWatch is used for performance monitoring.

INCORRECT: "VPC Flow Logs" is incorrect. VPC Flow Logs are used to capture network traffic information, they will not easily identify unrestricted security groups.

INCORRECT: "AWS CloudTrail" is incorrect. This service is used for auditing API actions

References:

<https://aws.amazon.com/premiumsupport/technology/trusted-advisor/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-security-services/>

Etki alanı

AWS Management & Governance

31. Cevap

Using AWS cloud services can help development teams to be more productive as they spend less time working on the infrastructure layer as it is provided for them. This additionally means launching new workloads requires less time as you can automate the implementation of the application and there is no underlying hardware layer to configure.

CORRECT: "Less staff time is required to launch new workloads" is a correct answer.

CORRECT: "Increased productivity for application development teams" is also a correct answer.

INCORRECT: "Increased time to market for new application features" is incorrect. AWS services should decrease time to market, not increase time.

INCORRECT: "Higher acquisition costs to support elastic workloads" is incorrect. The acquisition costs should be lower, not higher.

INCORRECT: "Lower overall utilization of server and storage systems" is incorrect. This is not a benefit of moving to the cloud.

References:

<https://docs.aws.amazon.com/whitepapers/latest/aws-overview/six-advantages-of-cloud-computing.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-cloud-computing-concepts/>

Etki alani

AWS Cloud Benefits

32. Cevap

Amazon S3 is an object storage system. Typical use cases include: Backup and storage, application hosting, media hosting, software delivery and hosting a static website.

CORRECT: "Host a static website" is the correct answer.

CORRECT: "Media hosting" is the correct answer.

INCORRECT: "Install an operating system" is incorrect. You cannot install an operating system on an object-based storage system. Instead, you need a block-based storage system such as Amazon EBS.

INCORRECT: "In-memory data cache" is incorrect. You cannot use Amazon S3 as an in-memory data cache; for this you need a service such as Amazon ElastiCache.

INCORRECT: "Message queue" is incorrect. You cannot use Amazon S3 as a message queue (or at least it is not a typical use case). You should use a services such as Amazon SQS or Amazon MQ.

References:

<https://docs.aws.amazon.com/AmazonS3/latest/gsg/S3-gsg-CommonUseScenarios.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-storage-services/>

Etki alani

AWS Storage

33. Cevap

An IAM *role* is an IAM identity that you can create in your account that has specific permissions. An IAM role is similar to an IAM user, in that it is an AWS identity with permission policies that determine what the identity can and cannot do in AWS. However, instead of being uniquely associated with one person, a role is intended to be assumable by anyone who needs it.

Also, a role does not have standard long-term credentials such as a password or access keys associated with it. Instead, when you assume a role, it provides you with temporary security credentials for your role session.

CORRECT: "AWS IAM role" is the correct answer.

INCORRECT: "AWS Systems Manager" is incorrect. This service manages Amazon EC2 instances.

INCORRECT: "Amazon Connect" is incorrect. This is a contact center service.

INCORRECT: "AWS IAM access key" is incorrect. Access keys are considered long-term credentials and therefore should not be embedded on EC2 instances in code. Using a role is more secure

References:

https://docs.aws.amazon.com/IAM/latest/UserGuide/id_roles.html

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-identity-and-access-management/>

Etki alani


AWS Security, Identity, & Compliance

34. Cevap

Amazon EC2 Auto Scaling helps you maintain application availability and allows you to automatically add or remove EC2 instances according to conditions you define. You can use the fleet management features of EC2 Auto Scaling to maintain the health and availability of your fleet.

You can also use the dynamic and predictive scaling features of EC2 Auto Scaling to add or remove EC2 instances. Dynamic scaling responds to changing demand and predictive scaling automatically schedules the right number of EC2 instances based on predicted demand. Dynamic scaling and predictive scaling can be used together to scale faster.

The image below shows an example where an Auto Scaling group is configured to ensure the average CPU of instances in the ASG does not exceed 60%. An additional instance is being launched as the actual load is 71.5%.



CORRECT: "Auto Scaling" is the correct answer.

INCORRECT: "Load balancing" is incorrect. Load balancing is not about compute capacity but ensuring connections are distributed across multiple instances.

INCORRECT: "Fault tolerance" is incorrect. Fault tolerance is related to the architecture of an application that ensures that the failure of any single component does not affect the application.

INCORRECT: "High availability" is incorrect. High availability ensures the maximum uptime for your application by designing the system to recover from failure.

References:

<https://aws.amazon.com/ec2/autoscaling/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-compute-services/>

Etki alanı

AWS Cloud Architecture & Design

35. Cevap

AWS Artifact is your go-to, central resource for compliance-related information that matters to you. You can access the AWS Artifact console to use AWS Artifact to review, accept, and track the status of AWS agreements

CORRECT: "AWS Artifact" is the correct answer (as explained above.)

INCORRECT: "AWS Identity and Access Management (IAM)" is incorrect because IAM is related to administering permissions for Users, Groups and Roles within your account, and is not related to compliance.

INCORRECT: "AWS Security Hub" is incorrect. AWS Security Hub is not a compliance service. AWS Security Hub is a cloud security posture management service that automates best practice checks, aggregates alerts, and supports automated remediation.

INCORRECT: "AWS Certificate Manager (ACM)" is incorrect as ACM manages SSL certificates, not compliance.

References:

<https://docs.aws.amazon.com/artifact/latest/ug/what-is-aws-artifact.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-security-services/>

Etki alanı

AWS Security, Identity, & Compliance

36. Cevap

AWS provides many options for high availability including multiple availability zones within Regions and multiple Regions around the world. There are also many options to leverage durable data storage, message buses, databases.

AWS have a huge global infrastructure with massive amounts of capacity. It is therefore very easy to accommodate large changes in application demand and this can often be seamless to your application.

CORRECT: "AWS makes it easy to implement high availability" is a correct answer.

CORRECT: "AWS can accommodate large changes in application demand" is also a correct answer.

INCORRECT: "AWS automatically replicates all data globally" is incorrect. This is not true; data is not replicated globally unless you configure it do so.

INCORRECT: "AWS will fully manage the entire application" is incorrect. This is not true; AWS will not manage your application.

INCORRECT: "AWS takes care of application security patching" is incorrect. AWS take care of security patches for the underlying infrastructure but not your application.

References:

<https://docs.aws.amazon.com/whitepapers/latest/aws-overview/six-advantages-of-cloud-computing.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-cloud-computing-concepts/>

Etki alanı

AWS Cloud Architecture & Design

37. Cevap

Amazon Inspector is an automated security assessment service that helps improve the security and compliance of applications deployed on AWS. Amazon Inspector automatically assesses applications for exposure, vulnerabilities, and deviations from best practices.

After performing an assessment, Amazon Inspector produces a detailed list of security findings prioritized by level of severity. These findings can be reviewed directly or as part of detailed assessment reports which are available via the Amazon Inspector console or API.

CORRECT: "Amazon Inspector" is the correct answer.

INCORRECT: "EC2 security groups" is incorrect. Security groups are instance-level firewalls used for controlling network traffic reaching and leaving EC2 instances.

INCORRECT: "AWS Config" is incorrect. AWS Config is a service that enables you to assess, audit, and evaluate the configurations of your AWS resources.

INCORRECT: "Amazon Macie" is incorrect. Amazon Macie is a fully managed data security and data privacy service that uses machine learning and pattern matching to discover and protect sensitive data in AWS.

References:

<https://aws.amazon.com/inspector/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-security-services/>


Etki aları

AWS Security, Identity, & Compliance

38. Cevap

An AWS Direct Connect connection is a private, dedicated link to AWS. As it does not use the internet, performance is consistent.

The following diagram shows how a corporate data center is connected to AWS using a Direct Connect link via an AWS Direct Connect location:



CORRECT: "AWS Direct Connect" is the correct answer.

INCORRECT: "AWS Managed VPN" is incorrect. This services uses the public internet so it is not a dedicated link and performance will not be consistent.

INCORRECT: "Amazon Connect" is incorrect. Amazon Connect is an easy to use omnichannel cloud contact center that helps companies provide superior customer service at a lower cost

INCORRECT: "AWS DataSync" is incorrect. AWS DataSync makes it simple and fast to move large amounts of data online between on-premises storage and Amazon S3, Amazon Elastic File System (Amazon EFS), or Amazon FSx for Windows File Server.

References:

<https://aws.amazon.com/directconnect/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-networking-services/>

Etki alanı

AWS Networking & Content Delivery

39. Cevap

As part of the AWS Shared Responsibility Model, the customer does not have any insight into how physical infrastructure is managed or maintained. The customer is responsible for security *in* the cloud, whereas AWS are responsible for the security *of* the cloud.

Also, AWS customers have no insight into how Amazon S3 works behind the scenes, as Amazon S3 is a fully managed object storage service. Users simply use Amazon S3, and AWS manage all the infrastructure, OS patching and maintenance etc. for you.

CORRECT: "Provide physical security for Availability Zones" is correct (as explained above.)

CORRECT: "Patch the operating system of Amazon S3" is also correct (as explained above.)

INCORRECT: "Encrypt client-side data and authenticate data integrity" is incorrect. Customers are responsible for the security of what is in the cloud, including encryption, and how data integrity is managed.

INCORRECT: "Perform identity and access management" is incorrect. Only AWS customers can use IAM to provision permissions to Users, Groups, and roles within AWS.

INCORRECT: "Manage customer data" is incorrect. AWS does not have an insight into customer data stored as part of AWS, and this is solely the responsibility of the AWS customer to manage their own data.

References:

<https://aws.amazon.com/compliance/shared-responsibility-model/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-shared-responsibility-model/>

Etki alanı

AWS Shared Responsibility Model

40. Cevap

AWS IQ is the correct answer because it is designed to help customers find AWS certified third-party experts for on-demand help. Through AWS IQ, business owners can find, communicate with, and hire AWS experts quickly and securely to help them implement AWS solutions and projects, making it the best fit for the scenario described.

CORRECT: "AWS IQ" is the correct answer (as explained above.)

INCORRECT: "AWS Training and Certification" is incorrect because, while it does help in learning and understanding AWS services better, it does not facilitate the process of connecting customers with AWS experts for project implementation.

INCORRECT: "AWS Support" is incorrect because, although it provides a range of resources and tools to help customers build, deploy, and manage applications on AWS, it doesn't offer the feature to connect directly with certified AWS experts for personalized project assistance.

INCORRECT: "AWS Marketplace" is incorrect because it mainly serves as a platform to find, buy, deploy, and manage third-party software, services, and data, and does not focus on connecting customers with AWS certified experts for project consultation and implementation.

References:

<https://aws.amazon.com/iq/>

Etki alani

AWS Support

41. Cevap

Amazon EC2 instances can be deployed in an Amazon VPC across multiple Availability Zones. You would then typically use an Elastic Load Balancer (ELB) to distribute load between the available instances. This architecture enables high availability as if a single instance fails or if something fails that causes an outage in an entire Availability Zone, the application still has available instances to continue to service demand.

CORRECT: "Design for failure" is the correct answer.

INCORRECT: "Design for agility" is incorrect. This is not an example of agility; it is an example of high availability and fault tolerance.

INCORRECT: "Automate infrastructure" is incorrect. This is not an example of automating.

INCORRECT: "Enable elasticity" is incorrect. This is not an example of elasticity. Elasticity would be enabled by using Amazon EC2 Auto Scaling.

References:

<https://aws.amazon.com/architecture/well-architected/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/architecting-for-the-cloud/>

Etki alani

AWS Cloud Architecture & Design

42. Cevap

Amazon CloudFront is a content delivery network (CDN) that caches media assets such as files, photos, and videos in Edge locations around the world. This gets your content closer to the user base which decreases latency.

AWS Global Accelerator is a service that can direct users to the nearest AWS Region that contains and endpoint for an application. The service utilizes Edge locations to decrease latency and then forwards all traffic on the AWS global network which also decreases latency.

CORRECT: "Amazon CloudFront" is a correct answer.

CORRECT: "AWS Global Accelerator" is also a correct answer.

INCORRECT: "Amazon VPC" is incorrect as this service does not decrease latency for global users.

INCORRECT: "Application Auto Scaling" is incorrect as this is used to scale applications based on workload, it does not decrease latency.

INCORRECT: "AWS Direct Connect" is incorrect as this service does decrease latency but not for a global user base.

References:

<https://aws.amazon.com/global-accelerator/>

<https://aws.amazon.com/cloudfront/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-content-delivery-and-dns-services/>

<https://digitalcloud.training/aws-networking-services/>

Etki alani

AWS Networking & Content Delivery

43. Cevap



For extra security, AWS recommends that you require multi-factor authentication (MFA) for all users in your account. With MFA, users have a device that generates a response to an authentication challenge.

Both the user's credentials (something you know) and the device-generated response (something you have) are required to complete the sign-in process. If a user's password or access keys are compromised, your account resources are still secure because of the additional authentication requirement.

Something you know:


IAM User
EJPx!*21p9%
Password

Something you have:



Additionally, strong password policies should be used to enforce measures including minimum password length, complexity, and password reuse restrictions.

CORRECT: "AWS Multi-Factor Authentication (AWS MFA)" is a correct answer.

CORRECT: "Strong password policies" is also a correct answer.

INCORRECT: "AWS Secrets Manager" is incorrect. This service enables you to easily rotate, manage, and retrieve database credentials, API keys, and other secrets throughout their lifecycle.

INCORRECT: "AWS Certificate Manager" is incorrect. This service is used for creating SSL/TLS certificates for use with HTTPS connections.

INCORRECT: "Security group rules" is incorrect as these are used to restrict traffic to/from your EC2 instances.

References:

<https://docs.aws.amazon.com/IAM/latest/UserGuide/best-practices.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-identity-and-access-management/>

Etki aları

AWS Security, Identity, & Compliance

44. Cevap

Ongoing monitoring with alerting and remediation actions is a critical part of a coherent security posture. With ongoing monitoring, you can make sure any potential threats or security concerns can be remediated as soon as possible.

Secondly, protecting data both in transit and at rest is a vital part of a security procedure which ensures that no data is read by anyone who shouldn't have access to it.

CORRECT: "Monitor, alert, and audit actions and changes to AWS resources" is the correct answer (as explained above.)

CORRECT: "Protect data in transit and at rest" is also a correct answer (as explained above.)

INCORRECT: "Analyze and attribute expenditures" is incorrect as this relates specifically to cost optimization

INCORRECT: "Deploy globally in minute" is incorrect. This advantage of the cloud can help with reliability, scalability, and performance efficiency however security is not affected by the ability to host globally distributed applications.

INCORRECT: "Perform operations as code" is incorrect. Operations as code can help tangentially with providing a strong security posture but performing operations as code is more associated with reliability.

References:

<https://aws.amazon.com/architecture/well-architected/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/architecting-for-the-cloud/>

Etki alani

AWS Cloud Architecture & Design

45. Cevap

The TCO calculators allow you to estimate the cost savings when using AWS, compared to on-premises, and provide a detailed set of reports that can be used in executive presentations. The calculators also give you the option to modify assumptions that best meet your business needs.

CORRECT: "Estimate savings when comparing the AWS Cloud to an on-premises environment" is the correct answer.

INCORRECT: "Generate reports that break down AWS Cloud compute costs by duration, resource, or tags" is incorrect. This describes the AWS Cost & Usage Report.

INCORRECT: "Estimate a monthly bill for the AWS Cloud resources that will be used" is incorrect. This describes the AWS Pricing Calculator (or Simple Monthly Calculator).

INCORRECT: "Enable billing alerts to monitor actual AWS costs compared to estimated costs" is incorrect. Billing alerts can be enabled using Amazon CloudWatch.

References:

<https://aws.amazon.com/tco-calculator/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-billing-and-pricing/>

Etki alani

AWS Cost Management

46. Cevap

AWS Snowball is a method of transferring the data using a physical device. A Snowball Edge device can hold up to 80 TB so a single device can be used. This transfer method completely avoids the slow and unreliable internet connection.

CORRECT: "AWS Snowball" is the correct answer.

INCORRECT: "Amazon S3 Glacier" is incorrect. Glacier is used for archiving data in the cloud.

INCORRECT: "AWS Storage Gateway" is incorrect. Storage Gateway is a service that offers options for connecting on-premises storage to the cloud.

INCORRECT: "AWS DataSync" is incorrect. DataSync uses the internet to transfer data You can utilize Snowcone but that only holds up to 8 TB per device.

References:

<https://docs.aws.amazon.com/snowball/latest/developer-guide/specifications.html#specs-v3s-optimized>

Save time with our AWS cheat sheets:


<https://digitalcloud.training/aws-storage-services/>

Etki aları

AWS Migration & Transfer

47. Cevap

According to the AWS shared responsibility model AWS are responsible for security “of” the cloud. This includes updating the firmware of the EC2 host servers on which instances run. All of the other answers are incorrect as they represent security “in” the cloud which is a customer responsibility.



CORRECT: "Updating Amazon EC2 host firmware" is the correct answer.

INCORRECT: "Granting permissions to users and services" is incorrect as this is a customer responsibility.

INCORRECT: "Encrypting data at rest" is incorrect as this is a customer responsibility.

INCORRECT: "Updating operating systems" is incorrect as this is a customer responsibility.

References:

<https://aws.amazon.com/compliance/shared-responsibility-model/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-shared-responsibility-model/>

Etki aları

AWS Shared Responsibility Model

48. Cevap

You can use the consolidated billing feature in AWS Organizations to consolidate billing and payment for multiple AWS accounts or multiple Amazon Internet Services Pvt. Ltd (AISPL) accounts. Every organization in AWS Organizations has a *master (payer) account* that pays the charges of all the *member (linked) accounts*.

Consolidated billing has the following benefits:

- **One bill** – You get one bill for multiple accounts.
- **Easy tracking** – You can track the charges across multiple accounts and download the combined cost and usage data.
- **Combined usage** – You can combine the usage across all accounts in the organization to share the volume pricing discounts, Reserved Instance discounts, and Savings Plans. This can result in a lower charge for your project, department, or company than with individual standalone accounts.
- **No extra fee** – Consolidated billing is offered at no additional cost.

CORRECT: "Consolidated billing" is the correct answer.

INCORRECT: "Amazon Cloud Directory" is incorrect. Cloud Directory is used for creating cloud-native directories. This is not related to billing.

INCORRECT: "AWS Cost Explorer" is incorrect. AWS Cost Explorer has an easy-to-use interface that lets you visualize, understand, and manage your AWS costs and usage over time. It does not centralize billing.

INCORRECT: "AWS Cost and Usage report" is incorrect. The AWS Cost & Usage Report lists AWS usage for each service category used by an account and its IAM users in hourly or daily line items, as well as any tags that you have activated for cost allocation purposes.

References:

<https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/consolidated-billing.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-billing-and-pricing/>

Etki aları

AWS Cost Management

49. Cevap

Access keys are long-term credentials for an IAM user or the AWS account root user. You can use access keys to sign programmatic requests to the AWS CLI or AWS API (directly or using the AWS SDK).

Access keys consist of two parts: an access key ID (for example, AKIAIOSFODNN7EXAMPLE) and a secret access key (for example, wJalrXUtnFEMI/K7MDENG/bPxrFiCYEXAMPLEKEY).

Like a user name and password, you must use both the access key ID and secret access key together to authenticate your requests. Manage your access keys as securely as you do your user name and password.

CORRECT: "An access key ID" is a correct answer.

CORRECT: "A secret access key" is also a correct answer.

INCORRECT: "A public key" is incorrect. Public/private keys are used for encryption and are also associated with the key pairs used to authenticate to EC2 instances.

INCORRECT: "A private key" is incorrect. Public/private keys are used for encryption and are also associated with the key pairs used to authenticate to EC2 instances.

INCORRECT: "An IAM Role" is incorrect. IAM Roles are not used for configuring the CLI for programmatic access. They can be used for delegating access to AWS services and cross-account access.

References:

https://docs.aws.amazon.com/IAM/latest/UserGuide/id_credentials_access-keys.html

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-identity-and-access-management/>

Etki alanı

AWS Security, Identity, & Compliance

50. Cevap

Amazon EC2 Auto Scaling helps you maintain application availability and allows you to automatically add or remove EC2 instances according to conditions you define. You can use the fleet management features of EC2 Auto Scaling to maintain the health and availability of your fleet. You can also use the dynamic and predictive scaling features of EC2 Auto Scaling to add or remove EC2 instances.

CORRECT: "Scales the number of EC2 instances in or out automatically, based on demand." is the correct answer.

INCORRECT: "Scales the size of EC2 instances up or down automatically, based on demand." is incorrect. Auto Scaling adjusts the number of EC2 instances, not the size of EC2 instances.

INCORRECT: "Automatically updates the EC2 pricing model, based on demand." is incorrect. Auto Scaling does not change pricing models

INCORRECT: "Automatically modifies the network throughput of EC2 instances, based on demand." is incorrect. Auto Scaling does not modify network throughput for instances.

References:

<https://aws.amazon.com/ec2/autoscaling/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-compute-services/>

Etki alanı

AWS Compute

51. Cevap

AWS Glue is an Extract, Transform, and Load (ETL) service. You can use AWS Glue with data sources on Amazon S3, RedShift and other databases. With AWS Glue you transform and move the data to various destinations. It is used to prepare and load data for analytics.



CORRECT: "AWS Glue" is the correct answer.

INCORRECT: "Amazon RedShift" is incorrect. Amazon RedShift is a data warehouse. With a data warehouse you load data from other databases such as transactional SQL databases and run analysis. You can analyze data using SQL and Business Intelligence tools.

INCORRECT: "Amazon EMR" is incorrect. Amazon EMR is a managed Hadoop framework running on EC2 and S3. It is used for analyzing data, not for ETL.

INCORRECT: "Amazon Kinesis" is incorrect. Amazon Kinesis is used for collecting, processing and analyzing real-time streaming data.

References:

<https://aws.amazon.com/glue/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-analytics-services/>

Etki alanı

AWS Analytics

52. Cevap

A security group acts as a virtual firewall, controlling the traffic that is allowed to reach and leave the resources that it is associated with. For example, after you associate a security group with an EC2 instance, it controls the inbound and outbound traffic for the instance.

CORRECT: "Security Group" is the correct answer (as explained above.)

INCORRECT: "AWS Shield" is incorrect. AWS Shield is a managed Distributed Denial of Service (DDoS) protection service and does not control traffic.

INCORRECT: "AWS WAF" is incorrect, as the WAF is a Web Application Firewall - something that is placed in front of your web applications outside of your VPC - whereas security groups live within your VPC, controlled instance specific inbound and outbound traffic.

INCORRECT: "Network access control list (ACL)" is incorrect. Although Network ACLs are virtual firewalls which control access within a VPC, Network ACLs exist on the subnet level, not on the instance level.

References:

https://docs.aws.amazon.com/vpc/latest/userguide/VPC_SecurityGroups.html

Etki alanı

AWS Networking & Content Delivery

53. Cevap

Amazon EC2 Spot Instances let you take advantage of unused EC2 capacity in the AWS cloud. Spot Instances are available at up to a 90% discount compared to On-Demand prices.

The downside is that if capacity becomes temporarily unavailable, your instances may be terminated.

CORRECT: "Spot Instances" is the correct answer.

INCORRECT: "On-Demand Instances" is incorrect. On-demand instances are not subject to interruption if capacity becomes temporarily unavailable.

INCORRECT: "Standard Reserved Instances" is incorrect. Reserved instances are not subject to interruption if capacity becomes temporarily unavailable

INCORRECT: "Convertible Reserved Instances" is incorrect. Reserved instances are not subject to interruption if capacity becomes temporarily unavailable.

References:

<https://aws.amazon.com/ec2/spot/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-billing-and-pricing/>

Etki alanı

AWS Compute

54. Cevap

Amazon Elastic Map Reduce (EMR) is a web service that enables businesses, researchers, data analysts, and developers to easily and cost-effectively process vast amounts of data. EMR utilizes a hosted Hadoop framework running on Amazon EC2 and Amazon S3.

CORRECT: "Amazon EMR" is the correct answer.

INCORRECT: "Amazon DynamoDB" is incorrect. DynamoDB is not a hosted Hadoop framework, it is a no-SQL database.

INCORRECT: "Amazon Athena" is incorrect. Amazon Athena is a serverless, interactive query service to query data and analyze big data in Amazon S3 using standard SQL

INCORRECT: "Amazon Redshift" is incorrect. Amazon Redshift is a fast, simple, cost-effective data warehousing service.

References:

<https://aws.amazon.com/emr/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-database-services/>

Etki alanı

AWS Database

55. Cevap

Amazon DynamoDB is a fully managed, serverless, key-value NoSQL database designed to run high-performance applications at any scale. DynamoDB offers built-in security, continuous backups, automated multi-Region replication, in-memory caching, and data export tools. When you hear of AWS Managed NoSQL databases, DynamoDB is the only acceptable choice.

CORRECT: "Amazon DynamoDB" is the correct answer (as explained above.)

INCORRECT: "Amazon RDS for MySQL" is incorrect as RDS is a managed Relational (SQL) database service. The question calls for a NoSQL database.

INCORRECT: "Amazon Quantum Ledger Database (Amazon QLDB)" is incorrect. Amazon Quantum Ledger Database (QLDB) is a fully managed ledger database that provides transparent, immutable, and cryptographically verifiable transactions- and is not a suitable replacement for an on-premises NoSQL database.

INCORRECT: "Amazon Redshift" is incorrect, as it is an SQL-based data warehousing solution. It would not be a suitable replacement for an on-premises NoSQL database.

References:

<https://aws.amazon.com/dynamodb/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-database-services/>


Etki alanı

AWS Database

56. Cevap

An Availability Zone (AZ) is one or more discrete data centers with redundant power, networking, and connectivity in an AWS Region. AZ's give customers the ability to operate production applications and databases that are more highly available, fault tolerant, and scalable than would be possible from a single data center.

The diagram below shows how AZs relate to AWS Regions:



CORRECT: "One or more physical data centers" is the correct answer.

INCORRECT: "A completely isolated geographic location" is incorrect. This is a description of an AWS Region.

INCORRECT: "One or more edge locations based around the world" is incorrect. Edge locations are used by Amazon CloudFront for caching content.

INCORRECT: "A subnet for deploying resources into" is incorrect. Subnets are created within AZs.

References:

https://aws.amazon.com/about-aws/global-infrastructure/regions_az/

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-global-infrastructure/>

Etki aları

AWS Networking & Content Delivery

57. Cevap

Service control policies (SCPs) are a type of organization policy that you can use to manage permissions in your organization. SCPs offer central control over the maximum available permissions for all accounts in your organization. SCPs are associated with AWS Organizations and help you to ensure your accounts stay within your organization's access control guidelines. SCPs are available only in an organization that has all features enabled.

CORRECT: "AWS Organizations" is the correct answer.

INCORRECT: "AWS Global Infrastructure" is incorrect. SCPs are not associated with the AWS Global Infrastructure.

INCORRECT: "AWS Regions" is incorrect. SCPs are not associated with AWS Regions.

INCORRECT: "Availability Zones" is incorrect. SCPs are not associated with Availability Zones.

References:

https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_scps.html

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-cloud-management-services/>

Etki aları

AWS Management & Governance

58. Cevap

The Amazon Elastic Container Service (ECS) is a compute service that allows you to run Docker containers as tasks on AWS. AWS Lambda is a function as a service offering that provides the ability to run compute functions in response to triggers.

CORRECT: "Amazon ECS" is a correct answer.

CORRECT: "AWS Lambda" is also a correct answer.

INCORRECT: "Amazon DynamoDB" is incorrect. DynamoDB is a database service.

INCORRECT: "Amazon EFS" is incorrect. The Elastic File System (EFS) is a file-based storage system.

INCORRECT: "Amazon CloudHSM" is incorrect. CloudHSM is a service that is used to securely store and manage encryption keys.

References:

<https://aws.amazon.com/lambda/features/>

<https://aws.amazon.com/ecs/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-compute-services/>

Etki aları

AWS Compute

59. Cevap

AWS is a cost-effective for dynamic workloads because it is elastic, meaning your workload can scale based on demand. And because you only pay for what you use (pay-as-you-go pricing).

CORRECT: "Elasticity" is the correct answer.

CORRECT: "Pay-as-you-go pricing" is the correct answer.

INCORRECT: "High availability" is incorrect. This is not a characteristic that results in cost-effectiveness.

INCORRECT: "Strict security" is incorrect. This is not a characteristic that results in cost-effectiveness.

INCORRECT: "Reliability" is incorrect. This is not a characteristic that results in cost-effectiveness.

References:

<https://aws.amazon.com/architecture/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/architecting-for-the-cloud/>

Etki aları


AWS Cloud Benefits

60. Cevap

AWS CloudTrail is a service that enables governance, compliance, operational auditing, and risk auditing of your AWS account. With CloudTrail, you can log, continuously monitor, and retain account activity related to actions across your AWS infrastructure.

CloudTrail provides event history of your AWS account activity, including actions taken through the AWS Management Console, AWS SDKs, command line tools, and other AWS services.

This event history simplifies security analysis, resource change tracking, and troubleshooting. In addition, you can use CloudTrail to detect unusual activity in your AWS accounts. These capabilities help simplify operational analysis and troubleshooting.



CORRECT: "AWS CloudTrail" is the correct answer.

INCORRECT: "Amazon Inspector" is incorrect. Inspector is used for running an automated security assessment service on cloud resources.

INCORRECT: "Amazon CloudWatch" is incorrect. CloudWatch is used for performance monitoring.

INCORRECT: "AWS Trusted Advisor" is incorrect. Trusted Advisor helps you to build your AWS resources in accordance with best practices.

References:

<https://aws.amazon.com/cloudtrail/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-monitoring-and-logging-services/>

Etki alanı

AWS Management & Governance

61. Cevap

By using cloud computing, you can achieve a lower variable cost than you can get on your own. Because usage from hundreds of thousands of customers is aggregated in the cloud, providers such as AWS can achieve higher economies of scale, which translates into lower pay-as-you-go prices.

CORRECT: "Economies of scale" is the correct answer.

INCORRECT: "The AWS global infrastructure" is incorrect. The global infrastructure is the basis of the AWS platform but it is not the reason prices continue to reduce.

INCORRECT: "Pay-as-you go pricing" is incorrect. This pricing model is a benefit but not the reason unit prices are reducing.

INCORRECT: "Reserved instance pricing" is incorrect. This pricing model results in savings for customers in specific areas but not the reason for the overall reduction in prices.

References:

<https://docs.aws.amazon.com/whitepapers/latest/aws-overview/six-advantages-of-cloud-computing.html>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-cloud-computing-concepts/>

Etki alanı

AWS Cost Management

62. Cevap

AWS OpsWorks is a configuration management service that provides managed instances of Chef and Puppet. Chef and Puppet are automation platforms that allow you to use code to automate the configurations of your servers.

OpsWorks lets you use Chef and Puppet to automate how servers are configured, deployed, and managed across your [Amazon EC2](#) instances or on-premises compute environments,

CORRECT: "AWS OpsWorks" is the correct answer.

INCORRECT: "AWS Config" is incorrect. AWS Config is a service that enables you to assess, audit, and evaluate the configurations of your AWS resources.

INCORRECT: "AWS CloudFormation" is incorrect. AWS CloudFormation provides a common language for you to model and provision AWS and third party application resources in your cloud environment.

INCORRECT: "AWS Systems Manager" is incorrect. AWS Systems Manager gives you visibility and control of your infrastructure on AWS. Systems Manager provides a unified user interface so you can view operational data from multiple AWS services and allows you to automate operational tasks across your AWS resources.

References:

<https://aws.amazon.com/opsworks/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/additional-aws-services/>

Etki alanı

AWS Management & Governance

63. Cevap

AWS Elastic Beanstalk is an easy-to-use service for deploying and scaling web applications and services developed with Java, .NET, PHP, Node.js, Python, Ruby, Go, and Docker on familiar servers such as Apache, Nginx, Passenger, and IIS.

You can simply upload your code and Elastic Beanstalk automatically handles the deployment, from capacity provisioning, load balancing, auto-scaling to application health monitoring. At the same time, you retain full control over the AWS resources powering your application and can access the underlying resources at any time.

CORRECT: "AWS Elastic Beanstalk" is the correct answer.

INCORRECT: "Amazon LightSail" is incorrect. LightSail is a good service to use when you don't have good knowledge of AWS. However, you cannot deploy a scalable node.js application into a VPC.

INCORRECT: "AWS CloudFormation" is incorrect. CloudFormation is used for automating the deployment of infrastructure resources in AWS.

INCORRECT: "Amazon EC2" is incorrect. This would require more expertise than using Elastic Beanstalk.

References:

<https://aws.amazon.com/elasticbeanstalk/>

Save time with our AWS cheat sheets:

64. Cevap

Dependencies such as queuing systems, streaming systems, workflows, and load balancers are loosely coupled. Loose coupling helps isolate behavior of a component from other components that depend on it, increasing resiliency and agility

AWS recommend that you architect applications that scale horizontally to increase aggregate workload availability. This scaling should be automatic where possible.

CORRECT: "Implement loose coupling" is a correct answer.

CORRECT: "Design for scalability" is also a correct answer.

INCORRECT: "Implement manual scalability" is incorrect. AWS do not recommend manual processes. Everything should be automated as much as possible.

INCORRECT: "Use self-managed servers" is incorrect. AWS do not recommend using self-managed servers. They do recommend using serverless services if you can.

INCORRECT: "Rely on individual components" is incorrect. This is not a best practice; you should never rely on individual components. It is better to build redundancy into the system so the failure of an individual component does not affect the functioning of the application.

References:


<https://aws.amazon.com/blogs/apn/the-5-pillars-of-the-aws-well-architected-framework/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/architecting-for-the-cloud/>

65. Cevap

Infrastructure as a Service (IaaS) is a type of cloud computing service that offers essential compute, storage, and networking resources on demand, on a pay-as-you-go basis. IaaS is one of the four types of cloud services, along with software as a service (SaaS), platform as a service (PaaS), and Function as a Service (FaaS).



CORRECT: "Infrastructure as a Service (IaaS)" is the correct answer (as explained above.)

INCORRECT: "Platform as a Service (PaaS)" is incorrect. Platform as a service (PaaS) is a cloud computing model where a third-party provider delivers hardware and software tools to users over the internet. Usually, these tools are needed for application development.

INCORRECT: "Function as a Service (FaaS)" is incorrect, FaaS (Function-as-a-Service) is a type of cloud-computing service that allows you to execute code in response to events i.e. Lambda functions within AWS.

INCORRECT: "Software as a Service (SaaS)" is incorrect. Software as a service is a software licensing and delivery model in which software is licensed on a subscription basis and is centrally hosted.

References:

<https://magenest.com/en/aws-iaas-paas-saas/>

Save time with our AWS cheat sheets:

<https://digitalcloud.training/aws-cloud-computing-concepts/>

Etki alanı

AWS Cloud Architecture & Design