Schema	Properties	Definitions
schema	_comment	transformation_type
	transformation	sourceModel_type
	package	modelName_type
	mapping	elementName_type
		targetModel_type
		targetPackage_type
		mapping_type
		class_type
		mapAttribute_type
		attributeName_type
		multiplicity_type
		multiplicityRange_type
		sssom_type
		newAttribute_type
		mergeAttribute_type
		association_type
		associationName_type

Schema ucmis_mapping_configuration.schema.json

Document version **Draft 2020-12**

Annotations

Title JSON Schema for UCMIS mapping configuration

Description This JSON Schema is used to validate the UCMIS mapping configuration. With such a mapping, a submodel can be created from a UCMIS model. UCMIS is the UML Class Model Interoperable Subset.

Diagram


schema
$schema https://json-schema.org/draft/2020-1 ...
$comment Some details on UCMIS. UCMIS uses th ...
type object
additionalProperties false
properties
_comment
type string
transformation
$ref #/$defs/transformation_type
package
$ref #/$defs/targetPackage_type
mapping
$ref #/$defs/mapping_type
$defs
transformation_type
type object
required description, version, sourceModel, t ...
additionalProperties false
Generic definition of the transformation. Note: all transformations flatten inheritance. Class attribute and...
targetPackage_type
type array
Target packages
Defines additional packages in the target model. Each entry specifies a package name, its parent, and a...
sourceModel_type
type object
required name, mainPackage, uri
additionalProperties false
Source model definition
Identifies the UCMIS source model by name, main package, and URI.
targetModel_type
type object
required acronym, modelTitle, subTitle, major ...
additionalProperties false
Target model definition
Describes the UCMIS target model by name, URI, and other details.
modelName_type
type string
pattern ^[a-zA-Z][a-zA-Z0-9-]*$
Model name
Must start with a letter; subsequent characters may be letters, digits, or hyphens.
elementName_type
type string
pattern ^[A-Z][a-zA-Z]*$
Element name
Only letters in CamelCase are permitted.
attributeName_type
type string
pattern ^[a-z][a-zA-Z]*$
Attribute name
Only letters in lowerCamelCase are permitted.
associationName_type
type string
pattern ^[A-Z][a-zA-Z]*_[a-z][a-zA-Z]*_[A-Z] ...
Association name
This is a type of qualified association name. The underscore is the separator between the names of the...
mapping_type
type object
additionalProperties false
Mapping of classes and associations
Contains the class and association mapping definitions.
class_type
type array
minItems 1
Class mappings
Class mapping definitions. Supports three mapping types: 'map' for direct source-to-target mapping,...
mapAttribute_type
type array



JSON Schema for UCMIS mapping configuration
This JSON Schema is used to validate the UCMIS mapping configuration. With...

Type	**object**
Properties	

Name	Occurrence
_comment	**optional**
transformation	**optional**
package	**optional**
mapping	**optional**

Additional Properties	false
Source	

Property schema _comment

Diagram

Type	**string**
Used by	Schema #/schema
Source	

Definition schema transformation

Diagram



Type	**reference**
Refers	**transformation_type**
Used by	Schema #/schema
Source	

Definition schema package

Diagram

Type	**reference**
Refers	**targetPackage_type**

Used by
Schema
#/schema

Source

Definition schema mapping

Diagram

Type **reference**
Refers **mapping_type**
Used by
Schema
#/schema

Source

Schema transformation_type

Annotations

Description Generic definition of the transformation. Note: all transformations flatten inheritance. Class attribute and association names may contain inherited names. All definitions, data types used by class attributes, multiplicities of class attributes and association ends, and aggregation kinds of associations are automatically reused in the target model unless they are explicitly overwritten.

Diagram



Type **object**
Properties

Name	Occurrence
_comment	**optional**
description	**required**
version	**required**
sourceModel	**required**
targetModel	**required**

Additional Properties false
Used by
Schema
transformation
#/schema

Source

Schema _comment

Diagram

Type **string**
Used by
Schema
#/$defs/transformation_type

Source

Schema description

Diagram



Type **string**
Used by
Schema
#/$defs/transformation_type

Source

Schema version

Annotations

Description The version of this mapping configuration.

Diagram



Type **string**

Used by
Schema
#/$defs/transformation_type

Source

Schema sourceModel_type

Annotations

Title Source model definition

Description Identifies the UCMIS source model by name, main package, and URI.

Diagram



Type **object**

Properties

Name	Occurrence
_comment	**optional**
name	**required**
mainPackage	**required**
uri	**required**

Additional Properties false

Used by
Schema
#/$defs/transformation_type/properties/sourceModel
#/$defs/transformation_type

Source

Schema _comment

Diagram

Type **string**

Used by
Schema
#/$defs/sourceModel_type

Source

Schema modelName_type

Annotations

Title Model name

Description Must start with a letter; subsequent characters may be letters, digits, or hyphens.

Diagram



Type **string**

Constraints

Pattern : ^[a-zA-Z][a-zA-Z0-9-]*$

Used by
Schema
#/$defs/sourceModel_type/properties/name
#/$defs/sourceModel_type
#/$defs/targetModel_type

Source

Definition schema name

Diagram

Type **reference**

Refers **modelName_type**

Used by

Schema

#/$defs/sourceModel_type

Source

Schema elementName_type

Annotations

Title Element name

Description Only letters in CamelCase are permitted.

Diagram



Type **string**

Constraints

Pattern : ^[A-Z][a-zA-Z]*$

Used by

Schema

#/$defs/sourceModel_type/properties/mainPackage
#/$defs/association_type/items
#/$defs/class_type/items/oneOf/0
#/$defs/class_type/items/oneOf/1
#/$defs/class_type/items/oneOf/2
#/$defs/class_type/items/oneOf/2/properties/sourceClass
#/$defs/mapAttribute_type/items
#/$defs/mergeAttribute_type/items
#/$defs/newAttribute_type/items
#/$defs/sourceModel_type
#/$defs/targetModel_type
#/$defs/targetPackage_type/items

Source

Definition schema mainPackage

Annotations

Title Main package name

Description The main package in the source model that contains all the mentioned classes and associations, including those within its subpackages.

Diagram



Type **reference**

Refers **elementName_type**

Used by

Schema

#/$defs/sourceModel_type

Source

Schema uri

Annotations

Title URI

Description The URI of the model namespace.

Diagram



Type **string**

Constraints

Format : uri

Used by

Schema

#/$defs/sourceModel_type

Source

Definition schema sourceModel

Diagram

Type **reference**

Refers **sourceModel_type**

Used by

Schema

#/$defs/transformation_type

Source

Schema targetModel_type

Annotations

Title Target model definition

Description Describes the UCMIS target model by name, URI, and other details.

Diagram



Type **object**

Properties

Name	Occurrence
_comment	**optional**
acronym	**required**
modelTitle	**required**
subTitle	**required**
majorVersion	**required**
minorVersion	**required**
language	**required**
uri	**required**
definition	**required**
mainPackage	**required**
mainPackageDefinition	**required**
dataTypesPackage	**required**

Additional Properties false

Used by

Schema

#/$defs/transformation_type/properties/targetModel

#/$defs/transformation_type

Source

Schema _comment

Diagram

Type **string**

Used by Schema
#/$defs/targetModel_type

Source

Definition schema acronym

Annotations

Title Acronym

Diagram



Type **reference**

Refers **modelName_type**

Used by Schema
#/$defs/targetModel_type

Source

Schema modelTitle

Annotations

Title Title

Diagram



Type **string**

Used by Schema
#/$defs/targetModel_type

Source

Schema subTitle

Annotations

Title Subtitle

Diagram



Type **string**

Used by Schema
#/$defs/targetModel_type

Source

Schema majorVersion

Annotations

Title Major version

Diagram



Type **string**

Used by Schema
#/$defs/targetModel_type

Source

Schema minorVersion

Annotations

Title Minor version

Diagram

Type **string**

Used by
Schema
#/$defs/targetModel_type

Source

Schema language

Annotations

Title Language of the definitions in the model

Diagram



Type **string**

Used by
Schema
#/$defs/targetModel_type

Source

Schema uri

Annotations

Title URI

Description The URI of the model namespace.

Diagram



Type **string**

Constraints

Format : uri

Used by
Schema
#/$defs/targetModel_type

Source

Schema definition

Annotations

Title Definition

Diagram



Type **string**

Used by
Schema
#/$defs/targetModel_type

Source

Definition schema mainPackage

Annotations

Title Main package name

Description The main package in the target model that contains all the mentioned classes and associations, including those within its subpackages.

Diagram



Type **reference**

Refers **elementName_type**

Used by
Schema
#/$defs/targetModel_type

Source

Schema mainPackageDefinition

Diagram



Type **string**

Used by
Schema
#/$defs/targetModel_type

Source

Definition schema dataTypesPackage

Annotations

Title Main package name for data types

Description The data types package in the target model that contains all required data types according to the structure in the source model, including those within its subpackages.

Diagram



Type **reference**
Refers **elementName_type**
Used by
Schema
#/$defs/targetModel_type

Source

Definition schema targetModel

Diagram



Type **reference**
Refers **targetModel_type**
Used by
Schema
#/$defs/transformation_type

Source

Schema targetPackage_type

Annotations

Title Target packages

Description Defines additional packages in the target model. Each entry specifies a package name, its parent, and a definition.

Diagram



Type **array**
Constraints

Unique Items : false

Array Items
Items
#/$defs/targetPackage_type/items

Used by
Schema
package
#/schema

Source

Schema items

Diagram



Type **object**

Properties

Name	Occurrence
_comment	**optional**
name	**required**
parent	**required**
definition	**required**

Additional Properties false

Used by

Schema

#/$defs/targetPackage_type

Source

Schema _comment

Diagram

Type **string**

Used by

Schema

#/$defs/targetPackage_type/items

Source

Definition schema name

Annotations

Title Package name

Diagram



Type **reference**

Refers **elementName_type**

Used by

Schema

#/$defs/targetPackage_type/items

Source

Definition schema parent

Annotations

Title Parent package name or model name

Description The name of the parent package or model in the case of a top-level package.

Diagram



Type **reference**

Refers **elementName_type**

Used by

Schema

#/$defs/targetPackage_type/items

Source

Schema definition

Annotations

Title Definition

Diagram



Type **string**

Used by

Schema

#/$defs/targetPackage_type/items

Source

Schema mapping_type

Annotations

Title Mapping of classes and associations

Description Contains the class and association mapping definitions.

Diagram



Type **object**

Properties

Name	Occurrence
_comment	**optional**
class	**optional**
association	**optional**

Additional Properties false

Used by

Schema

mapping

#/schema

Source

Schema _comment

Diagram

Type **string**

Used by

Schema

#/$defs/mapping_type

Source

Schema class_type

Annotations

Title Class mappings

Description Class mapping definitions. Supports three mapping types: 'map' for direct source-to-target mapping, 'new' for target classes with no source equivalent, and 'merge' for merging two source classes into one target class.

Diagram

Type **array**

Constraints

Unique Items : false

Array Items

Items

#/$defs/class_type/items

Used by

Schema

#/$defs/mapping_type/properties/class

#/$defs/mapping_type

Source

Schema items

Diagram



Type **object**

All of

Choices

items : Schema (#/$defs/class_type/items/oneOf)

items : Schema (#/$defs/class_type/items/0)

Used by

Schema

#/$defs/class_type

Source

Schema items/oneOf

Diagram


oneOf / 0
required mappingType, sourceClass, targetPack ...
additionalProperties false
Mapping type 'map'
properties
_comment
type string
mappingType
const map
Direct source-to-target mapping
sourceClass
$ref #/$defs/elementName_type
Source class
targetPackage
$ref #/$defs/elementName_type
Target package
targetClass
$ref #/$defs/elementName_type
Target class
definitionFrom
$ref #/$defs/elementName_type
Source class of definition
The name of the source class whose definition should be
definition.
attribute
$ref #/$defs/mapAttribute_type
sssom
$ref #/$defs/sssom_type
SSSOM Details
subject_id and object_id are set by the transformation.
oneOf / 1
required mappingType, targetPackage, targetCl ...
additionalProperties false
Mapping type 'new'
properties
_comment
type string
mappingType
const new
Target class with no source equivalent
targetPackage
$ref #/$defs/elementName_type
Target package
targetClass
$ref #/$defs/elementName_type
Target class
definition
type string
Definition
attribute
$ref #/$defs/newAttribute_type
sssom
$ref #/$defs/sssom_type
SSSOM Details
subject_id and object_id are set by the transformation.
oneOf / 2
required mappingType, sourceClass, targetPack ...
additionalProperties false
properties
_comment
type string
mappingType
const merge
Merging two source classes into one target class
sourceClass
type array
minItems 2
maxItems 2
Two source classes
Exactly two source classes to be merged into the targe
targetPackage
$ref #/$defs/elementName_type
Target package
targetClass



Type	**object**
One of	Choices #/$defs/class_type/items/oneOf : Schema (0) #/$defs/class_type/items/oneOf : Schema (1) #/$defs/class_type/items/oneOf : Schema (2)
Used by	Schema #/$defs/class_type/items
Source	

Schema oneOf/0

Annotations

Title Mapping type 'map'

Diagram



Type	**object**
Properties	Name / Occurrence _comment — **optional** mappingType — **required** sourceClass — **required** targetPackage — **required** targetClass — **required** definitionFrom — **optional** attribute — **optional** sssom — **optional**
Additional Properties	false
Used by	Schema #/$defs/class_type/items/oneOf
Source	

Schema _comment

Diagram

Type **string**

Used by Schema
#/$defs/class_type/items/oneOf/0

Source

Schema mappingType

Annotations

Title Direct source-to-target mapping

Diagram



Type **const**

Permitted Value map

Used by Schema
#/$defs/class_type/items/oneOf/0

Source

Definition schema sourceClass

Annotations

Title Source class

Diagram



Type **reference**

Refers **elementName_type**

Used by Schema
#/$defs/class_type/items/oneOf/0

Source

Definition schema targetPackage

Annotations

Title Target package

Diagram



Type **reference**

Refers **elementName_type**

Used by Schema
#/$defs/class_type/items/oneOf/0

Source

Definition schema targetClass

Annotations

Title Target class

Diagram



Type **reference**

Refers **elementName_type**

Used by Schema
#/$defs/class_type/items/oneOf/0

Source

Definition schema definitionFrom

Annotations

Title Source class of definition

Description The name of the source class whose definition should be used for the target class definition.

Diagram



Type **reference**
Refers **elementName_type**
Used by
Schema
#/$defs/class_type/items/oneOf/0
Source

Schema mapAttribute_type

Annotations

Title Mapped attribute

Description Attribute definition for a mapped class. All properties except 'name' are optional; missing values are used from the source class.

Diagram



Type **array**
Constraints

Unique Items : false

Array Items
Items
#/$defs/mapAttribute_type/items
Used by
Schema
#/$defs/class_type/items/oneOf/0/properties/attribute
#/$defs/class_type/items/oneOf/0
Source

Schema items

Diagram



Type **object**
Properties

Name	Occurrence
_comment	**optional**
name	**required**
dataType	**optional**
definition	**optional**
multiplicity	**optional**

Additional Properties false
Used by
Schema
#/$defs/mapAttribute_type
Source

Schema _comment

Diagram

Type **string**
Used by
Schema
#/$defs/mapAttribute_type/items
Source

Schema attributeName_type

Annotations

Title Attribute name

Description Only letters in lowerCamelCase are permitted.

Diagram



Type **string**

Constraints

Pattern : ^[a-z][a-zA-Z]*$

Used by

Schema

#/$defs/mapAttribute_type/items/properties/name

#/$defs/mapAttribute_type/items

#/$defs/mergeAttribute_type/items

#/$defs/newAttribute_type/items

Source

Definition schema name

Diagram

Type **reference**

Refers **attributeName_type**

Used by

Schema

#/$defs/mapAttribute_type/items

Source

Definition schema dataType

Annotations

Title Data type

Description The data type is one of the available types in the source model. This approach doesn't allow to define new data types.

Diagram



Type **reference**

Refers **elementName_type**

Used by

Schema

#/$defs/mapAttribute_type/items

Source

Schema definition

Annotations

Title Definition

Diagram



Type **string**

Used by

Schema

#/$defs/mapAttribute_type/items

Source

Schema multiplicity_type

Annotations

Title Multiplicity

Description Permitted values are a single digit (0–9) or * for unlimited.

Diagram



Type **object**

Properties

Name	Occurrence
_comment	**optional**
lower	**required**
upper	**required**

Additional Properties false

Used by

Schema

#/$defs/mapAttribute_type/items/properties/multiplicity

#/$defs/association_type/items

#/$defs/mapAttribute_type/items

#/$defs/mergeAttribute_type/items

#/$defs/newAttribute_type/items

Source

Schema _comment

Diagram

Type **string**

Used by

Schema

#/$defs/multiplicity_type

Source

Schema multiplicityRange_type

Annotations

Title Multiplicity range

Description A single digit (0–9) or * for unlimited. The range is deliberately narrow.

Diagram



Type **string**

Constraints

Pattern : ^[0-9*]$

Used by

Schema

#/$defs/multiplicity_type/properties/lower

#/$defs/multiplicity_type

Source

Definition schema lower

Diagram



Type **reference**

Refers **multiplicityRange_type**

Used by

Schema

#/$defs/multiplicity_type

Source

Definition schema upper

Diagram



Type **reference**

Refers **multiplicityRange_type**

Used by

Schema

#/$defs/multiplicity_type

Source

Definition schema multiplicity

Diagram

Type **reference**
Refers **multiplicity_type**
Used by
Schema
#/$defs/mapAttribute_type/items
Source

Definition schema attribute

Diagram

Type **reference**
Refers **mapAttribute_type**
Used by
Schema
#/$defs/class_type/items/oneOf/0
Source

Schema sssom_type

Annotations

Title SSSOM Properties

Description These properties are according to the Simple Standard for Sharing Ontological Mappings (SSSOM) documentation at https://mapping-commons.github.io/sssom/linkml-index/.

Diagram



Type **object**
Properties

Name	Occurrence
_comment	**optional**
subject_label	**optional**
object_label	**optional**
predicate_id	**required**
predicate_label	**optional**
confidence	**optional**
comment	**optional**

Additional Properties false
Used by
Schema
#/$defs/class_type/items/oneOf/0/properties/sssom
#/$defs/class_type/items/oneOf/0
#/$defs/class_type/items/oneOf/1
#/$defs/class_type/items/oneOf/2
Source

Schema _comment

Diagram

Type **string**
Used by
Schema
#/$defs/sssom_type
Source

Schema subject_label

Diagram



Type **string**
Used by
Schema
#/$defs/sssom_type
Source

Schema object_label

Diagram



Type **string**

Used by Schema
#/$defs/sssom_type

Source

Schema predicate_id

Diagram



Type **string**

Used by Schema
#/$defs/sssom_type

Source

Schema predicate_label

Diagram



Type **string**

Used by Schema
#/$defs/sssom_type

Source

Schema confidence

Diagram



Type **string**

Used by Schema
#/$defs/sssom_type

Source

Schema comment

Diagram

Type **string**

Used by Schema
#/$defs/sssom_type

Source

Definition schema sssom

Annotations

Title SSSOM Details

Description subject_id and object_id are set by the transformation.

Diagram

Type **reference**

Refers **sssom_type**

Used by Schema
#/$defs/class_type/items/oneOf/0

Source

Schema oneOf/1

Annotations

Title Mapping type 'new'

Diagram



Type **object**

Properties

Name	Occurrence
_comment	**optional**
mappingType	**required**
targetPackage	**required**
targetClass	**required**
definition	**required**
attribute	**required**
sssom	**optional**

Additional Properties false

Used by

Schema

#/$defs/class_type/items/oneOf

Source

Schema _comment

Diagram



Type **string**

Used by

Schema

#/$defs/class_type/items/oneOf/1

Source

Schema mappingType

Annotations

Title Target class with no source equivalent

Diagram



Type **const**

Permitted Value new

Used by

Schema

#/$defs/class_type/items/oneOf/1

Source

Definition schema targetPackage

Annotations

Title Target package

Diagram



Type **reference**

Refers **elementName_type**

Used by

Schema

#/$defs/class_type/items/oneOf/1

Source

Definition schema targetClass

Annotations

Title Target class

Diagram



Type **reference**
Refers **elementName_type**
Used by Schema
#/$defs/class_type/items/oneOf/1
Source

Schema definition

Annotations

Title Definition

Diagram



Type **string**
Used by Schema
#/$defs/class_type/items/oneOf/1
Source

Schema newAttribute_type

Annotations

Title New attribute

Description Attribute definition for a newly created class. All properties are required since no source model exists to inherit values from.

Diagram



Type **array**
Constraints

Unique Items : false

Array Items Items
#/$defs/newAttribute_type/items
Used by Schema
#/$defs/class_type/items/oneOf/1/properties/attribute
#/$defs/class_type/items/oneOf/1
Source

Schema items

Diagram



Type **object**

Properties

Name	Occurrence
_comment	**optional**
name	**required**
dataType	**required**
definition	**required**
multiplicity	**required**

Additional Properties false

Used by

Schema

#/$defs/newAttribute_type

Source

Schema _comment

Diagram

Type **string**

Used by

Schema

#/$defs/newAttribute_type/items

Source

Definition schema name

Diagram

Type **reference**

Refers **attributeName_type**

Used by

Schema

#/$defs/newAttribute_type/items

Source

Definition schema dataType

Annotations

Title Data type

Description The data type is one of the available types in the source model. This approach doesn't allow to define new data types.

Diagram



Type **reference**

Refers **elementName_type**

Used by

Schema

#/$defs/newAttribute_type/items

Source

Schema definition

Annotations

Title Definition

Diagram



Type **string**

Used by

Schema

#/$defs/newAttribute_type/items

Source

Definition schema multiplicity

Diagram

Type **reference**

Refers **multiplicity_type**

Used by

Schema

#/$defs/newAttribute_type/items

Source

Definition schema attribute

Diagram

Type **reference**

Refers **newAttribute_type**
Used by Schema
#/$defs/class_type/items/oneOf/1
Source

Definition schema sssom

Annotations

Title SSSOM Details

Description subject_id and object_id are set by the transformation.

Diagram

Type **reference**
Refers **sssom_type**
Used by Schema
#/$defs/class_type/items/oneOf/1
Source

Schema oneOf/2

Annotations

Title Mapping type 'merge'

Diagram



Type **object**
Properties

Name	Occurrence
_comment	**optional**
mappingType	**required**
sourceClass	**required**
targetPackage	**required**
targetClass	**required**
definitionFrom	**optional**
attribute	**optional**
sssom	**optional**

Additional Properties false
Used by Schema
#/$defs/class_type/items/oneOf
Source

Schema _comment

Diagram

Type **string**

Used by Schema
#/$defs/class_type/items/oneOf/2

Source

Schema mappingType

Annotations

Title Merging two source classes into one target class

Diagram



Type **const**

Permitted Value merge

Used by Schema
#/$defs/class_type/items/oneOf/2

Source

Schema sourceClass

Annotations

Title Two source classes

Description Exactly two source classes to be merged into the target class.

Diagram



Type **array**

Constraints

Unique Items : false

Array Items Items
#/$defs/class_type/items/oneOf/2/properties/sourceClass/items

Used by Schema
#/$defs/class_type/items/oneOf/2

Source

Definition schema items

Annotations

Title Source class

Diagram



Type **reference**

Refers **elementName_type**

Used by Schema
#/$defs/class_type/items/oneOf/2/properties/sourceClass

Source

Definition schema targetPackage

Annotations

Title Target package

Diagram



Type **reference**

Refers **elementName_type**

Used by Schema
#/$defs/class_type/items/oneOf/2

Source

Definition schema targetClass

Annotations

Title Target class

Diagram



Type **reference**

Refers **elementName_type**

Used by

Schema

#/$defs/class_type/items/oneOf/2

Source

Definition schema definitionFrom

Annotations

Title Source class of definition

Description The name of the source class whose definition should be used for the target class definition.

Diagram



Type **reference**

Refers **elementName_type**

Used by

Schema

#/$defs/class_type/items/oneOf/2

Source

Schema mergeAttribute_type

Annotations

Title Merged class attribute

Description Attribute definition for a merged class. Use 'fromSourceClass' to define the origin of the attribute. All properties except 'name' are optional; missing values are used from the respective source class.

Diagram

Type **array**

Constraints

Unique Items : false

Array Items

Items

#/$defs/mergeAttribute_type/items

Used by

Schema

#/$defs/class_type/items/oneOf/2/properties/attribute

#/$defs/class_type/items/oneOf/2

Source

Schema items

Diagram



Type **object**

Properties

Name	Occurrence
_comment	**optional**
name	**required**
fromSourceClass	**optional**
dataType	**optional**
definition	**optional**
multiplicity	**optional**

Additional Properties false

Used by

Schema

#/$defs/mergeAttribute_type

Source

Schema _comment

Diagram

Type **string**

Used by

Schema

#/$defs/mergeAttribute_type/items

Source

Definition schema name

Diagram

Type **reference**

Refers **attributeName_type**

Used by

Schema

#/$defs/mergeAttribute_type/items

Source

Definition schema fromSourceClass

Annotations

Title Source class of attribute

Description Defines the source class from which the attribute should be used in the event of a class merge.

Diagram



Type **reference**

Refers **elementName_type**

Used by

Schema

#/$defs/mergeAttribute_type/items

Source

Definition schema dataType

Annotations

Title Data type

Description The data type is one of the available types in the source model. This approach doesn't allow to define new data types.

Diagram



Type **reference**
Refers **elementName_type**
Used by Schema
#/$defs/mergeAttribute_type/items
Source

Schema definition

Annotations

Title Definition

Diagram



Type **string**
Used by Schema
#/$defs/mergeAttribute_type/items
Source

Definition schema multiplicity

Diagram

Type **reference**
Refers **multiplicity_type**
Used by Schema
#/$defs/mergeAttribute_type/items
Source

Definition schema attribute

Diagram

Type **reference**
Refers **mergeAttribute_type**
Used by Schema
#/$defs/class_type/items/oneOf/2
Source

Definition schema sssom

Annotations

Title SSSOM Details

Description subject_id and object_id are set by the transformation.

Diagram

Type **reference**
Refers **sssom_type**
Used by Schema
#/$defs/class_type/items/oneOf/2
Source

Schema items/0

Diagram



Type **object**

Used by Schema

#/$defs/class_type/items

Source

Definition schema class

Diagram



Type **reference**

Refers **class_type**

Used by Schema

#/$defs/mapping_type

Source

Schema association_type

Annotations

Title Association mapping

Description Association mapping definitions. Only sourceAssociationName is required; other properties are reused from the source model unless explicitly overridden. Association names are unique in UCMIS models.

Diagram



Type **array**

Constraints

Unique Items : false

Array Items Items

#/$defs/association_type/items

Used by Schema

#/$defs/mapping_type/properties/association

#/$defs/mapping_type

Source

Schema items

Diagram



Type **object**

Properties

Name	Occurrence
_comment	**optional**
sourceAssociationName	**required**
targetAssociationName	**optional**
subjectClass	**optional**
objectClass	**optional**
definition	**optional**
subjectClassMultiplicity	**optional**
objectClassMultiplicity	**optional**
objectClassAggregationKind	**optional**

Additional Properties false

Used by

Schema

#/$defs/association_type

Source

Schema _comment

Diagram

Type **string**

Used by

Schema

#/$defs/association_type/items

Source

Schema associationName_type

Annotations

Title Association name

Description This is a type of qualified association name. The underscore is the separator between the names of the association end classes and the association name, which can be understood as subject, predicate and object. Only letters in CamelCase are permitted for class names. Only letters in lowerCamelCase are permitted for pure association names. Association names in UCMIS are always fully qualified triples.

Diagram



Type **string**

Constraints

Pattern : ^[A-Z][a-zA-Z]*_[a-z][a-zA-Z]*_[A-Z][a-zA-Z]*$

Used by

Schema

#/$defs/association_type/items/properties/sourceAssociationName

#/$defs/association_type/items

Source

Definition schema sourceAssociationName

Diagram



Type **reference**
Refers **associationName_type**
Used by Schema
#/$defs/association_type/items
Source

Definition schema targetAssociationName

Diagram



Type **reference**
Refers **associationName_type**
Used by Schema
#/$defs/association_type/items
Source

Definition schema subjectClass

Diagram



Type **reference**
Refers **elementName_type**
Used by Schema
#/$defs/association_type/items
Source

Definition schema objectClass

Diagram



Type **reference**
Refers **elementName_type**
Used by Schema
#/$defs/association_type/items
Source

Schema definition

Annotations

Title Definition

Diagram



Type **string**
Used by Schema
#/$defs/association_type/items
Source

Definition schema subjectClassMultiplicity

Diagram



Type **reference**
Refers **multiplicity_type**
Used by Schema
#/$defs/association_type/items
Source

Definition schema objectClassMultiplicity

Diagram



Type **reference**
Refers **multiplicity_type**
Used by Schema
#/$defs/association_type/items
Source

Schema objectClassAggregationKind

Annotations

Title Aggregation kind

Description Specifies the UML aggregation kind of the object class end of the association.

Diagram

Type **string**

Enumeration

Values

shared

composite

none

Used by

Schema

#/$defs/association_type/items

Source

Definition schema association

Diagram

Type **reference**

Refers **association_type**

Used by

Schema

#/$defs/mapping_type

Source

JSON Schema documentation generated by <oXygen/>®