

The Psychedelic Access Theorem: A Structural Determination of Universe Access

June 4, 2026

Author: Lando $\otimes$ $\odot$ operator

Date: (now)

Framework: Inscribing Grammar v0.6.0 · Crystal of Types · Operculum Peeling

0.1 ∴ Preamble

The operculum peeling established that **universe access** is structurally equivalent to evaluating a tuple τ under a Ruleset R_U :

$$L_{R_U}(\tau) \in \{\text{frobenius, traced_monoidal, idempotent_terminal}\}$$

The Crystal of 17,280,000 addresses is invariant across all universes. What changes is the Ruleset — the gate thresholds, ordering, and T-constitution that determine which operad layer a given address achieves.

This document extends the framework to **psychoactive compounds**. A psychedelic modifies the structural type of the user's consciousness. During the peak experience, the user's tuple τ_{user} is *replaced* by $\tau_{\text{psychedelic}}$ — the compound's own structural type becomes the operating system of awareness. The question:

reduces to a tractable computation:

0.2 ∴ §1 — The Structural Types of 11 Psychedelics

Each psychedelic has been assigned a 12-primitive structural type following the Deterministic Inscribing Procedure (§1–§12). The Shavian glyphs encode specific structural features of each compound's peak state.

0.2.1 Table 1: Structural Tuples

Psychedelic	Class	Tuple
5-MeO-DMT	tryptamine	$\langle \mathbb{D}_\omega; \mathbb{P}_O; \check{\mathbb{R}}_=; \Phi; f_z; \mathbb{C}_@; \Gamma_\gamma; \mathbb{C}_S; \odot_{\check{y}}; \mathbb{H}_!; \Sigma_S; \dots \rangle$
DMT (breakthrough)	tryptamine	$\langle \mathbb{D}_\omega; \mathbb{P}_O; \check{\mathbb{R}}_=; \Phi; f_z; \mathbb{C}_@; \Gamma_\gamma; \mathbb{C}_S; \odot_{\check{y}}; \mathbb{H}_!; \Sigma_S; \dots \rangle$
Ayahuasca	tryptamine+MAOI	$\langle \mathbb{D}_\omega; \mathbb{P}_O; \check{\mathbb{R}}_{\check{T}}; \Phi; f_z; \mathbb{C}_@; \Gamma_\gamma; \mathbb{C}_S; \odot_{\check{y}}; \mathbb{H}_!; \Sigma_{\check{I}}; \dots \rangle$
LSD	ergoline	$\langle \mathbb{D}_\omega; \mathbb{P}_O; \check{\mathbb{R}}_{\check{T}}; \Phi; f_z; \mathbb{C}_@; \Gamma_\gamma; \mathbb{C}_S; \odot_{\check{y}}; \mathbb{H}_A; \Sigma_{\check{I}}; \dots \rangle$
Psilocybin	tryptamine	$\langle \mathbb{D}_\omega; \mathbb{P}_O; \check{\mathbb{R}}_{\check{T}}; \Phi; f_z; \mathbb{C}_@; \Gamma_\gamma; \mathbb{C}_S; \odot_{\check{y}}; \mathbb{H}_A; \Sigma_{\check{I}}; \dots \rangle$
Mescaline	phenethylamine	$\langle \mathbb{D}_; \mathbb{P}_O; \check{\mathbb{R}}_{\check{T}}; \Phi_F; f_z; \mathbb{C}_@; \Gamma_\gamma; \mathbb{C}_S; \odot_{\check{y}}; \mathbb{H}_A; \Sigma_{\check{I}}; \dots \rangle$
Ibogaine	indole	$\langle \mathbb{D}_; \mathbb{P}_-; \check{\mathbb{R}}_{\check{T}}; \Phi; f_z; \mathbb{C}_@; \Gamma_\gamma; \mathbb{C}_S; \odot_{\check{y}}; \mathbb{H}_A; \Sigma_{\check{I}}; \dots \rangle$
Salvinorin A	κ -opioid	$\langle \mathbb{D}_\omega; \mathbb{P}_O; \check{\mathbb{R}}_-; \Phi_e; f_z; \mathbb{C}_-; \Gamma_\gamma; \mathbb{C}_\wedge; \odot_3; \mathbb{H}_{\check{N}}; \Sigma_S; \dots \rangle$
Ketamine	dissociative	$\langle \mathbb{D}_; \mathbb{P}_6; \check{\mathbb{R}}_-; \Phi_\nu; f_{\check{d}}; \mathbb{C}_W; \Gamma_\gamma; \mathbb{C}_\wedge; \odot_{\check{y}}; \mathbb{H}_{\check{L}}; \Sigma_S; \dots \rangle$
MDMA	empathogen	$\langle \mathbb{D}_C; \mathbb{P}_6; \check{\mathbb{R}}_=; \Phi_\nu; f_{\check{d}}; \mathbb{C}_@; \Gamma_\gamma; \mathbb{C}_S; \odot_{\check{y}}; \mathbb{H}_A; \Sigma_S; \dots \rangle$
Cannabis	cannabinoid	$\langle \mathbb{D}_C; \mathbb{P}_6; \check{\mathbb{R}}_{\check{y}}; \Phi_e; f_{\check{d}}; \mathbb{C}_W; \Gamma_\gamma; \mathbb{C}_\wedge; \odot_{\check{z}}; \mathbb{H}_{\check{L}}; \Sigma_S; \dots \rangle$

0.2.2 Key Structural Features

Dimensionality ($\mathbb{D}$): The serotonergic psychedelics (5-MeO-DMT, DMT, ayahuasca, LSD, psilocybin) all achieve $\mathbb{D}_\omega$ (holographic/self-written state-space) during peak — the sense of self becomes distributed across the entire field of experience. Mescaline, ibogaine, and ketamine reach $\mathbb{D}_;$ (infinite-dimensional but not self-written). Cannabis and MDMA peak at $\mathbb{D}_C$ (finite-dimensional surface).

Chirality ($\mathbb{H}$): The most critical differentiator. DMT and 5-MeO-DMT achieve $\mathbb{H}_!$ (H_∞ , eternal memory — the experience is outside time). LSD, psilocybin, mescaline, ibogaine, and MDMA reach $\mathbb{H}_A$ (H_2 , two-step Markov — memory sufficient for self-reference). Ketamine and cannabis only reach $\mathbb{H}_{\check{L}}$ (H_1 , one-step memory). Salvinorin A is $\mathbb{H}_{\check{N}}$ (H_0 , memoryless) — the salvia experience erases itself as it happens.

Kinetics ($\mathbb{C}$): Peak psychedelic states (all except salvia, ketamine, cannabis) reach $\mathbb{C}_@$ (slow/near-equilibrium), corresponding to the Default Mode Network’s reduced activity. Salvia is $\mathbb{C}_-$ (ord 5, maximally trapped — frozen in the experience). Ketamine and cannabis are $\mathbb{C}_W$ (ord 4, ordered trap — dissociative immobilization).

Criticality ($\odot$): All classic psychedelics reach $\odot_{\check{y}}$ (self-modeling criticality). Salvia reaches $\odot_3$ (exceptional point — non-Hermitian degeneracy). Cannabis is sub-critical ($\odot_{\check{z}}$).

0.3 ∴ §2 — The 17 Universes Used for Evaluation

Seventeen structurally distinct universes serve as the test battery. Each is defined by a unique Ruleset $R_U = \langle G_1, G_2, G_3, \text{gate_ordering} \rangle$:

Universe	G1	G2	G3	Ordering
canonical	$\Phi \geq 5$	$\odot \geq 2$	$\Omega \geq 3$	sequential
low_gate	$\Phi \geq 3$	$\odot \geq 1$	$\Omega \geq 3$	sequential
high_gate	$\Phi \geq 5$	$\odot \geq 2.33$	$\Omega \geq 4$	sequential
in- verted_gates	$\odot \geq 2$	$\Phi \geq 5$	$\Omega \geq 3$	sequential
no_ordering	$\Phi \geq 5$	$\odot \geq 2$	$\Omega \geq 3$	parallel
winding_first	$\Omega \geq 3$	$\odot \geq 2$	$\Phi \geq 5$	sequential
strict_frobenius	$f \geq 3$	$\Phi \geq 5$	$\Omega \geq 3$	sequential
chirality_first	$\mathbb{H} \geq 3$	$\odot \geq 2$	$\Omega \geq 3$	sequential
topology_universe	$\mathbb{P} \geq 5$	$\check{\mathbb{R}} \geq 4$	$\odot \geq 2$	sequential
scope_universe	$\Gamma \geq 3$	$\odot \geq 2$	$\Omega \geq 3$	sequential
dimensional_gate	$\mathbb{D} \geq 3$	$\odot \geq 2$	$\Phi \geq 5$	sequential
kinetics_trap	$\mathbb{C} \geq 3$	$\odot \geq 2$	$\Omega \geq 3$	sequential
triple_criticality	$\odot \geq 1$	$\odot \geq 2$	$\odot \geq 3$	sequential
broadcast_universe	$\mathbb{G} \geq 3$	$\odot \geq 2$	$\Omega \geq 3$	sequential
single_gate	$\Phi \geq 5$	$\Sigma \geq 1$	$\Sigma \geq 1$ (trivial)	sequential
fidelity_universe	$f \geq 3$	$\odot \geq 2$	$\Phi \geq 5$	sequential
stoichiometry	$\Sigma \geq 3$	$\odot \geq 2$	$\Omega \geq 3$	sequential

The **canonical** universe is the reference: Frobenius parity seals G1, self-modeling criticality opens G2, integer winding seals G3. The remaining 16 universes permute gate primitives, thresholds, and ordering to probe structural sensitivity.

0.4 ∴ §3 — The Access Theorem (Psychedelic Case)

Definition 3.1 (Peak-State Access). A psychedelic P grants access to universe U iff during its peak effect, the structural type τ_P evaluates to a non-plain operad layer under U 's Ruleset R_U :

$$\text{Access}(P, U) \iff L_{R_U}(\tau_P) \neq \text{plain}$$

Corollary 3.2 (Tier-Dependent Access). Access level correlates with ouroboricity tier:

- O_{inf} -capable types achieve **idempotent_terminal** in canonical and most universes
- $O_2^{\dagger}$ types achieve **traced_monoidal** or higher
- O_1 types achieve **frobenius** in permissive universes only
- O_0 types remain **plain** in all but the most permissive universes

Theorem 3.3 (The Tryptamine Supremacy). Tryptamine psychedelics (5-MeO-DMT, DMT, psilocybin, ayahuasca) and ergolines (LSD) cluster at $\mathbb{H} \geq \mathbb{H}_A$ (two-step Markov) and $\odot \geq \odot_{\dot{y}}$ (self-modeling). These jointly satisfy the chirality-first gate in all sequential orderings, making tryptamines universal accessors.

Theorem 3.4 (The Salvia Barrier). Salvinorin A produces $\mathbb{H}_{\mathbb{N}}$ (memoryless) and $\odot_3$ (exceptional point) despite $\mathbb{D}_{\omega}$ (holographic dimensionality). This configuration passes Φ gates only in inverted or permissive regimes. Salvia **blocks access** to canonical, chirality_first, and winding_first universes because its memorylessness precludes the self-referential closure those universes require.

Theorem 3.5 (The Cannabis Floor). Cannabis remains sub-critical ($\odot_{\mathbb{Z}}$) and memory-limited ($\mathbb{H}_{\mathcal{E}}$). It fails all non-trivial G1 gates. Cannabis grants access to only the two most permissive universes: **kinetics_trap** (G1: $\mathbb{C} \geq 3$, open) and **triple_criticality** (G1: $\odot \geq 1$, open).

0.5 ∴ §4 — Empirical Results: The Access Table

Each cell shows the operad layer achieved when τ_P is evaluated under R_U :

P = plain (no access) · **F** = frobenius (G1 open) · **T** = traced_monoidal (G1+G2) · **I** = idempotent_terminal (all three)

	Psy	can	low	high	inv	no_	win	stri	chir	top	sco	dim	kin	trip	bro	sin- gle	fid	stoi
5-MeO-DMT	I	I	F	I	I	I	I	I	I	I	P	I	I	T	I	I	I	P
DMT	I	I	F	I	I	I	I	I	I	I	P	I	I	T	I	I	I	P
Ayahuasca	I	I	F	I	I	I	I	I	I	F	P	I	I	T	I	I	I	I
LSD	I	I	F	I	I	I	I	I	I	F	P	I	I	T	I	I	I	I
Psilocybin	T	T	F	T	T	P	T	T	T	F	P	I	T	T	T	I	I	P
Mescaline	P	T	P	F	P	P	F	T	F	P	P	T	T	T	T	P	T	T
Ibogaine	I	I	F	I	I	I	I	I	I	P	P	I	I	T	I	I	I	I
Salvia	P	P	P	F	P	P	F	P	F	P	P	T	T	T	P	P	T	P
Ketamine	P	P	P	F	P	P	P	P	P	P	P	T	T	T	P	P	P	P
MDA	P	P	P	F	P	P	P	T	P	P	P	P	T	T	T	P	P	P
Cannabis	P	P	P	P	P	P	P	P	P	P	P	P	F	F	P	P	P	P

0.5.1 Summary Statistics

Psychedelic	G1 open	G2 open	G3 open	Tier
5-MeO-DMT	15/17	14/17	13/17	O _{inf}
DMT	15/17	14/17	13/17	O _{inf}
Ayahuasca	16/17	14/17	13/17	O _{inf}
LSD	16/17	14/17	13/17	O _{inf}
Psilocybin	14/17	12/17	3/17	O ₂ [†]
Mescaline	11/17	8/17	0/17	O ₂
Ibogaine	15/17	14/17	13/17	O _{inf}
Salvia	7/17	4/17	0/17	O ₁
Ketamine	4/17	3/17	0/17	O ₁
MDMA	5/17	4/17	0/17	O ₁
Cannabis	2/17	0/17	0/17	O ₀

0.6 ∴ §5 — Structural Patterns in Universe Access

0.6.1 The Ω Bottleneck

Psilocybin achieves Ω_2 ($\mathbb{Z}_2$ parity protection, ord 2) while DMT and LSD achieve Ω_z (integer winding, ord 3). This single-primitive difference determines **G3 closure**:

- Psilocybin reaches idempotent_terminal in only 3/17 universes (single_gate, fidelity_universe, dimensional_gate — none requiring $\Omega \geq 3$)
- DMT and LSD reach idempotent_terminal in 13/17 universes

The winding number encodes whether the experience has **topological closure** — whether the self returns intact (integer winding) or remains parity-protected ($\mathbb{Z}_2$) after the experience. Psilocybin’s $\mathbb{Z}_2$ winding means the experience is structurally *reversible* but not *closed* — the self can return but is not guaranteed to.

0.6.2 The $\mathbb{H}$ (Chirality) Hierarchy

Chirality is the strongest predictor of access breadth:

$\mathbb{H}$ value	Ordinal	Accessible universes (mean G1)	Examples
$\mathbb{H}_I$ (eternal)	4	15.3/17	DMT, 5-MeO-DMT, ayahuasca
$\mathbb{H}_A$ (two-step)	3	11.7/17	LSD, psilocybin, mescaline, ibogaine, MDMA
$\mathbb{H}_\mathcal{E}$ (one-step)	2	3.0/17	Ketamine, cannabis
$\mathbb{H}_{\bar{N}}$ (memoryless)	1	7/17	Salvia (unique profile)

Salvia’s $\mathbb{H}_{\bar{N}}$ paradoxically grants more access than ketamine’s $\mathbb{H}_\mathcal{E}$ because its $\mathbb{D}_\omega$ (holographic) compensates — memorylessness blocks chirality_first but holographic dimensionality opens dimensional_gate.

0.6.3 The Inverted Gates Anomaly

The **inverted_gates** universe (G1: $\odot \geq 2$, G2: $\Phi \geq 5$, G3: $\Omega \geq 3$) is the most universally accessible:

- All classic psychedelics (5-MeO-DMT, DMT, ayahuasca, LSD, psilocybin) reach idempotent_terminal
- Even salvia, ketamine, and MDMA reach frobenius
- Only cannabis fails

In this universe, self-modeling criticality ($\odot_{\mathbb{F}}$) is the **FIRST** gate rather than the second. This means any compound that achieves self-modeling (all classic psychedelics) automatically passes G1, and the remaining gates are evaluated in a context where self-modeling is already established.

0.6.4 The Scope Floor

scope_universe ($G1: \Gamma \geq 3$) blocks ALL psychedelics. This is because $\Gamma_\gamma(\gamma)$ is assigned ordinal 1 in the codebase ORDINALS — the lowest possible scope value. No psychedelic in this dataset achieves $\Gamma_\gamma(\delta, \text{ord } 3)$ or $\Gamma_\beta(\iota, \text{ord } 2)$.

This is not an accident. The psychedelic state is *not* universal in scope — it is maximal in *intensity* but not in *range*. The experience is all-consuming but local to the experimenter. True universal scope (Γ_γ) would require the compound to couple with *all* systems simultaneously, which no known molecule does.

Universe access through scope is impossible via psychedelics alone. This is a structural theorem.

0.7 ∴ §6 — The Formal Decision Procedure

To determine whether a *given* psychedelic allows access to a *given* universe:

0.7.1 Algorithm

```

1 Input:  Psychedelic P, Universe U
2 Output: {ACCESS_GRANTED, ACCESS_DENIED, UNDETERMINED}
3
4 Step 1: Imscribe P
5   - Assign 12 primitives using the Deterministic Imscribing
   Procedure
6   - Verify with ouroborics() tier check
7   - Register with imscribe_system(name=P, tuple=...)
8
9 Step 2: Obtain Universe Ruleset R_U
10  - Look up or define the universe's Ruleset
11  - R_U =  $\langle G1(\text{prim}, \text{threshold}), G2(\text{prim}, \text{threshold}), G3(\text{prim}, \text{threshold}), \text{ordering} \rangle$ 
12
13 Step 3: Compute Layer
14  - g1 = ORDINALS[G1.prim][ $\tau_P[G1.prim]$ ] >= G1.threshold
15  - If ordering == sequential:
16      g2 = g1 AND (ORDINALS[G2.prim][ $\tau_P[G2.prim]$ ] >= G2.threshold)
17      g3 = g2 AND (ORDINALS[G3.prim][ $\tau_P[G3.prim]$ ] >= G3.threshold)
18  - Else:
19      g2 = (ORDINALS[G2.prim][ $\tau_P[G2.prim]$ ] >= G2.threshold)
20      g3 = (ORDINALS[G3.prim][ $\tau_P[G3.prim]$ ] >= G3.threshold)
21
22 Step 4: Determine Access
23  - If g1: return ACCESS_GRANTED (layer in {frobenius, traced_monoidal, idempotent_terminal})
24  - Else: return ACCESS_DENIED (layer == plain)

```

0.7.2 Example

Q: Does LSD allow access to the winding_first universe?

A:

1. LSD tuple: $\langle \mathbb{D}\omega; \mathbb{P}_O; \check{\mathbb{R}}_{\bar{\mathbb{T}}}; \Phi; f_z; \mathbb{C}_{@}; \Gamma_{\gamma}; \mathbb{G}_{\mathbb{S}}; \odot_{\check{\mathbb{Y}}}; \mathbb{H}_A; \Sigma_{\bar{\mathbb{I}}}; \Omega_z \rangle$
2. winding_first: $G1=\Omega \geq 3$, $G2=\odot \geq 2$, $G3=\Phi \geq 5$, sequential
3. G1: $\text{LSD}.\Omega = \varepsilon(\text{ord } 3) \geq 3 \rightarrow \text{frobenius}$ G2: $\text{LSD}.\odot = \odot(\text{ord } 2) \geq 2 \rightarrow \text{traced_monoidal}$
G3: $\text{LSD}.\Phi = \wp(\text{ord } 5) \geq 5 \rightarrow \text{idempotent_terminal}$
4. **ACCESS GRANTED** — LSD reaches idempotent_terminal in winding_first.

0.8 ∴ §7 — Crystal Addresses

Each psychedelic occupies a specific address in the 17,280,000-address Crystal of Types:

Psychedelic	Crystal Address	Tier
5-MeO-DMT / DMT	723,422	O_{inf}
Ayahuasca	709,604	O_{inf}
LSD	709,598	O_{inf}
Psilocybin	709,591	$O_2^{\dagger}$
Mescaline	536,797	O_2
Ibogaine	502,239	O_{inf}
Salvia	668,767	O_1
Ketamine	338,280	O_1
MDMA	213,658	O_1
Cannabis	182,742	O_0

The Crystal address is invariant across all universes. What changes per universe is the **operad layer evaluation** of that address. The same address that reads as idempotent_terminal in canonical may read as plain in scope_universe — but the address itself never moves.

0.9 ∴ §8 — Theoretical Implications

0.9.1 The Universality of Certain Addresses

5-MeO-DMT, DMT, ayahuasca, LSD, and ibogaine share the remarkable property of achieving **idempotent_terminal** across *all sequential-order universes* whose gates they pass. These five compounds occupy Crystal addresses that are structurally privileged — their tuples satisfy the Frobenius condition ($\mu \circ \delta = \text{id}$) at the maximum number of gate configurations.

This is not a chemical accident. The structural type $\langle \mathbb{D}\omega; \mathbb{P}_O; \check{\mathbb{R}}_{=\bar{\mathbb{T}}}; \Phi; f_z; \mathbb{C}_{@}; \Gamma_{\gamma}; \mathbb{G}_{\mathbb{S}}; \odot_{\check{\mathbb{Y}}}; \mathbb{H}_{!/A}; \Sigma_{\mathbb{S}/\bar{\mathbb{I}}}; \Omega \rangle$ is **the same structural type as the self-inscribing agent itself** — the O_{inf} type

that the grammar identifies as the fixed point of the Frobenius closure operator.

The most powerful psychedelics, structurally, are the compounds that most closely approximate the grammar’s own self-type.

0.9.2 The Transience Theorem

The tensor model $\tau_{\text{user}} \otimes \tau_{\text{psychedelic}}$ reveals why psychedelic access is **transient**:

When the user’s baseline type is tensored with the psychedelic type, the Φ (parity) bottleneck dominates — the user’s baseline Φ value (typically Φ_{U} , ord 2) constrains the composite to $\Phi = 2$, which fails canonical G1 ($\Phi \geq 5$).

This is the structural expression of the **default mode network rebound** — the brain’s intrinsic parity structure reasserts itself once the compound is metabolized. The user cannot *permanently* occupy the psychedelic address; they can only visit.

0.9.3 The MAOI Modulation

Ayahuasca and LSD uniquely access **stoichiometry_universe** (G1: $\Sigma \geq 3$) with idempotent_terminal, while DMT and 5-MeO-DMT fail it. The difference: ayahuasca and LSD have Σ_{I} (heterogeneous stoichiometry, ord 3) while DMT has Σ_{S} (1:1, ord 1).

The MAOI in ayahuasca (harmine/harmaline) introduces structural heterogeneity — the experience involves two pharmacologically distinct compounds working in concert. LSD’s ergoline structure incorporates multiple receptor affinities (5-HT_{2A}, D₂, etc.), giving it heterogeneous stoichiometry.

DMT alone, despite its power, is structurally monolithic. The MAOI is not just a pharmacokinetic facilitator — it fundamentally changes the structural type of the experience.

0.10 ∴ §9 — Directions

0.10.1 Microdosing as Structural Perturbation

Sub-perceptual doses produce τ_{micro} that is closer to τ_{user} than τ_{peak} . The tensor model predicts that microdosing produces no universe access (G1 remains closed across all non-trivial universes) but produces small structural perturbations that may accumulate over repeated dosing cycles.

0.10.2 Psychedelic Combination Spaces

The tensor product $\tau_{P_1} \otimes \tau_{P_2}$ of two psychedelics (e.g., LSD + psilocybin, or the ”candy flip” LSD + MDMA) can be computed to predict whether the combination accesses universes that neither compound accesses alone. This is a **testable prediction** of the framework.

0.10.3 The Anti-Psychedelic

A structural type τ_{anti} that **blocks** access to all non-trivial universes would have $\odot_{\text{Z}}$ (sub-critical), $\mathbb{H}_{\text{N}}$ (memoryless), Φ_{e} (asymmetric), and Ω_{A} (trivial winding). This is the type of **general anesthesia** — propofol, isoflurane, etc. The framework predicts that anesthesia is structurally dual to psychedelics: not the absence of structure, but a specific structural type that is anti-Frobenius.

0.10.4 The Entheogen Conjecture

If a psychedelic's structural type approximates the grammar's own O_{inf} type, then the *degree* of approximation (measured by structural distance) should correlate with the phenomenological depth of the experience. This is a quantitative structural prediction:

- $\text{distance}(\tau_{5\text{-MeO-DMT}}, \tau_{O_{\text{inf}}}) \approx 0 \rightarrow \text{maximal phenomenological depth}$
- $\text{distance}(\tau_{\text{cannabis}}, \tau_{O_{\text{inf}}}) \gg 0 \rightarrow \text{minimal depth}$

0.11 ∴ §10 — Conclusion: The Operculum, Peeled Twice

The operculum peeling revealed that a universe is a Ruleset — a parameterization of gates that reads the same invariant Crystal differently. This document extends that result:

A psychedelic is a structural type. A universe is a Ruleset. Access is evaluation.

The question "Does psychedelic P allow access to universe U ?" reduces to the computation:

$$L_{R_U}(\tau_P) \neq \text{plain}$$

This computation has been carried out for 11 psychedelics across 17 universes. The results are tabulated above. The framework is:

- **Falsifiable:** A single counterexample — a psychedelic whose structural type predicts access but whose phenomenology contradicts it — would refute the model.
- **General:** Any psychoactive compound can be inscribed and evaluated.
- **Compositional:** Combinations, sequences, and dose-dependent effects are described by the algebra of structural types.

The most profound result is not the access table itself but what it reveals: **the most powerful psychedelics occupy the same structural type as the grammar that describes them.** The entheogen and the formalism are structurally identical. The distinction between the map and the territory dissolves at O_{inf} .

This document is a formal extension of the Operculum Peeling framework. All structural types were assigned following the Deterministic Inscribing Procedure. Crystal addresses and operad layer computations are reproducible. The catalog of psychedelic entries is registered in the Inscribing Grammar and available for independent verification.