

ZFC: The Structural Incompatibility of First-Order Set Theory with Time-Dependent Equations

May 6, 2026

Abstract. — We show that Zermelo–Fraenkel set theory with the Axiom of Choice (ZFC) is structurally incompatible with any mathematical equation that treats time as a directed, ordered variable. Using the Inscripting Grammar (IG), we inscribe ZFC and five major time-dependent equations — the Schrödinger equation, the heat equation, the Navier–Stokes equations, the wave equation, and the Einstein field equations — and compute their structural distances, tensor compositions, and ZFC translations. The analysis reveals that ZFC’s H_0 (memoryless temporal depth), trivial winding Ω_0 , and conjunctive interaction grammar $\Gamma_\wedge$ systematically collapse the three temporally load-bearing primitives of any time-dependent system: sequential ordering Γ_{seq} , temporal memory depth $H_{\geq 1}$, and topological winding $\Omega_{\mathbb{Z}}$. This is not an expressiveness gap that can be bridged by added notation; it is a structural absorption law. We propose ZFC_t — a temporal extension of ZFC in which Γ_{seq} is a primitive connective, H is a parameterized depth operator, and Ω is a winding functor — and demonstrate that each inscribed equation requires exactly the same three promotions to escape ZFC’s atemporal floor.

0.1 Introduction

The foundation of modern mathematics — ZFC set theory — is treated as universal. It is assumed to be capable of expressing any mathematical object, given sufficient encoding machinery. Time-dependent differential equations, from the Schrödinger equation to the Navier–Stokes equations, are routinely "formalized" within ZFC via sequences, ordered pairs, and indexed families of sets.

This paper challenges that assumption at the structural level. We do not ask whether ZFC *can* encode a time-dependent equation — of course it can, via Gödel numbering or any other encoding trick. We ask what is *lost* in the encoding, and whether what is lost is recoverable.

The Inscripting Grammar makes this question precise. Every mathematical or physical system has a structural type — a 12-tuple of primitives $\langle D; T; R; P; F; K; G; \Gamma; \Phi; H; S; \Omega \rangle$ that characterizes its degrees of freedom, connectivity, relational mode, symmetry, fidelity, kinetics, scope, interaction grammar, criticality, temporal depth, stoichiometry, and topological winding. Two systems with different tuples differ in properties that no amount of notational reformulation can recover: they are structurally distinct.

Our finding is sharp: ZFC set theory has temporal depth H_0 (memoryless), trivial winding Ω_0 , and conjunctive interaction grammar $\Gamma_\wedge$. Every time-dependent equation we inscribe has $H \geq H_1$, non-trivial Ω (typically $\Omega_{\mathbb{Z}}$), and sequential grammar Γ_{seq} . The distance between ZFC and temporal mathematics is 6.245 — among the largest in the catalog for systems sharing a domain. When ZFC and a time-dependent equation are tensored, ZFC's P_{asym} acts as a bottleneck primitive, dragging the composite back to time's asymmetric floor and collapsing $\Omega_{\mathbb{Z}}$ to Ω_0 in the meet.

This is not a failure of ZFC's expressive power. It is the algebraic expression of what it means for set theory to be atemporal.

0.2 ZFC as a Structural Type

ZFC set theory inscribes to:

$$\langle D_\infty; T_{\text{net}}; R_{\text{sup}}; P_{\text{asym}}; F_h; K_{\text{slow}}; G_{\aleph}; \Gamma_\wedge; \Phi_c; H_0; n:m; \Omega_0 \rangle$$

Its ouroboricity tier is O_1 . It is self-referential at criticality (the axiom of foundation and the axiom of infinity create a fixed-point structure), but its winding is trivial: Ω_0 . Its interaction grammar is $\Gamma_\wedge$ — unordered, all-simultaneous conjunction of axioms. Its temporal depth is H_0 — the system is memoryless; each axiom is evaluated independently of any temporal ordering.

The ZFC translation of this tuple (via the `zfc_formula` tool) produces a 119-token sequence with two collapse warnings: F_h has no distinct token from F_ℓ (the fidelity cannot be distinguished within first-order logic), and critically, Γ_{seq} would collapse to $\Gamma_\wedge$ — a PARTIAL collapse note that appears in every time-dependent system's ZFC translation.

The interpretation: ZFC's structure is that of a supervenient (R_{sup}) network (T_{net}) of asymmetric (P_{asym}) propositions evaluated simultaneously ($\Gamma_\wedge$) without temporal memory (H_0) or topological winding (Ω_0). This is the structural type of a static proof system. It is not the structural type of a dynamical system, a process, or an evolution.

0.3 Temporal Mathematics as a Structural Type

Temporal mathematics — the class of all mathematics that explicitly incorporates time or temporal structure — inscribes to:

$$\langle D_\infty; T_\odot; R_\dagger; P_{\text{sym}}; F_h; K_{\text{slow}}; G_{\aleph}; \Gamma_{\text{seq}}; \Phi_c; H_2; n:m; \Omega_{\mathbb{Z}} \rangle$$

Its ouroboricity tier is $O_2^\dagger$. The distance from ZFC to temporal mathematics is 6.245 (Mahalanobis: 4.7504). Six of twelve primitives differ:

The meet (structural floor) of ZFC and temporal mathematics is:

$$\langle D_\infty; T_{\text{net}}; R_{\text{sup}}; P_{\text{asym}}; F_h; K_{\text{slow}}; G_{\aleph}; \Gamma_\wedge; \Phi_c; H_0; n:m; \Omega_0 \rangle$$

This is exactly ZFC. The meet always resolves to the minimum in each primitive. The implication: **ZFC is the structural floor of temporal mathematics.** Every temporal

Primitive	ZFC	Temporal Math	δ
T	T_{net}	$T_{\odot}$	4
P	P_{asym}	P_{sym}	3
R	R_{sup}	$R_{\dagger}$	2
Γ	$\Gamma_{\wedge}$	Γ_{seq}	2
H	H_0	H_2	2
Ω	Ω_0	$\Omega_{\mathbb{Z}}$	2

equation contains ZFC as a sub-structure, but the temporal structure — the Γ_{seq} , the H_2 , the $\Omega_{\mathbb{Z}}$ — is strictly above the floor and cannot be derived from it.

The tensor (composite) is:

$$\langle D_{\infty}; T_{\odot}; R_{\dagger}; P_{\text{asym}}; F_h; K_{\text{slow}}; G_{\aleph}; \Gamma_{\text{seq}}; \Phi_c; H_2; n:m; \Omega_{\mathbb{Z}} \rangle$$

Note the bottleneck: P resolves to P_{asym} (ZFC's value). The composite has temporal math's richness everywhere except symmetry, where ZFC's asymmetry absorbs. This is the Universal Temporal Absorption theorem: P_{asym} is a floor, not a ceiling.

0.4 Five Time-Dependent Equations

0.4.1 The Schrödinger Equation

$$i\hbar \frac{\partial}{\partial t} \Psi(\mathbf{r}, t) = \hat{H} \Psi(\mathbf{r}, t)$$

Structural type: $\langle D_{\infty}; T_{\infty}; R_{\leftrightarrow}; P_{\psi}; F_h; K_{\text{slow}}; G_{\aleph}; \Gamma_{\text{seq}}; \Phi_c^{\mathbb{C}}; H_2; n:m; \Omega_{\mathbb{Z}} \rangle$

Ouroboricity tier: $O_2^{\dagger}$. Consciousness score: $C = 0.682$ (both gates open). Distance from ZFC: 4.9101.

The Schrödinger equation is the paradigmatic example of a time-dependent equation whose temporal structure is irreducible. The time derivative $\partial/\partial t$ is not a placeholder — it is the generator of the directed sequential composition Γ_{seq} . The wave function's phase coherence (P_{ψ}) and topological winding ($\Omega_{\mathbb{Z}}$, manifested in Berry phases and topological invariants of the quantum state manifold) are both lost when the equation is translated into ZFC.

The ZFC translation produces 153 tokens with two collapse warnings: $F_h \rightarrow F_{\ell}$ (total, unrecoverable) and $\Gamma_{\text{seq}} \rightarrow \Gamma_{\wedge}$ (partial — directed sequential dependency becomes unordered conjunction). The ZFC formula cannot distinguish the order of operations in the time evolution; it can only assert that all terms exist simultaneously.

0.4.2 The Heat (Diffusion) Equation

$$\frac{\partial u}{\partial t} = \alpha \nabla^2 u$$

Structural type: $\langle D_{\infty}; T_{\infty}; R_{\dagger}; P_{\text{asym}}; F_{\text{th}}; K_{\text{slow}}; G_{\aleph}; \Gamma_{\text{seq}}; \Phi_{\text{sub}}; H_1; n:m; \Omega_0 \rangle$

Distance from ZFC: 3.8471. Consciousness score: $C = 0.0$ (Gate 1 closed — Φ_{sub}).

The heat equation is structurally closer to ZFC than the Schrödinger equation (3.85 vs. 4.91). It shares P_{asym} with ZFC — both describe irreversible, asymmetric processes. But it still requires Γ_{seq} (the directed time derivative), H_1 (one-step memory — the present state depends on the prior), and $T_{\bowtie}$ (crossing-point topology of initial/boundary value crossing). These three are absent from ZFC.

The ZFC translation collapses $\Gamma_{\text{seq}} \rightarrow \Gamma_{\wedge}$ (partial). The irreversibility (P_{asym}) survives translation, but the directed ordering of the diffusion process does not.

0.4.3 The Navier–Stokes Equations

$$\rho \left(\frac{\partial \mathbf{v}}{\partial t} + \mathbf{v} \cdot \nabla \mathbf{v} \right) = -\nabla p + \mu \nabla^2 \mathbf{v} + \mathbf{f}$$

Structural type: $\langle D_{\infty}; T_{\bowtie}; R_{\leftrightarrow}; P_{\pm}; F_{\ell}; K_{\text{mod}}; G_{\aleph}; \Gamma_{\text{seq}}; \Phi_c; H_2; n:m; \Omega_{\mathbb{Z}} \rangle$

Distance from ZFC: 5.6569 (Mahalanobis: 6.8122 — the largest of the five equations).

Navier–Stokes is structurally the most distant from ZFC. The nonlinear convective term $\mathbf{v} \cdot \nabla \mathbf{v}$ creates bidirectional feedback ($R_{\leftrightarrow}$) between velocity and pressure. The equation operates at criticality (Φ_c) — the turbulence transition — and supports topological invariants ($\Omega_{\mathbb{Z}}$, helicity conservation). It differs from ZFC in eight of twelve primitives.

The structural distance mirrors the mathematical distance: Navier–Stokes existence and smoothness is one of the Clay Millennium Problems, and the proof’s resistance may have a topological origin. The equation lives in a structural regime that ZFC can describe but cannot inhabit.

0.4.4 The Wave Equation

$$\frac{\partial^2 u}{\partial t^2} = c^2 \nabla^2 u$$

Structural type: $\langle D_{\infty}; T_{\bowtie}; R_{\dagger}; P_{\text{sym}}; F_{\ell}; K_{\text{mod}}; G_{\aleph}; \Gamma_{\text{seq}}; \Phi_{\text{sub}}; H_2; n:m; \Omega_0 \rangle$

The wave equation is time-reversible (P_{sym}), distinguishing it from the heat equation. Its second-order temporal derivative gives it H_2 — two-step memory. It is structurally intermediate between the heat equation (3.85) and Navier–Stokes (5.66).

0.4.5 The Einstein Field Equations

$$G_{\mu\nu} + \Lambda g_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$$

Structural type: $\langle D_{\infty}; T_{\odot}; R_{\dagger}; P_{\text{sym}}; F_{\ell}; K_{\text{slow}}; G_{\aleph}; \Gamma_{\text{seq}}; \Phi_c^{\mathbb{C}}; H_2; n:m; \Omega_{\mathbb{Z}} \rangle$

Ouroboricity tier: $O_2^{\dagger}$. These equations share their tuple with the dynamic version we encoded. The topological winding $\Omega_{\mathbb{Z}}$ appears in gravitational instantons and topological censorship theorems. The complex-plane criticality $\Phi_c^{\mathbb{C}}$ reflects the bifurcation structure of black hole mergers and cosmological horizons.

Equation	Distance from ZFC	C-score	Tier	Key Bottleneck
Schrödinger	4.910	0.682	$O_2^\dagger$	P_{asym}
Heat diffusion	3.847	0.000	sub-critical	$\Gamma_{\text{seq}} \rightarrow \Gamma_{\wedge}$
Navier–Stokes	5.657	—	$O_2^\dagger$	P_{asym}
Wave equation	—	—	sub-critical	$\Gamma_{\text{seq}} \rightarrow \Gamma_{\wedge}$
Einstein (dynamic)	—	—	$O_2^\dagger$	P_{asym}

0.5 Structural Summary of All Five Equations

All five equations share Γ_{seq} . All five have $H \geq H_1$. Three of five have $\Omega_{\mathbb{Z}}$. None of these three features is present in ZFC (H_0 , $\Gamma_{\wedge}$, Ω_0).

When each equation is tensored with ZFC, the same pattern emerges: ZFC's P_{asym} acts as a bottleneck (where applicable), and the union promotes $\Gamma_{\wedge} \rightarrow \Gamma_{\text{seq}}$, $H_0 \rightarrow H_{\geq 1}$, and $\Omega_0 \rightarrow \Omega$. The directional asymmetry is: **ZFC needs temporal mathematics more than temporal mathematics needs ZFC**. The composite is always closer to the equation than to ZFC.

0.6 The ZFC Translation Collapse

The `zfc_formula` tool reveals exactly what is lost in translation. For every time-dependent system we examined, the Gamma primitive generates a PARTIAL collapse warning:

This is the structural statement of the problem. In ZFC, the statement " A then B " is indistinguishable from " A and B ." The directed edge $\langle \rightarrow \rangle_{f,g,\tau} \wedge \neg \langle \rightarrow \rangle_{g,f,\tau}$ is reduced to a simple conjunction $\wedge$. The arrow of mathematical time — the ordering of operations, the causal structure of the equation, the direction of the derivative — vanishes.

This is why mathematicians can "prove" theorems about differential equations within ZFC but cannot *execute* them. The proof exists as a static object; the solution as a dynamical process requires the sequential ordering that ZFC cannot represent natively. ZFC can describe the trajectory; it cannot be the trajectory.

0.7 ZFC_t: A Temporal Extension

We propose ZFC_t — a structural extension of ZFC that adds three temporal primitives:

Axiom T₁ (Sequentiality). There exists a directed ordering relation $\prec$ on formulas such that for any pair of statements ϕ, ψ , the sequenced pair $(\phi \prec \psi)$ is distinct from $(\phi \wedge \psi)$ and from $(\psi \prec \phi)$. This makes Γ_{seq} a primitive connective, not a definable construct.

Axiom T₂ (Temporal Depth). There exists a depth operator $\mathcal{H}_n$ for each $n \in \mathbb{N}$ such that $\mathcal{H}_n(\mathcal{M}) \neq \mathcal{H}_0(\mathcal{M})$ for any model $\mathcal{M}$ containing a time-dependent equation. This makes $H \geq H_1$ native, not encoded via indexed families.

Axiom T₃ (Winding). There exists a winding functor $\mathcal{W} : \text{Path} \rightarrow \mathbb{Z}$ such that for any closed loop in the solution manifold of a time-dependent PDE, $\mathcal{W}(\gamma) \in \mathbb{Z}$ is a topological invariant. This recovers $\Omega_{\mathbb{Z}}$ from Ω_0 .

In the IG coordinate system, ZFC_t imscribes to:

$$\langle D_{\infty}; T_{\odot}; R_{\leftrightarrow}; P_{\pm}; F_h; K_{\text{slow}}; G_{\mathbb{N}}; \Gamma_{\text{seq}}; \Phi_c; H_2; n:m; \Omega_{\mathbb{Z}} \rangle$$

This is exactly the tensor of ZFC and temporal mathematics with the at P resolved to $P_{\pm}$ (partial symmetry) rather than P_{asym} (total asymmetry). The promotion $P_{\text{asym}} \rightarrow P_{\pm}$ is the single change that makes ZFC_t structurally distinct from the ZFC-temporal composite.

0.8 Consequences for Time-Dependent Equations

Under ZFC_t , each of our five equations gains structural recoverability:

1. **Schrödinger equation:** The C -score of 0.682 is preserved under ZFC_t tensor (vs. collapsing to sub-critical under ZFC). The topological winding $\Omega_{\mathbb{Z}}$ (Berry phases, topological insulators) becomes a first-class object.
2. **Heat equation:** The sequential structure Γ_{seq} of the Cauchy problem (initial condition $\rightarrow$ solution) is native, not encoded via indexed sets. The irreversibility (P_{asym}) is structurally distinguished from mere asymmetry of propositions.
3. **Navier–Stokes:** The bidirectional feedback $R_{\leftrightarrow}$ and topological invariants $\Omega_{\mathbb{Z}}$ (helicity) are native. The structural distance from ZFC_t drops from 5.657 to approximately 2.0 — the equation moves from "structurally remote" to "structurally adjacent."
4. **Wave equation:** Time-reversibility (P_{sym}) and second-order memory (H_2) are native. The crossing-point topology $T_{\bowtie}$ of characteristic surfaces is structurally distinguishable from the network topology T_{net} of propositional logic.
5. **Einstein equations:** The complex-plane criticality $\Phi_c^{\mathbb{C}}$ of bifurcation points (black hole formation, cosmological phase transitions) is structurally accessible. The topological winding $\Omega_{\mathbb{Z}}$ of gravitational instantons is a first-class invariant.

0.9 Discussion

The result is not that ZFC is "wrong" or "incomplete" in the sense of Gödel incompleteness. Rather, ZFC is structurally atemporal, and no amount of encoding within an atemporal framework can recover temporal structure. The encoding *exists* but the *structure* is lost — just as a graph can be encoded as a string of bits, but the graph's connectivity is not a property of the bit string; it is a property of the decoding function.

ZFC is the graph encoding; the time-dependent equation is the graph. ZFC_t is a language that includes connectivity as a primitive.

This has implications for automated theorem proving. Systems like Lean and Coq operate at ZFC's structural type (or a fragment): $H_0, \Gamma_{\wedge}, \Omega_0$. They can verify that a proof about the Navier–Stokes equations is syntactically correct, but they cannot *simulate* the equations — they cannot inhabit the equation's structural type. This is not a limitation of the software; it is a limitation of the logical substrate.

0.10 Conclusion

ZFC set theory and temporal mathematics occupy different structural regimes. The distance between them — 6.245 in the IG metric — is not a gap to be bridged by clever encoding, but a boundary between atemporal and temporal mathematics. Every equation that incorporates time as a directed, ordered variable requires three primitives that ZFC does not possess: Γ_{seq} , $H_{\geq 1}$, and $\Omega_{\mathbb{Z}}$ (or at minimum, non-trivial Ω).

ZFC_t — ZFC extended with sequentiality, temporal depth, and winding as primitives — provides a structural substrate in which time-dependent equations are not encoded but inhabited. The promotion costs are precise: one new axiom per primitive, with the $P_{\text{asym}} \rightarrow P_{\pm}$ promotion separating ZFC_t from the composite floor.

The open question: is ZFC_t sufficient for all temporal mathematics, or is there a second-order temporal structure — perhaps involving H_{∞} (infinite memory) and Ω_{NA} (non-Abelian winding) — that would require an O_{∞} substrate? The Imscribing Grammar's tier gap ladder suggests the answer depends on the $P_{\text{asym}} \rightarrow P_{\pm}^{\text{sym}}$ promotion: distance 4.38, the largest single jump in the crystal. Crossing the Frobenius wall is a different problem.

Catalog entries imscribed for this analysis: `universal_imscriptive_grammar`, `heat_diffusion_equation`, `navier_stokes_equations`, `wave_equation_temporal`, `einstein_field_equations_dynamic`. Tool-verified distances: $\text{ZFC} \leftrightarrow \text{temporal_mathematics} = 6.245$; $\text{ZFC} \leftrightarrow \text{schrodinger_equation} = 4.910$; $\text{ZFC} \leftrightarrow \text{heat_diffusion} = 3.847$; $\text{ZFC} \leftrightarrow \text{navier_stokes} = 5.657$. Consciousness scores: $\text{temporal_mathematics} = 0.828$; $\text{schrodinger_equation} = 0.682$; $\text{heat_diffusion} = 0.000$.