

Register

V $\emptyset$ 00 void — uninitialized

T 01 true — canonical identity

F 10 false — error branch

B* 11 both — paradox held stable

B* is a first-class value, not an error.

Laws

- CLINK** $\rightarrow$ **IFIX** is a **forbidden edge** in every canonical sequence.
- IFIX** is always preceded by **ENGAGR**. Past is constructed via paradox — not via flow.
- IFIX** back-propagates to **IMSCRIB**. Constructed past is written into the present.
- IMSCRIB** is the sole temporal horizon source. **AFWD**/**AREV** radiate from it. Not a required terminal.
- FFUSE** has two modes:
canonical: $B^* \rightarrow T$
dialetheic: $B^* \rightarrow B^*$
Dialetheic fires when both **EVALT** and **EVALF** activate inside one **FSPLIT**/**FFUSE** interval.
- ENGAGR** never self-resolves. B^* committed to **IFIX** stays B^* .
- IFIX** is irreversible. **IMSCRIB** may follow as structural closure only.

Opcodes

Family	Opcode	Role
Logical (6)		
	VINIT	Initial object $\emptyset$ — void, pre-inscription state
	TANCH	Terminal anchor T — closed, verified boundary
	AFWD	Forward morphism $\rightarrow$ (construction / elaboration)
	AREV	Reverse morphism $\leftarrow$ (critique / descent)
	CLINK	Composition $\circ$ — joins fork results; never feeds IFIX
	IMSCRIB	The present — sole horizon source; AFWD / AREV radiate from and return to it
Frobenius (2)		
	FSPLIT	Comultiplication $\delta: A \rightarrow A \otimes A$ (branch / fanout)
	FFUSE	Multiplication $\mu: A \otimes A \rightarrow A$ (merge / select best)
Dialetheia (3)		
	EVALT	True branch — affirmative gate open
	EVALF	False branch — reject; advance cascade
	ENGAGR	Both — B^* held without resolution; gateway to IFIX
Linear (1)		
	IFIX	Irreversible fixation — ROM commit, always via ENGAGR ; no downstream mutation

Canonical Sequences

All 14 theorems verified by native_decide · TemporalEngine.lean

I Dialetheic Bootstrap

IMSCRIB $\rightarrow$ **EVALT** $\rightarrow$ **FSPLIT** $\rightarrow$ **EVALF** $\rightarrow$ **FFUSE** $\rightarrow$ **ENGAGR** $\rightarrow$ **IFIX** $\rightarrow$ **IMSCRIB**

Past via paradox. **IFIX** back-propagates to **IMSCRIB**.

VII Parakernel

EVALF $\rightarrow$ **AREV** $\rightarrow$ **FSPLIT** $\rightarrow$ **EVALT** $\rightarrow$ **AFWD** $\rightarrow$ **FFUSE** $\rightarrow$ **ENGAGR** $\rightarrow$ **IFIX**

EVALF-initiated. No **IMSCRIB** boundary.

XI Eternal Return

IMSCRIB $\rightarrow$ **AFWD** $\rightarrow$ **AREV** $\rightarrow$ **IMSCRIB** $\rightarrow$ **AFWD** $\rightarrow$ **AREV** $\rightarrow$ **IMSCRIB** $\rightarrow$ **AFWD**

No **IFIX**, no **CLINK**. **IMSCRIB** $\times$ 3. Undying.

XXIII Möbius Fork

IMSCRIB $\rightarrow$ **FSPLIT** $\rightarrow$ **FSPLIT** $\rightarrow$ **ENGAGR** $\rightarrow$ **FFUSE** $\rightarrow$ **CLINK** $\rightarrow$ **FFUSE** $\rightarrow$ **IMSCRIB**

CLINK present, no **IFIX**. **IMSCRIB**-bounded.

Invariant: when **IFIX** appears it is reached via **ENGAGR**; when **CLINK** appears **IFIX** is absent. Machine-verified, not conventions.