

Introduction to HTML

What is HTML?

- HyperText Markup Language
- Structure of web pages
- Uses tags to organize and display content

Resources for Further Exploration

- [MDN HTML Guide](#)

Example: a Poll Page

 Poll Page Screenshot

Activity:

- Open the file `poll_static.html` in your code editor.
- Review the HTML structure and tags in the file.

To view the page in a browser (from a GitHub Codespace):

1. Right-click on `poll_static.html` in the file explorer and select "Preview" or "Open with Live Server" (if available).
2. Alternatively, use the Codespace browser preview feature:
 - Click the "Ports" tab in Codespaces.
 - If using Live Server, find the port and click "Open in Browser".
 - If not using Live Server, you can use the built-in file preview.
3. The page will open in a browser tab, showing your poll as rendered HTML.

Key Features in the Example

1. Structure

- Every tag like `<html>` has content inside, and then a closing tag `</html>`.
- For an HTML document, the enclosing `<html>` tag includes two top-level tags: `<head>` and `<body>`.
- Indentation can be helpful for human readers, but is not required.

```
<!DOCTYPE html>
<html>
  <head>
    <title>Poll Example</title>
  </head>
  <body>
    ...
  </body>
</html>
```

2. `<section>` as semantic divider

Using `<section>` tags to divide the page into meaningful parts is a good practice.

- It's especially helpful for accessibility (screen readers, etc.)

```
<div class="poll-container">  
  <section>...</section>  
  <section>...</section>  
  ...  
</div>
```

3. Headings and Lists

- `<h1>` , `<h2>` , etc. for headings
- `` for unordered lists
 - `` for list items
- `<button>` for clickable buttons
 - Later we'll add interactivity with JavaScript to make the button do something

```
<section>
  <h2>Which is your favorite fruit?</h2>
  <ul>
    <li><button>Apple</button></li>
    <li><button>Banana</button></li>
    <li><button>Cherry</button></li>
    <li><button>Grape</button></li>
    <li><button>Pomegranate</button></li>
  </ul>
</section>
```


4. `<form>` for user input

```
<section>
  <h2>Prediction</h2>
  <form>
    <label for="prediction">What percentage of other respondents do you think will choose the same fruit as you?</label><br>
    <input type="number" id="prediction" name="prediction" min="0" max="100" step="1"> %
  </form>
</section>
```