

SMART CRIME SCENE EVIDENCES ANALYSIS

by MUGABO Yves

Submission date: 26-Jul-2022 05:45PM (UTC+0300)

Submission ID: 1870385262

File name: SmartCrimeSceneEvidenceAnalysis_Final_Project_Report_Yves.docx (3.22M)

Word count: 9855

Character count: 54062

Adventist University of Central Africa (AUCA)

SMART CRIME SCENE EVIDENCES ANALYSIS

Case Study: RWANDA INVESTIGATION BUREAU (RIB)

A ¹
project

Presented in partial fulfillment of requirements

For degree of

BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY

Major in

SOFTWARE ENGINEERING

By

MUGABO Yves

May, 2022

DECLARATION

I, MUGABO Yves hereby state that, to the best of my knowledge, this work was created by me
and has not previously been approved for academic credit at this University or any other
institution.

Student

MUGABO Yves

Signature:

Date:/...../.....

DEDICATION

1 This project is dedicated to my family.

because of their support during the entirety of my education.

Additionally, I devote it to all of my friends, especially the AUCA students.

Not only that, I dedicate this work to my boss in appreciation of his mentorship.

APPROVAL

I, Mr. MANTHEIRAHO Laurent hereby attest that this project report was completed with my approval and under my direction.

Signature:

Date:/...../.....

PROJECT ABSTRACT

1
Project for Bachelor Degree in Information Technology

Emphasis in Software Engineering

Adventist University of Central Africa

TOPIC: SMART CRIME SCENE EVIDENCES ANALYSIS

1
Name of this researcher: MUGABO Yves

Name of faculty Advisor: Mr. MANTHEIRAHO Laurent

Date Completed: May, 2022.

As long as people have existed, crime has been a part of human experience. Crime is regional. It takes happen in a particular location at a certain time for a particular reason. Everybody and anyone can be impacted at any time.

main purpose of this project is focused on design of Smart Crime Scene Evidences Analysis projects which will be a good tool to analyze evidences, make decisions and to easily find out primary suspects based on new evidence and criminal record of suspect.

Briefly this system will help RIB stations to record suspects to a certain case and attach evidences found at crime scene based on past criminal record and present evidences of specific suspected person, system will present primary suspect to the RIB user logged into system

se are following Technologies and tools used:

In order to run Smart Crime Scene Evidences Analysis System on server side we need:

- ✓ Python 3.7 installed in environment variables in local computer.
- ✓ Django 2.2 installed.
- ✓ PostgreSQL for backend database, which is able to serve as data store
- ✓ Visual Studio Code as Integrated Development Environment (IDE) for many programming languages.

ACKNOWLEDGEMENT

My God, the Almighty, deserves all of my praise and gratitude for blessing me with his grace throughout my life.

My deepest gratitude goes out to my supervisor, Mr. **MANTHEIRAHO Laurent**, who helped me complete this task, especially for his insightful counsel, helpful support, direction, and priceless ideas.

I extend my gratitude to the leadership of Adventist University of Central Africa and the staff personnel of the information technology department.

¹² I am also very grateful and extend my sincere thanks to General Secretary of Rwanda Investigation Bureau for their cooperation by sharing information to make me have time to work on this project and throughout my study.

Finally, special thanks to my family, colleagues and friends for their support, encouragement, friendship and individuals who have provided advice, encouragement, and participation in some form in order for this job to be completed.

God bless you all.

13
TABLE OF CONTENT

DECLARATION	i
DEDICATION	ii
APPROVAL	iii
PROJECT ABSTRACT	iv
ACKNOWLEDGEMENT	v
LIST OF FIGURES	ix
LIST OF TABLES	x
LIST OF ABBREVIATIONS	xi
DEFINITION OF KEY TERMS	xii
CHAPTER 1	1
GENERAL INTRODUCTION	1
Background of Study	2
Statement of Problem.....	2
Objective of Project	3
General Objective	3
Specific Objectives	3
Scope of Study	4
Observation.....	4
Documentation.....	5
Interview	5
Expected Results.....	6
Organization of Report	7
CHAPTER 2	8
ANALYSIS OF EXISTING SYSTEM.....	8
Introduction.....	8
Description of Current System Environment.....	8
Who is RIB?.....	9
Historical background.....	10
Mission.....	10
Vision.....	11
Description of Current System.....	11
Analysis of Current System	11

Weakness of Current System	11
Modelling Current System	12
Problems of existing system	12
Proposed Solutions.....	13
Functional Requirements	13
Non-functional requirements	14
CHAPTER 3	15
REQUIREMENTS ANALYSIS AND DESIGN OF NEW SYSTEM.....	15
Introduction.....	15
Analysis and Design Methodology	16
Object Oriented Methodology (OOM)	16
Unified Modelling Language (UML)	17
UML Models.....	17
Analysis of new system	17
Requirement Analysis	17
Design of New System.....	18
Use Case Diagram.....	18
Use case description.....	20
Class diagram.....	28
Sequence diagram.....	33
Diagram for Sequence Diagrams	34
Activity Diagram	42
Database schema diagram.....	45
Information design	46
User table	46
Group table.....	46
RIB Headquarter Table	47
RIB Station Table	47
Station User Table.....	48
Officer Table	49
Case Table.....	49
Suspect Table	50
Evidence Table.....	51

1 User Table	51
System Architecture Design.....	52
CHAPTER 4	54
IMPLEMENTATION AND PRESENTATION OF NEW SYSTEM.....	54
Introduction.....	54
Technologies used.....	54
Presentation of New System	55
Software Testing	60
Unit Test.....	60
Integration test	60
1 Validation test	61
Software and Hardware compatibility requirements.....	61
CHAPTER 5	62
CONCLUSION AND RECOMMENDATIONS.....	62
Conclusion	62
Recommendations.....	63
REFERENCES	64
Books	64
Websites.....	64
APPENDIX.....	65
CURRICULUM VITAE.....	66

LIST OF FIGURES

Figure 1: Organisation Structure	9
Figure 2: Modelling Current System.....	12
Figure 3: Use Case Diagram.....	19
Figure 4: Class Diagram.....	32
Figure 5: Sequence diagram for login request.....	34 15
Figure 6 : Sequence Diagram to Create user Account	35
Figure 7 : Sequence Diagram to Add case	36
Figure 8 : Sequence Diagram to Add suspect.....	37
Figure 9: Sequence Diagram to Add evidence	38
Figure 10 : Sequence Diagram to View Suspect	39
Figure 11 : Sequence Diagram to Manage RIB Station.....	40 30
Figure 12 : Sequence Diagram to View primary suspect.....	40
Figure 13 : Sequence Diagram to the RIB Station Reports	41
Figure 14 : Sequence Diagram to Generate Report	41
Figure 15 : Send request and getting response Activity Diagram	43 22
Figure 16 : Login activity diagram	43
Figure 17 : User registration activity diagram.....	44
Figure 18 : Database Schema	45 11
Figure 19: Index Page.....	55
Figure 20 : Login Form.....	55
Figure 21: Add Case	56
Figure 22: Add Suspect.....	56
Figure 23: Head quarter Dashboard.....	57
Figure 24: RIB Station Dashboard.....	57
Figure 25: Station User Dashboard.....	58
Figure 26 : Generate Report.....	58
Figure 27 : RIB Report comparison	59
Figure 28: RIB Station Report	59

18
LIST OF TABLES

Table 1 : Create Account	21
Table 2 : Add Case.....	21
Table 3 : Add Suspect.....	22
Table 4 : Add Evidence.....	23
Table 5: View Suspect	23
Table 6: Manage Rib Station	25
Table 7: View Criminal Record	25
Table 8: View Primary Suspect	26
Table 9: Add Question/Answer	27
Table 10: View Rib Station Reports	27
Table 11: Generate Reports	28
Table 12 : Group Table	46
Table 13 : Group Table	46
Table 14 : Rib Headquarter Table.....	47
Table 15 : Rib Station Table	47
Table 16 : Station User Table	48
Table 17 : Officer Table.....	49
Table 18 : Case Table	49
Table 19 : Suspect Table.....	50
Table 20: Evidence Table	51
Table 21 : User Table	51

LIST OF ABBREVIATIONS

AUCA	Adventist University of Central Africa
CSS	Cascading Style sheet
DBMS	Database Management System <small>25</small>
GUI	Graphical User Interface
HTML	Hyper Text Mark-up Language
HTTP	Hyper Text Transfer Protocol
ICT	Information Communication Technology
IDE	Integrated Development Environment
IT	Information Technology
OS	Operating System
RAM	Random Access Memory
RIB	Rwanda investigation Bureau
SCSEA	Smart Crime Scene Evidences Analysis
SQL	Structured Query Language
UML	Unified Modelling Language
XML	Extensible Mark-up Language <small>1</small>

DEFINITION OF KEY TERMS

System

An ordered, functional structure called a system is made up of interconnected and interdependent parts (components, entities, factors, members, etc.). To keep system active and functioning and to forward system's objective, se components constantly impact one another (directly or indirectly). A system's limits are often established by system observer. All systems include inputs, outputs, and feedback processes. they also maintain an internal stable state (known as homeostasis) despite a changing external environment. (2005) John Onunga

Information system

7

An information system is an integrated system of parts used to gather, store, process, and deliver information as well as knowledge and digital products. Information systems are essential for businesses and other organizations to run and manage operations, communicate with clients and suppliers, and compete in the marketplace. Electronic markets and inter organizational supply networks are managed by information systems. Leonard M. Jessup and Joseph S. Valacich, 2008

Database

A database is a grouping of connected, ordered data. and it will help to store all information relevant to design and implementation of an electronic examination system. information is typically arranged so that it supports processes that ask for it by modeling pertinent features of reality (Robert J. Robbins, 1995).

CHAPTER 1

GENERAL INTRODUCTION

⁹ Nowadays society is characterized by increasing levels of global social mobility and uncertainty relating to levels of risk posed by internal and external security threats. Within this climate security driven by technology is increasingly being used by governments, corporate bodies and individuals to monitor and reduce risk.

Generally, In the world of business, automation is crucial., data analysis and in daily experience. As part of its ongoing objective to improvement of data analysis through information and communication technology (ICT), engineers are working so hard to combine automated devices with organizational tools to create complex systems for a rapidly expanding range of applications.

⁴ Both Information Technology (IT) and crime are complex and constantly changing. Social and technological changes introduce new targets, tools and motives for crime. E-crime targets include confidential information, technical infrastructure and denial of service. Improved and faster technology and worldwide communications make it easier to both organize and hide crime. Above cybercrimes there are many crimes that are not Internet related and use of technology is a solution to crime control complexity.

This project deals with data analysis of crime scene evidences where it refers to presented new evidences of suspect and with suspect criminal records for it to present primary suspected person.

Thus for SMART CRIME SCENE EVIDENCES ANALYSIS information technology can be most advantageous way to be used in crime analysis.

Background of Study

Crime is still one of most challenges that most governments around world are struggling with. Families and businessmen are still being directly or indirectly affected by robberies, murder and other many types of crimes. So, after seeing RIB existing system takes almost 72 hours to present a primary suspect and sometimes reports comes with errors due to human justice which can be easily diverted in one way or another.

This project was designed to offer a method of analysing criminal evidence in order to make these acts easier and more convenient. One of the most important tools is automated crime scene evidence analysis system which consists of tasks such as registering suspects, revising his/her past criminal report compare it with evidences and report summarized report.

Automation is the use of technology to substitute a machine capable of working more rapidly and constantly for a human.

Statement of Problem

Investigation officers still use a physical log book to record crime scene evidences and their human judgement in analysing evidence as well as taking past suspects' criminal records into account when presenting primary suspect, which is a significant problem that slows down faster evidence analysis to present suspect.

Nowadays crime rates are increasing day and night which resulted in having a queues of cases to be analysed and then reporting of primary suspected person will result to:

- Errors in reporting, Taking too long and Injustice due to poor of following up criminal.

Choice and Motivation in Study

After observing process of finding suspected person among others where some people last in RIB stations for 72hours yet they are innocent. I found that it was not an appropriate way to do so. Indeed, that pulled my attention and thus thought I could develop a system that would improve it. As an IT student, this was a significant opportunity for me to apply what I had learned during my three years of university education. It will be a means for my university to fulfill one of AUCA's goals, which is to assist students in becoming contributing members of society; empowered by a desire to advance society, both intellectually and practically, and by a demonstrated interest in doing research projects that advance their nation.

Objective of Project

General Objective

goal of Smart criminal scene evidences analysis system is typically to eliminate manual, human-based crime scene evidences analysis. therefore, this new system aims to offer improved crime registration, a better main suspect reporting system on time, and fewer time losses as a result of swift evidence processing employing information technology.

Specific Objectives

Specifically, this project is expected to solve problems found as follow:

1. Analysis of already existing system of crime scene evidences analysis system which is paper-base, knowing problems with that system and impact there are having on crime control and primary suspect.
2. Develop a crime scene evidences analysis system which will be a web-based solution to those problems as it will provide better on time crime reporting and computerized system provides accuracy, security, and reduced redundancy, reduction of work load, backup facilities and faster criminal information retrieval, it will also provide good crime reports to investigation officers.
3. Test of application to be sure that it has solved problems that was re before and make sure that it is able to provide a good crime reporting way to the RIB Station that exclude time spent to investigation offices and other related expenditures and provide crime reports to investigation officers.

Scope of Study

This project mainly focuses on providing primary suspected person reports about crime scene evidences, past criminal record reports of suspect so that Information regarding suspects and evidence must be available to RIB in a quick, accurate, and comprehensive manner. One advantage of automated SCSEA is that the suspect record system will make it easier to get necessary information and is a fantastic tool for RIB improvement by taking actions based on information gathered and system will analyse evidence and past criminal records of suspects and generate reports of primary suspected person to RIB station user. This will solve problem of late and high process of getting primary suspected person from others.

Methodology and Techniques Used in Study

After knowing how current system is working, study has got started by researching how crime scene evidences analyses are being done from crime scene to investigation bureau are structured hierarchically according to roles of investigation officers, study has been carried on how different functionalities should be added for better use and improvement in such conditions to minimize time it takes them to find out suspected person.

Without complete knowledge of what occurs within a business or organization during its daily operations, it is impossible to imagine a system of information. To do this, it was required to use a variety of techniques to get the necessary data from users (RIB stations). Three methods of gathering data were used in this study: interviews, documentation, and observation.

Observation

Observation is a systematic data collection. It is action or process of closely observing or monitoring something or someone. To observe, means going deeper in data collected or prolonged engagement in a setting or social situation. Observation is one of methods used to collect information over existing situation, so it has been used to help in this study to collect a lot of information and based on it became very easy to know way existing system were working. As mentioned in definition above one of ways used in this study in understanding flow of work of existing system, an observation in Rwanda Investigation Bureau looking on how they work during crime reporting was made. (technopedia, data collection, 2021)

Documentation

Documentation is something that offers verified facts or proof and acts as a record. also it refers to a group of papers distributed on paper, electronically, or on analog or digital media like CDs or audio tapes. This approach was used to gather information from Rwanda Investigation Bureau files and official papers pertinent to this work. documentation aids in study's familiarization with various tools and approaches to be applied in application development process. process of creating a computerized crime reporting system has greatly benefited from reading more information about how crime reporting is made and seeing all steps that are done to do it. (Data collecting, Technopedia, 2021)

6

Interview

An interview is a conversation between two or more people where questions are asked by interviewer to elicit facts or statements from interviewee. Thus, in order to attain highly personalized information data about operation of existing system and to better understand process of crime scene evidences analyses in Rwanda Investigation Bureau (RIB) an interview with Investigation Support division was taken and they have explained to me all process of evidence collection and analysis in (RIB) step by step and some of issues they face based on paperwork.

In an interview with Investigator Charles who is in Investigation Support division, I have asked him processes that are followed in crime scene evidences analysis and answer was this; "First reporter has to go/send a call to nearer RIB station, then investigation team will have to show up to crime scene to conduct crime scene evidences, then investigator will have to analyse case evidence with suspects and categorizes case according to crime case category. After all, reporter should fill investigation form where he/she puts there his/her names, name of suspect and place where crime has been occurred to then investigation would start as well as analyzing evidences".

I have also asked him if there is any problem that they are face while using this system which is manual, and he has answered to me in these words "first problem we are facing is time consuming while recording crime cases and take another time to revise case history of suspects. Not only this problem but also there are other problems with this manual system that we are using which include updating forms when there is a mistake in writing which requires us to overwrite whole information given.

Expected Results

new system will allow following results:

- ✓ Human judgement will be turned to Automation with use of Evidences analysis.
- ✓ automation of already existing system that will ease entry of records.
- ✓ Quick and easy primary suspect reporting.
- ✓ Allow Investigator to manage crimes.
- ✓ Help Investigation officers to view crime report online and may download it when needed.
- ✓ Generate reports about evidences reporter.
- ✓ Minimizing human errors in decision making.
- ✓ Generate reports about crime cases status.
- ✓ system will report all cases that are in each RIB Station.
- ✓ Easy to review past criminal records of suspects.
- ✓ Generate reports on places where crime has taken place.
- ✓ Generate reports on past criminal records of suspects.

Organization of Report

This study contains five chapters:

Chapter one: describes general topic. It will offer fundamental details about research topic, problems that need to be solved, objectives, study's scope, methods and strategies, anticipated outcomes, and report organization.

Chapter two: Analysis of existing system, which will be the main focus, will outline how the current system operates, as well as its history, vision, and mission. We will also explore significant concerns and provide solutions to those issues.

Chapter three: has is often conceptual notion of new system and gets title Requirements analysis and design of new system. It will illustrate how suggested fixes to issues with current system was conceptualized.

Chapter four: will place focus on program's technical implementation and presentation of screenshots as forms of data entry and reports, where we will discuss the new system, how the application was created, and the technologies used.

Finally,

Chapter five will bring our project to a close and offer suggestions for future improvement..

CHAPTER 2

ANALYSIS OF EXISTING SYSTEM

Introduction

As of this chapter, we'll examine current system in terms of how it functions, issues it raises, how those issues affect people's everyday lives, and how system that will eventually be put into place will address them. Learning about functional and non-functional activities of current system is part of study of system as it is. A new system is frequently created with intention of replacing an existing manual system with an automated one. suggested solution to difficulties stated in this chapter will be highlighted before it is finished.

This project emphasizes on evidences analysis and suspect reporting system in Rwanda Investigation Bureau. therefore, we give an overview of evidences analysis and reporting system of suspects in Rwanda.

Description of Current System Environment

While making analysis of existing system, we need first to know all about organization that we are working with which is RWANDA INVESTIGATION BUREAU. It is in charge of crime controls. It is very necessary first take a look at existing environment so that we know history, vision and mission of organization with existing system then know problems faced by it and proposed solution.

The following figure describes the organisation chart of Rwanda Investigation Bureau

Organization Chart




Figure 1: Organisation Structure

Who is RIB?

The Law No. 12/2017, which went into effect on July 4, 2017, established the Rwanda Investigation Bureau (RIB), an autonomous, specialized body tasked with carrying out career investigative responsibilities, acquiring evidence, and aiding local peace enforcement forces in upholding law and order. Law stipulated that RIB will take over criminal investigative duties as of April 20, 2017, for a customary duration of one year. (RIB, 2021)

Historical background

President of the Republic of Rwanda, His Excellency Paul KAGAME, named the Secretary General and Deputy Secretary General of the Bureau on April 9, 2018. On April 10, 2018, At a ceremony overseen by the Head of State, the Secretary General and Deputy Secretary General took their oaths of office. (RIB, 2021)

Following Orders were passed at a cabinet meeting on April 11, 2018, which was presided over by His Excellency Paul KAGAME, President of the Republic of Rwanda:

- Rwanda Investigation Bureau staff's salary and benefits are set forth in a presidential order.
- Rwanda Investigation Bureau's organizational structure was determined by an order from the prime minister.
- Prime Minister's Order determining modalities of transfer of 463 personnel and assets related to criminal investigation department from Rwanda National Police (RNP) to the Rwanda Investigation Bureau.

Rwanda National Police officially over control of criminal investigations to the RIB on April 18th, 2018, at a ceremony presided over by the Minister of Justice/Attorney General. A website, contact phone numbers, and the logo for RIB were also introduced.

On April 20, 2018, the deadline for changeover set down by legislation, RIB began operating nationwide. Bureau Leadership then started making field visits throughout the nation, beginning in the City of Kigali, to evaluate the preparedness and readiness of RIB station Bureau and staff.

Mission

Rwanda Investigation Bureau's mission is to ensure professionalism, transparency and open-ended independence in criminal investigations with a broad focus on high impact crimes including but not limited to;

- Counter terrorism
- Cybercrime
- Gender based violence
- Public fund embezzlement and corruption
- Human trafficking
- Drug trafficking

Vision

To ensure a crime-free society

Description of Current System

6

The current system is manual. Under the current manual technique, all records are kept in written form and kept in various types of registers. A manual system lacks a suitable method for keeping records and preserving data regarding crimes and criminals. This current manual system of RIB is not automated. Criminal records are manually documented. Some suspect, case and evidence files are kept on shelves, while others are piled up in heaps. Due to improper storage, valuable papers quickly become dusty.

Analysis of Current System

Weakness of Current System

➤ Wasting time of innocent people up to 72hours

With existing system there are people who stays in RIB Stations for that time yet rib have no evidences but still keeps them there for no reason.

➤ Avoid a lot of paper based suspect data classification

Nowadays, due to fact that data is more important to keep after studies, it becomes a problem because many youths spent a lot of time home doing nothing that can improve them or even worse there is a chance that some of them end up ruining their life.

➤ Lack of Statistical reporting due to manual recording system

re is no easy way to easily generate statistical report

➤ Human judgement is at high level

Some decisions are easy to be diverted due to its basing on human judgement

Modelling Current System




Figure 2: Modelling Current System

Problems of existing system

Fewer of systems that will allow investigation bureaus to easily identify suspected person who committed crimes and other security problems, lack of system which will link current evidences and past criminal records of suspect for providing automation so that investigators will allocate easily identify suspected person among other suspects and be able to provide to m fast emergence judgement to innocent and arrest criminal before spending time being prisoned without guilty, and also make easier follow up to criminals records. On suspects side there is a need to get judgement at real time and with less wastage of time of innocent suspects.

As technology advances, it is now necessary to have a system that will protect RIB from accidents by quickly analysing evidence from criminal scenes. Additionally, if you compare amount of time required to analyse data between two systems (manual and automatic systems), you'll discover that utilizing an automatic system results in more complex changes than using a manual one.

Proposed Solutions

Smart crime scene evidences analysis system will make it possible for RIB to look into and analyse evidence from crime scenes for quick criminal follow-up. It will also make it possible for investigators to track criminal records and crime scene evidence in real time.

proposed solution is to provide system that help RIB to deal with above problems.

- ✓ **RIB Headquarter admin will add all possible questions or answers in system:** this will allow rib investigators to use them while asking suspects and witness respective question on a certain case.
- ✓ **Easy crimes follow up on criminals.**
- ✓ **It will also help investigators in general to monitor criminal records:** this will happen more easily because each investigator will be assigned to a certain case to be followed
- ✓ **Crime evidences analysis at real time:**
Crime evidences will be stored in our database for future reference.
- ✓ **Easy Searching method:**
there will be an option of searching any group according to group-name.

Functional Requirements

- ✓ system must only let logging in with a legitimate username and password.
- ✓ user should be able to generate a report in pdf formats.
- ✓ Once a new password is required, system ought to be able to provide it.
- ✓ system must be able to retrieve information from database.
- ✓ system must be able to validate while entering information.
- ✓ User logs must be retained by system.
- ✓ Primary suspected person must be presented within 48hours.
- ✓ Generate reports about crimes, cases and primary suspected person.

Non-functional requirements

❖ Security:

- User-sensitive information must be able to be hidden by the system.
- User passwords need to include characters, numbers and symbols.
- User passwords must be encrypted by the system.
- User must first log in before performing any helpful actions.

❖ User friendly:

- A user-friendly system is required
- system must be simple to use.

❖ Privacy:

- Privacy of users will be protected by this new system.

❖ Availability:

- This new system must be highly available.
- This new system should not experience unplanned downtime
- Maximum monthly downtime for this new system shall be 3 hours.

❖ Performance:

- Within 10 seconds, the new system must fulfill user requests.
- If system is down, no longer than 25 seconds should pass.
- system must be running 24/7.

❖ Accessibility:

- system needs to be mobile or laptop accessible.
- Authorized users must be able to access system.

CHAPTER 3

REQUIREMENTS ANALYSIS AND DESIGN OF NEW SYSTEM

Introduction

A solid foundation will always result in a solid output, and same is true of system concept. You can only create an ideal and practical system when you have a solid analysis and a clear design. In reality, a new system's primary objective is to fulfil demands of its users by resolving issues they have with old one. majority of time, thorough user needs research will result in helpful software development because no method can guarantee a faultless outcome.

The two primary components of system development are:

- System Analysis
- System Design

system is broken down into its component parts during system analysis process, which also involves gathering and interpreting data, identifying issues, and determining problems. In order to determine a system's goals, system analysis is done in order to investigate system. It is a way of problem-solving that strengthens the system and ensures that every component performs well in order to carry out its intended function. Analysis determines how the system behaves.

1 System design is the process of defining a new business system's components or modules to meet specified needs, or replacing an existing system. Before making any plans, it is important to fully comprehend the current system and decide how computers may be used to work effectively, address a particular problem, and achieve a particular objective. The main focus of system design is attaining the system's objective. The main components of system analysis and design are systems, processes, and technology. (System Analysis and Design Overview, Tutorials Point, 2021)

1 We considered it crucial to comprehend data flow through that system in order to properly analyse and develop our new system.

Analysis and Design Methodology

Object Oriented Methodology (OOM)

Information system development can be done using a variety of approaches, including prototyping, object-oriented development, and data structure-oriented development. Object Oriented will be focus of our discussion.

23

Object Oriented Methodology (OOM) is a method of developing systems that promotes and facilitates the reuse of software components. By building a computer system piece by piece, this methodology promotes efficient reuse of current components and makes it easier for other systems to share its components.

1

Classes and objects are the two main essential building blocks that are useful in the development of systems using object-oriented approach.

Object: is employed to describe a specific instance of a class, where object may consist of a variety of distinct variables, functions, and data structures. Anything, any idea, or any occurrence can be an object.

1

Class: it describes a group of items that share characteristics and actions. A class is divided in three parts as shown below:

Class Name
Attributes
Operations ()

- Class name is displayed on the upper part.
- middle section includes a class attribute.
- final section provides a method.

1 An attribute is a named property of a class that specifies the range of values that instances of the property may contain. A method is implementation of a service that can be requested from any object to class to affect behaviour.

Unified Modelling Language (UML)

Unified Modelling Language aims to provide a standardized technique for visualizing system designs and is a general-purpose, developmental modelling language used in the field of software engineering. language provides us with the symbols we need to build models, and it is designed specifically to be used with CASE (computer-assisted software engineering) tools. Naturally, the components of a UML model imply some features of technique, however UML is merely a visual syntax that we can use to build models. It does not give us any kind of modelling methodology.

UML Models

A **model** a thing used as a model for imitation or imitation. Because a model only depicts most important parts of reality while excluding unnecessary ones, it is simpler to refer to a model than to the reality. class diagrams, sequence diagrams and use case diagrams are just a few of the many possible models that UML offers for a system.

Actually, making all of a system's models is not necessary, but modelling ones that will allow for adequate system visualization is encouraged.

1 Analysis of new system

The analysis phase provides answers to the following queries: who will use the system, what will it do, and where and when will it be used. In this phase, the project's inventor looks into any existing systems that were previously investigated in the second chapter, seeks out better opportunities, and also develops the concept for this new system.

4 Requirement Analysis

Requirements analysis, also referred to as "requirements engineering," is the process of determining user expectations for a new or changed product. Se qualities, often referred to as criteria, need to be exact, relevant, and quantifiable. In software engineering, these criteria are occasionally referred to as functional requirements

Design of New System

1

Use Case Diagram

Use case diagram illustrates the functionality of a system in terms of actors, their goals as shown by use cases, and linkages between two. The following are components of a use case model:

- **Actor**

An actor defines a role that a third party external entity plays when dealing directly with a system.

It could be user role or a role performed by another system that interacts with system.



- **Use Case**

A use case is a series of procedures or actions that usually defines interactions between roles (known in Unified Modelling Language as an actor) and a system, to achieve a goal and is represented as follows:

20




- **Relationship**

A UML association symbol that denotes the presence of meaningful connections between actors and use cases.

- **System boundary**

In order to indicate the edge or border of the system being represented, a box is drawn around the use case.

use case in following figure describes how new system functions and stakeholders



1
Figure 3: Use Case Diagram

Use case description

The use case's description details what it accomplishes and what must be done in order for it to be completed correctly. Each use case appears as follows:

- **Name:** use case's name
- **Description:** aims to accomplish
- **Actor:** ¹ actor involved in use case
- **Pre-condition:** condition before starting use case
- **Post-condition:** state when use case is over
- **Normal flow:** genuine use case steps
- **Alternative flow:** procedures that could be taken if a regular flow were to fail.

1. Use Case description for Create Account

Name: Create User Account
Actor: RIB Headquarter Admin / RIB Station Admin
Description: use case describes how actor creates their account for helping them to log in.
Pre-condition: RIB Headquarter Admin
Post condition: if the use case is effective user account is created and he/she logs into system, if not system state does not change.
Normal Flow: <ol style="list-style-type: none">1. use case asks actor to create account if it's for first time to use system and if not, log in into system with his/her username and password2. system checks information provided if true account is created. n actor is able to fill username and password.

- | |
|--|
| 3. System validates names and password, and if finds correct allow actor to log into system. |
|--|

Alternative flow:

- 3. a. system displays an error message when information is not correct.
- 3. b. At that moment, the use case terminates, and the actor may choose to return to the start of the main flow or cancel login.

Table 1 : Create Account

Use Case description for Add Case

Name: Add Case
Actor: RIB Station Admin
Description: This use case describes how actors will add all information regarding new cases this includes saving m
Pre-condition: Actor logging in is required
Post condition: If use case is successful, case is saved
Normal Flow: <ol style="list-style-type: none"> 1. Actors requests a form to add a case. 2. System provides form to fill case information. 3. Actor saves case.
Alternative flow: <ul style="list-style-type: none"> • The system will display an error message if the case information is incorrect.

Table 2 : Add Case

2. Use Case description for Add suspect

Name: Add suspect
Actor: Station Investigator
Description: This use case describes how actors will add all information regarding new suspect this includes saving m
Pre-condition: Actors must be logged in and have a valid case assigned to him/her.
Post condition: If use case is successful, suspect is saved
Normal flow: <ol style="list-style-type: none">1. Actors requests a form to add a suspect.2. System provides form to fill suspect information.3. Actor saves a suspect.
Alternative flow: <ul style="list-style-type: none">• The system will display an error message if the case information is incorrect.

Table 3 : Add Suspect

3. Use Case description for Add evidences

Name: Add evidences
Actor: Station Investigator
Description: This use case describes how actors will add all information regarding evidences this includes saving m
Pre-condition: Actors must be logged in and have case suspects assigned to case
Post condition: Evidences are saved if use case is successful

Normal flow:

1. Actors requests a form to add new evidences.
2. System provides form to fill evidences information.
3. Actor saves evidences.

Alternative flow:

- System will display an error if the information is incorrect.

Table 4 : Add evidence**4. Use Case description for View suspect****Name:** View suspect**Actor:** Station Investigator, RIB Station Admin, RIB Headquarter Admin**Description:** This use case describes how actors will view all information regarding all case suspect**Pre-condition:** Actors need to be signed in.**Post condition:** You ought to have your case filed.**Normal flow:**

1. Actors requests a form to view suspects of a certain case.
2. System asks user to select a certain case to view its suspects.
3. Actor can view list of suspect.

Alternative flow:

- If there is no case exists system shows an error.

Table 5: View Suspect

5. Use Case description for Manage RIB Stations

Name: Manage RIB Stations
Actor: RIB Headquarter Admin
Description: This use case describes how RIB Headquarter will manage all RIB Stations. This includes adding, updating, and deleting from system.
Pre-condition: RIB Headquarter must be logged in
Post-condition: If use case is successful, RIB Station is added, updated or deleted from system.
Normal Flow: <p class="list-item-l1">1. When an administrator wants to add, update, or delete a RIB Station from the system, this use case begins.</p> <p class="list-item-l1">2. system requests RIB Headquarter to specify function he/she would like to perform i.e. Add, Update, and Delete RIB Station. Once RIB Headquarter provides required information, one of sub-flows are executed:</p> <ul style="list-style-type: none">- Add RIB Station: system requests RIB Headquarter to enter station information, once RIB Headquarter provides requested information, system saves information and RIB Station is added.- Update RIB Station: system requests RIB Headquarter to select from list RIB Stations to be updated. RIB Headquarter selects RIB Station, system retrieves and displays RIB station information, RIB Headquarter makes changes, and record is updated.- Delete RIB Station: Select RIB Station, alter this, system retrieves and displays RIB Station, system prompts RIB Headquarter to confirm deletion, RIB Headquarter verifies deletion, if confirmed deletion is executed.
Alternative flow:

1. RIB Station not found, if in any sub-flow, station information cannot be obtained; a message is shown. RIB Headquarter has the option to change the name or reverse the case endings.
- ⁵ 2. Update Cancelled, if in update station details sub-flow, RIB Headquarter decides not to update station information, update is cancelled and basic flow is restarted at beginning.
3. Remove Cancellation, if in delete station information sub-flow, RIB Headquarters chooses not to remove station data, the delete command is canceled, and the initial basic flow is resumed.

Table 6: Manage RIB Station

Use Case description for View criminal record

Name: view criminal record
Actor: RIB Station Admin, Station Investigator
Description: This use case describes how RIB Station will manage to know past criminal records of suspect. This includes adding, updating his/her records from system.
Pre-condition: Actors must be logged in
Post condition: If use case is successful, criminal record information is added, updated from system.
Normal Flow: <ol style="list-style-type: none"> 1. When RIB Station wants to add or update suspect criminal records from the system, this use case begins. 2. system asks the RIB Station to indicate the function, such as Add or Update, that they would like to carry out. After RIB Station gives the necessary data, one of the sub-flows is carried out

Table 7: View criminal record

6. Use Case description for View Primary suspect

Use case: View primary suspect
Actor: RIB Station Admin, RIB Headquarter Admin, Station Investigator
Description: it allows Actors to view primary suspect among or suspects
Precondition(s): Actors should have logged on system.
Post condition(s): you should have a valid crime case, suspect and evidences
Normal flow: <ul style="list-style-type: none">• Actors requests a form to view primary suspected person among or suspects.• System will analyses evidences and based on past criminal records of suspects, it will identify guilty suspect• Actor can view full information of suspect and his/her criminal record.

Table 8: View Primary suspect

7. Use Case description for Add Questions/Answers

Name: Add Questions/Answers
Actor: RIB Headquarter Admin
Description: allows RIB Headquarter to create questions to be asked suspects and reporters and their predictable answers to RIB Station when investigating
Pre-condition: RIB Headquarter user must be logged in
Post condition: RIB Headquarter admin should get a message “Question/Answer has been sent”

Normal flow:

1. RIB Headquarter requests a form to add question/Answer.
2. System provides question/Answer form.
3. RIB Headquarter user fills and sends question/answer to the RIB Stations.
4. RIB Station receives questions/Answer.

Alternative flow:

- The system will display an error if the information is incorrect.

Table 9: Add Question/Answer

8.

9. Use Case description for View RIB Station reports**Use case:** View RIB Stations reports**Actor:** RIB Headquarter Admin**Description:** it allows RIB Headquarter to view reports from all RIB stations**Precondition(s):** RIB Headquarter should have logged on system.**Post condition(s):** Station's Reports are viewed**Normal flow:**

- RIB Headquarter office must log into system
- RIB Headquarter can view list of all reports in all RIB stations.
- RIB Headquarter saves all station's reports.

Table 10: View RIB Station Reports**10. Case description for Generate Reports****Name:** Generate Reports**Actor:** RIB Station Admin

Description: This use case describes how RIB Station will generate Station Report.
Pre-condition: A logged-in is required for a RIB Station admin user.
Post condition: Reports will be produced if the use case is successful.
Normal Flow:
<ol style="list-style-type: none"> 1. RIB Station is one who has privilege of downloading reports. So after viewing primary suspected person details are being resulted RIB Station will choose option of generating reports. 2. Choose type of Report to be downloaded. 3. Download Report in pdf.
Alternative flow: If information is not well insert it will be impossible of generating reports and warning message will be displayed.

Table 11: Generate Reports

Class diagram

A class diagram is a form of static structural diagram that depicts a system's classes, properties, processes, and relationships between objects to illustrate the structure of the system. Class diagrams address the static design view of a system by displaying a set of classes, interfaces, collaborations, and relationships. The elements of a class diagram are as follows:

Classes

An abstraction of entities with similar traits is represented by classes. Associations show how different classes are related to one another.

Draw compartmentalized rectangles to represent classes. Write operations in thirds, list attributes in the second division (left-aligned, not bolded, and lowercase), and center the class name in the first partition.

Class Name
attributes
operations()
responsibility

Class

Active Classes

In contrast to passive classes, which store data and provide services to other classes, active classes drive the flow of activity.

Class Name
attributes
operations()

Active class

Visibility

To indicate who has access to the information in a class, use visibility markers. private visibility, indicated by a - sign, conceals information outside of the class division. Public visibility, denoted with a + sign, enables all other classes to view information that has been marked. Protected visibility, denoted with a # sign, enables access by child classes to data inherited from a parent class.


Class Name
attributes
+ public operation - private operation # protected operation

Visibility

Marker	Visibility
+	public
-	private
#	protected
~	package


Associations

Associations show the fixed connections between classes. Put association names on the association line, above it, or below it. To show relationship direction, use a filled arrow. Position roles near the association's conclusion. Roles illustrate how two classes view one another.



Multiplicity (Cardinality)


Near the ends of an association, place multiplicity notations. The SE symbols represent the number of instances of a class that are connected to a single instance of another class.



Indicator	Meaning
0..1	Zero or one
1	One only
0..*	0 or more
1..*	1 or more
n	Only n (where n > 1)
0..n	Zero to n (where n > 1)
1..n	One to n (where n > 1)


Constraint

Constrictions should be put within curly brackets {}.



8 Composition and Aggregation

Composition, a distinct form of aggregation, denotes a significant ownership tie between Class A, the total, and Class B, its component. Give a compositional example involving a filled diamond. Use a hollow diamond to symbolize a straightforward aggregation relationship where the "whole" class is more significant than the "part" class but where the two classes are not interdependent. Diamond ends indicate a "full" class in both composition and aggregate relationships.



Generalization

Generalization is a variant name for inheritance or "is a" relationship. When one class is a specialized variation of another, it alludes to the relationship between the two classes.




diagram below shows class diagram of new system




Figure 4: Class Diagram

Sequence diagram

An interaction diagram known as a sequence diagram shows how actions are carried out, including which messages are transmitted when and how the timing of sequence diagrams is coordinated. As you scroll down the page, time passes.

The things involved in the communication sequence are listed from left to right depending on when you take part in it. Every vertical dotted line acts as a lifeline, denoting how long an object will survive. Each arrow is a message on the lifeline of the receiver and activation bar is representing duration of execution of that message. The most prevalent type of interaction diagram, known as a sequence diagram, focuses on the communication between several lifelines.

It focuses on the messages that are exchanged in succession and their corresponding occurrence specifications on lifelines to characterize an interaction.

Definitions and Terms used	Their Symbols
An actor: <ul style="list-style-type: none">✓ It could be a system or a person who receives an external benefit from the system.✓ It joins a series by sending or receiving messages.✓ Across the top of the diagram, it is located.	
An object lifeline: <ul style="list-style-type: none">✓ Through the sending and receiving of messages, it takes part in a sequence.✓ It is positioned across the diagram's top.	
An activation: <ul style="list-style-type: none">✓ It has a long, thin rectangle on top of it and is a lifeline.✓ When an item sends or receives messages, it is indicated by this.	

A message:	<p>1</p> <ul style="list-style-type: none"> ✓ It transfers knowledge from one object to another. ✓ A return is indicated by the value being returned and a dashed arrow, whereas an operation call is shown by the message that is being delivered. 	<p>→ : Message send → : asynchronous ← : Message return Return Message ← : Message call</p>
-------------------	---	---

Diagram for Sequence Diagrams

Login request




Figure 5: Sequence diagram for login request

Create user Account




Figure 6 : Sequence Diagram to Create user Account

Add case





Figure 7 : Sequence Diagram to Add case

Add Suspect



3
Figure 8 : Sequence Diagram to Add suspect

Add evidence




Figure 9: Sequence Diagram to Add evidence

View Suspect




Figure 10 : Sequence Diagram to View Suspect

Manage RIB Station




Figure 11 : Sequence Diagram to Manage RIB Station

View primary suspect




Figure 12 : Sequence Diagram to View primary suspect

RIB Station Reports




Figure 13 : Sequence Diagram to the RIB Station Reports

Generate Reports




Figure 14 : Sequence Diagram to Generate Report

Activity Diagram

Activity diagrams are graphical representations of sequential procedures that support choice, iteration, and concurrency. Activity diagrams in Unified Modelling Language are meant to represent both computational and organizational activities. They display the entire control flow. They are also made up of a select few forms joined together by arrows.

primary form categories:



Task is a discrete action that falls under the process umbrella.



Exclusive gate ways (decisions) are points in a business process where the order of events can take two or more different pathways.

Start (split) or end (join) of concurrent activity is represented by bars.



This start event shows where a specific process will begin.



This End event lets you know where a specific process will end.

Activity diagram for sending request and getting response




Figure 15 : Send request and getting response Activity Diagram

Activity diagram for login




Figure 16 : Login activity diagram

Activity diagram for RIB Headquarter, RIB Station User Registration




Figure 17 : User registration activity diagram

1

Database schema diagram

A set of data that has been organized such that it can be easily accessed, maintained, and changed is known as a database schema diagram. Data base Management System (DBMS) are referred to as database software tools, and they are mostly used to store, change, extract, and search for data inside of databases.




Figure 18 : Database Schema

Information design

Creating a database with user tables, district tables, sector tables, school tables, etc. may be as simple as constructing a set of hyper-linked Web pages. Using a relational database, a set of tables is established to identify various entities. Tables are created using primary keys, and relationships are maintained using foreign keys, preserving the uniqueness of the data fields.

User table

	Name	Data type	Length/Precision	Scale	Not NULL?	Primary key?
	id	integer				
	password	character varying	128			
	last_login	timestamp with time zone				
	is_superuser	boolean				
	username	character varying	150			
	first_name	character varying	150			
	last_name	character varying	150			
	email	character varying	254			
	is_staff	boolean				
	is_active	boolean				

31

Table 12 : Group table

Group table

	Name	Data type	Length/Precision	Scale	Not NULL?	Primary key?
	id	integer				
	user_id	integer				
	group_id	integer				

Table 13 : Group table

RIB Headquarter Table

	Name	Data type	Length/Precision	Scale	Not NULL?	Primary key?
		id	integer			
		station_name	character varying	30		
		province_id	integer			
		user_id	integer			

Table 14 : RIB Headquarter table

RIB Station Table

	Name	Data type	Length/Precision	Scale	Not NULL?	Primary key?
		id	integer			
		station_name	character varying	30		
		province_id	integer			
		user_id	integer			

Table 15 : RIB Station table

Station User Table

Name	Data type	Length/Precision	Scale	Not NULL?	Primary key?
id	integer			<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> Yes
officerNationalId	character varying	16		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
f_name	character varying	30		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
l_name	character varying	30		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
gender	character varying	1		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
phone	character varying	10		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
email	character varying	50		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
rank	character varying	30		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
username	character varying	50		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
password	character varying	5		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
station_id	integer			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
user_id	integer			<input type="checkbox"/> No	<input type="checkbox"/> No

Table 16 : Station user table

Officer Table

	Name	Data type	Length/Precision	Scale	Not NULL?	Primary key?
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> id	integer			<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> Yes
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> OfficerNationalId	character varying	16		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> f_name	character varying	30		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> l_name	character varying	30		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> gender	character varying	1		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> phone	character varying	10		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> email	character varying	50		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> officerimage	character varying	154		<input type="checkbox"/> No	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> rank	character varying	30		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> recruit_year	integer			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> user_id	integer			<input type="checkbox"/> No	<input type="checkbox"/> No

Table 17 : Officer Table

Case Table

	Name	Data type	Length/Precision	Scale	Not NULL?	Primary key?
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> id	integer			<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> Yes
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> case_name	character varying	7		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> crimeType	character varying	15		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> case_desc	text			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> status	character varying	15		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> reporter_name	character varying	90		<input type="checkbox"/> No	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> reporter_phone	character varying	10		<input type="checkbox"/> No	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> victim_address	character varying	90		<input type="checkbox"/> No	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> victim_name	character varying	90		<input type="checkbox"/> No	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> ribstation_id	integer			<input type="checkbox"/> No	<input type="checkbox"/> No
<input checked="" type="checkbox"/>	<input type="button" value="Delete"/> stationuser_id	integer			<input type="checkbox"/> No	<input type="checkbox"/> No

Table 18 : Case table

Suspect Table

Columns								
	Name	Data type	Length/Precision	Scale		Not NULL?	Primary key?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> id	integer				<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> Yes	
<input checked="" type="checkbox"/>	<input type="checkbox"/> suspectNID	character varying		16		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> f_name	character varying		30		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> l_name	character varying		30		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> gender	character varying		1		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> dob	date				<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> phone	character varying		10		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> date_arrested	timestamp with time zone				<input type="checkbox"/> No	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> relation	character varying		30		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> father_name	character varying		100		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<hr/>								
<input checked="" type="checkbox"/>	<input type="checkbox"/> mother_name	character varying	100			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> note	character varying	150			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> cell	character varying	100			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> district	character varying	100			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> province	character varying	100			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> village	character varying	100			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> ribstation_id	integer				<input type="checkbox"/> No	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> stationuser_id	integer				<input type="checkbox"/> No	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> crime_rate	double precision				<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> evidence_rate	double precision				<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> suspect_status	character varying	100			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
<input checked="" type="checkbox"/>	<input type="checkbox"/> witness_rate	double precision				<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	

Table 19 : Suspect table

Evidence Table

		id	integer	▼			
		evidenceCategory	character varying	▼	15		
		evidence_note	text	▼			
		evidencerimage	character varying	▼	100		
		level	character varying	▼	30		
		title	character varying	▼	100		

Table 20: Evidence table

User Table

Columns					
Name	Data type	Length/Precision	Scale	Not NULL?	Primary key?
		id	integer		
		password	character varying	▼	
		last_login	timestamp with time zone	▼	
		is_superuser	boolean	▼	
		username	character varying	▼	
		first_name	character varying	▼	
		last_name	character varying	▼	
		email	character varying	▼	
		is_staff	boolean	▼	
		is_active	boolean	▼	
		date_joined	timestamp with time zone	▼	

Table 21 : User table


System Architecture Design

System architecture is an abstract representation of a system's structure, behavior, and other perspectives. A system's formal description and representation, arranged to facilitate discussion about its structures and actions, is called an architecture description.

Objectives of architecture design

- a. List essential components of an informational system in order.
21
- b. Explain server-based, client-based, and client-server architectures.
- c. Describe modern architectural choices, like cloud computing.
- d. Describe how architectural design is impacted by operational, performance, security, cultural and political requirements.
- e. Come up with an architectural concept.

following picture represents architecture design of system







Figure 19: Architecture design of system

1 CHAPTER 4

IMPLEMENTATION AND PRESENTATION OF NEW SYSTEM

Introduction

This chapter explains the evolution of “SMART CRIME SCENE EVIDENCES ANALYSIS”, It includes a succinct description of the technology utilized in the development of this application, its use, and the testing have already been conducted. Compatibility criteria for software and hardware are last but not least.

Technologies used

For this application's development, variety of technologies are used, including:

Technologies used

Technology Software	Product
DB(Database)	PostgreSQL
IDE (Integrated development environment)	Visual Studio Code
programming languages	Python, Django

Presentation of New System

Index Page




Figure 19: Index Page

Login Page

Rwanda Investigation Bureau

SMART CRIME SCENE EVIDENCES ANALYSIS

LOGIN FORM

Username*

Password*

Show Password

LOGIN

© RIB 2022 By MGB-YVS 20949

Figure 20 : Login Form

Add Case

The screenshot shows the 'Case Registration' page of the RIB system. At the top, there is a header with the RIB logo, contact information (Tanga Amakuru 166, www.rib.gov.rw, info@rib.gov.rw, @RIB_RW), and the date (1st May 2022 17:32). Below the header, there is a navigation bar with links for Dashboard, Station Officers, Crime Case, Closed Cases, Reports, and a Logout button.

The main form area is titled 'Case Registration'. It contains several input fields:

- Case Code* (text input)
- Type Of Crime* (dropdown menu)
- Victim Name (text input)
- Victim age* (text input with dd/mm/yyyy placeholder)
- Reporter Name (text input)
- Reporter Phone (text input)
- Address of the Victim (text input)
- Case Officer (dropdown menu)
- Case Description* (text area)

At the bottom right of the form are 'Cancel' and 'Submit' buttons.

Figure 21: Add Case

Suspect

The screenshot shows the 'Suspect' registration page. The title above the form is "Suspect Reg on the case with Case Code: 'MUD1RWE' CaseType: 'Murder' Victim: 'Alphonse CYUSA'".

The form consists of several input fields arranged in a grid:

Suspect Id*	Date Of Birth*	Mother Name	Village
(text input)	(text input)	(text input)	(text input)
First Name*	Phone Number*	Province	RIBStation
(text input)	(text input)	(text input)	(dropdown menu)
Last Name*	Relation to Crime*	District	Short Note*
(text input)	(text input)	(text input)	(text area)
Gender*	Father Name	Cell	
(dropdown menu)	(text input)	(text input)	

At the bottom right of the form are 'Cancel' and 'Submit' buttons.

Figure 22: Add Suspect

Headquarter site

Dashboard




Figure 23: Head quarter Dashboard

RIB Station Dashboard




Figure 24: RIB Station Dashboard

Station user Dashboard

The dashboard features a header with the RIB logo, a green button indicating 'Logged In as Station Officer', and the date '4th May 2022 10:56'. Below the header is a navigation bar with links: Dashboard, Crime Suspect, Questionnaire Results, Evidences List, Closed Cases, and a Logout button. The main area displays three cards: 'Cases Finished' (2), 'Cases Studied' (0), and 'Cases Pending' (1). Below these cards is a section titled 'Crime Case Assigned To Me:' with a table showing three cases assigned to Bruno REM. The table includes columns for CaseCode, CaseVictim, ReporterPhone, CaseType, CaseStatus, CaseOfficer, Add Suspect, and Suspects Info.

CaseCode	CaseVictim	ReporterPhone	CaseType	CaseStatus	CaseOfficer	Add Suspect	Suspects Info
MUD1REM	Olivier NTWALI	0781938095	Murder	Finished	Bruno REM	View Suspects	
ROB1001	GAHIZI Valens	0783990743	Robbery	Finished	Bruno REM	View Suspects	
V002REM	Mutoni Anet	0789034934	Violent	Pending	Bruno REM	Add Suspect	View Suspects

Figure 25: Station User Dashboard

Generate Report

The report page has a header with the RIB logo, the text 'RWANDA INVESTIGATION BUREAU', and the location 'Ubunyamwuga . Ukuri . Ubwitange'. Below the header is a navigation bar with links: Dashboard, RIB Stations, RIB Crimes, Suspect Questions, Witness Questions, RIB Answers, General Report, Officer, Reports, and a Logout button. The main area contains three buttons: 'Generate Report Based on Single Case', 'Generate Report Based on Case Suspect', and 'Generate Report for RIBStation Comparison'. Below these buttons are two donut charts. The first chart shows gender distribution with 10 males and 4 females. The second chart shows rank distribution with 10 Majors, 2 Captains, and 4 Generals.

Gender	Count
Male	10
Female	4

Rank	Count
Captain	2
Major	10
General	4

Figure 26 : Generate Report

RIBStation comparison based on cases

The screenshot shows a web-based application for generating reports. It features two main sections: 'Generate Report Based on Single Case' on the left and 'Generate Report for RIBStation Comparison' on the right. Both sections include dropdown menus for 'Select RIBStation' and 'Select Crime Type'. The 'Generate Report Based on Single Case' section has a 'Generate Comparison Report' button and a 'Close' button. The 'Generate Report for RIBStation Comparison' section includes a 'Logout RIBHQ' button. At the bottom of each section is a pie chart with legends for 'Male' (pink), 'Female' (light blue), 'Captain' (yellow), 'Major' (light blue), and 'General' (pink).

Figure 27 : RIB Report comparison

RIBStation comparison based on cases

The screenshot displays the 'RIB Headquarter Report' page. It features the RIB logo at the top center. Below the logo, the text 'RIB Headquarter Report' is centered. Underneath, it shows 'RIBStation: RIBHQ' and 'Location: Kigali City'. The main content area contains two sections: 'RIB Remera station' Statistical Report on: Violent Crime' and 'RIB Kicukiro station' Statistical Report on: Violent Crime'. Each section includes a table with four columns: Total Case On this Crime, Total Suspects, Total Evidences, and Total Witness. The data for Remera station is: 1, 3, 4, 4. The data for Kicukiro station is: 1, 0, 0, 0.

Total Case On this Crime:	Total Suspects:	Total Evidences	Total Witness
1	3	4	4

Total Case On this Crime:	Total Suspects:	Total Evidences	Total Witness
1	0	0	0

Figure 28: RIB Station Report

Software Testing

Software testing is crucial to the design process. They aid in testing software's efficacy to determine whether it genuinely solves the problem it was designed to address.

The following are important factors to think about when performing software testing:¹:

- Does the application adhere to the specifications that shaped its development and design?
- Does the application function as intended?
- Can application be implemented with same characteristics and satisfies needs of stakeholders?

Here are software testing examples:

Unit Test

Unit testing is a procedure to guarantee that a specific piece of software or a section of a program is operating correctly. It is a method for determining if certain pieces of source code, collections of one or more computer program modules, and associated control information, usage guidelines, and operating procedures are appropriate. To put it another way, every tiny part that can be put together with the intention of making sure that each component meets its specifications and testing for logical faults. Indeed, Unit testing is a productive method that enables the most accurate error detection. At the time each piece of code was written, the application underwent unit testing.

Integration test

During the software testing process' integration test step, separate software components are merged and tested collectively. This test is helpful for inspecting the assembly of various software components. Additionally, it is a process of tests in which hardware and software parts are gathered and examined till the system is examined. Application modules have been thoroughly tested until they meet all functional and technical requirements. This was done by iteratively testing the integrated software components.

Validation test

This last test phase's responsibility is to validate the software in its external environment. The product has been placed in its final environment to ensure that it properly satisfies the needs specified in the initial phase. The importance of the validation test stems from the necessity to confirm that the application's configuration satisfies stated requirements application has been thoroughly tested, and it is thanks to this that we have discovered that the progress of the operations carried out matches the functional criteria.

Alpha testing

This kind of validation testing is used. It is a sort of acceptability testing that is carried out prior to the release of the product. People who work in quality assurance often perform it.

Performance Testing

This is intended to measure software's performance during runtime in the context of an integrated system. A program's efficiency and speed are tested using this method.

Regression Testing After additional components are added to the entire program, this type of testing ensures that each component continues to function effectively.

Requirements for hardware and software compatibility

Client-side requirements:

- OS (Linux, Windows 10,11, iOS).
- 4 Gigabyte of free space of hard disk.
- A RAM of 2Gigabyte (minimum)
- A web browser (Edge, Google Chrome, Mozilla Firefox, etc.)

Server-side requirements:

- A Web server which support Python (Anaconda, etc.);
- Windows server 2012
- PostgreSQL Server or MYSQL SERVER
- Network card: 1GB/Second;
- 500GB of hard disk space.

CHAPTER 5

CONCLUSION AND RECOMMENDATIONS

Conclusion

The primary goal of the new project was to develop and implement a web project called "SMART CRIME SCENE EVIDENCE ANALYSIS" that would include various services required by suspects and be very user-friendly for them, allowing the Rwandan Investigation Bureau to easily access tools for analysing crime scene evidence.

A variety of techniques and resources were employed in this study effort. For a thorough understanding of the current system, tools like observation, documentation, and interviews have been used. In fact, the development of this information system helped to further the examination of available evidence.

After receiving problems within our purview, analysis was carried out using UML in order to design a new system utilizing the Django framework for the Python programming language in order to discover an appropriate solution.

With the creation of this system, I intend to cut down on time wastage, prevent misunderstandings, and provide easy data flow and less hard work. I believe that pertinent departments, such as RIB stations, Rwanda National Police will have to find this new system as highly convenient and also a reliable information system in order to accomplish their goals

Our hope is that this software SMART CRIME SCENE EVIDENCE ANALYSIS SYSTEM to improve their performance in activity of primary suspect delivery based on crime evidences, and we hope that use of this software will enhance Service of evidence analysis and decision making.

Finally, as a part of my continued participation in the improvement of this work, it is still open to receiving recommendations and addressing any requests that may be directed my way.

Recommendations

The Rwanda Investigation Bureau should train its employees on how to use the new system and what it can do, in order to administer SCSEA using ICT, which is quicker, simpler, and more productive.

Future versions of the application will have a variety of additional features, including the ability to communicate system material in several languages, including French and Kinyarwanda, in order to grow user numbers.

- To department of Schools Grading and Reporting System, it will be better to whoever will use new system be first of all trained how system works and what it does.
- Once a system is established and in operation, I advise creating regular backups of the data on it; doing so will be crucial to preventing data loss.

In putting an end to this effort, we leave the door open for anyone who wants to add to, enhance, or carry out further research on this topic.

REFERENCES

Books

- ✓ ARIADNE TRAINING CORPORATE, (2022). UML Applied-Object oriented analysis and design using UML, Somerset UK.
- ✓ Douglas Bell.(2021).Software Engeneering for Students: A Programming Approach (fourth edition).Addison Wesley.
- ✓ Steve Levine, Maria Rodriguez, Geoffrey Thomas. (2022). Web Programming in Python with Django.
- ✓ Remez & et al, 2004. Fundamentals of Database Systems. Addison-Wesley

Websites

- Elmasri R, N. S. (1994). *Fundamentals of Database Systems, Second edition*. Benjamin/Cummings.
- RIB. (2021, May 05). *History*. Retrieved from rib.gov.rw: www.rib.gov.rw/index.php?id=371
- Rwanda, R. (2021, March 15). *History*. Retrieved from rib.gov.rw: www.rib.gov.rw/index.php?id=371
- smartdraw. (2021, July 14). *class diagram*. Retrieved from smartdraw.com:
<https://www.smartdraw.com/class-diagram/#classDiagramSymbols>
- smartdraw. (2021, January 01). *class diagram*. Retrieved from smartdraw.com:
<https://www.smartdraw.com/class-diagram/#classDiagramSymbols>
- technopedia. (2021, July 02). *data collection*. Retrieved from technopedia.com:
<https://www.technopedia.com/definition/30318/data-collection>
- technopedia. (2022, January 09). *data collection*. Retrieved from technopedia.com:
<https://www.technopedia.com/definition/30318/data-collection>
- tutorialspoint. (2021, July 17). *System Analysis and Design Overview*. Retrieved from tutorialspoint.com:
https://www.tutorialspoint.com/system_analysis_and_design/system_analysis_and_design_overview
- tutorialspoint. (2021, August 12). *System Analysis and Design Overview*. Retrieved from tutorialspoint.com:
https://www.tutorialspoint.com/system_analysis_and_design/system_analysis_and_design_overview
- Wesley A. (2004).

APPENDIX

CURRICULUM VITAE

Name: Yves MUGABO

Address: Gasabo, Kigali, Rwanda

Nationality: Rwanda

Tel: 0784960500

Email: mugaboyves1@gmail.com

Personal Statement

I am young, energetic and self-motivated person, ready to work and attain results. I strive to achieve and value in everything I put my hands on. Honesty and respect at work place, is what I put forward, team work and knowledge sharing is what I value.

Educational background

Period	Level	Institution	Awards and Relevant courses
2017- Now	Undergraduate	Adventist University of Central Africa	Bachelor's degree in Information Technology-Software Engineering
2014- 2016	Advanced Level(A1)	College ACEJ/KARAMA	High school Diploma in Computer science
2010- 2013	Ordinary Level(O' level)	Lycee de KICUKTHEIRO(APADE)	O' level certificate

Relevant Experience

Year	Type of service	Place
(2017-2020)	IT Support in MAINTENANCE Department	OMEGASTHEIR Ltd
(2018-2020)	Information Technology IT	ONCONSULTING GROUP
(2019-Now)	Assistant IS Auditor	ON CH Ltd
(2021-Present)	Head of ICT	Twyford Rwanda

Awards & Trainings

January – May 2017: Trained in computer maintenance and MS-Office professional use and library configuration and troubleshooting problems at TNT Academy.

May – August 2017: Trained in Leadership style at New Life Ministries

January– March 2020: Trained in IS Auditing at ONTECH Ltd

January– March 2022: ICDL Certificate at Skills Hub International

Skills

Language skills	Able to speak/write English, Kinyarwanda and French.
Technical skills	In computer, I am able to use PostgreSQL in database, and to code using Python, php, Java language and JavaScript in designing software.
Professional skills	I am able to lead different people and negotiate with m.
Interpersonal skills	I am sociable, team player.

Hobbies/Interests

- Reading books.
- Using different new application on my computer.

Declaration

I declare that information provided above is authentic and correct to best of my knowledge and belief.

References

-Olivier NTAWUYTHEIRUSHINTEGE -Yves NIYITEGEKA

[Tel:0788303061](#)

[Tel:0788307479](#)

SMART CRIME SCENE EVIDENCES ANALYSIS

ORIGINALITY REPORT



PRIMARY SOURCES

1	Submitted to Adventist University of Central Africa Student Paper	8%
2	www.rib.gov.rw Internet Source	1 %
3	Submitted to Asia Pacific University College of Technology and Innovation (UCTI) Student Paper	1 %
4	www.coursehero.com Internet Source	1 %
5	Submitted to University of East London Student Paper	1 %
6	www.slideshare.net Internet Source	1 %
7	Submitted to iGlobal University Student Paper	1 %
8	Submitted to Higher Education Commission Pakistan Student Paper	1 %

9	Submitted to University of Newcastle upon Tyne Student Paper	<1 %
10	Submitted to Asia Pacific Institute of Information Technology Student Paper	<1 %
11	Submitted to Bahrain Polytechnic Student Paper	<1 %
12	Submitted to Middlesex University Student Paper	<1 %
13	Submitted to Africa Nazarene University Student Paper	<1 %
14	Submitted to Universiti Teknologi Malaysia Student Paper	<1 %
15	Submitted to University of Bedfordshire Student Paper	<1 %
16	Submitted to University of Pretoria Student Paper	<1 %
17	balu051989.files.wordpress.com Internet Source	<1 %
18	Submitted to University of Hertfordshire Student Paper	<1 %
19	psychology.wikia.org Internet Source	<1 %

20	Submitted to Universiti Teknologi MARA Student Paper	<1 %
21	docshare.tips Internet Source	<1 %
22	Submitted to Informatics Education Limited Student Paper	<1 %
23	Submitted to NCC Education Student Paper	<1 %
24	Submitted to National College of Ireland Student Paper	<1 %
25	dspace.nm-aist.ac.tz Internet Source	<1 %
26	Submitted to University of Wales Swansea Student Paper	<1 %
27	Submitted to Victorian Institute of Technology Student Paper	<1 %
28	Submitted to Western International College (WINC London) Student Paper	<1 %
29	Submitted to De Montfort University Student Paper	<1 %
30	Submitted to Universiti Teknikal Malaysia Melaka Student Paper	<1 %

Exclude quotes On

Exclude bibliography On

Exclude matches Off