


Fittings



Electrofusion socket

Code	d	D	L	h	L1	kg	Pack.
AQ27120	20	33	70	52	34	0,05	60
AQ27125	25	38	70	58	34	0,05	50
AQ27132	32	45	70	65	34	0,07	40
AQ27140	40	55	85	75	41	0,11	30
AQ27150	50	68	88	87	42	0,15	20
AQ27163	63	82	98	100	47	0,22	20
AQ27175	75	98	125	114	61	0,34	10

AQ27190	90	113	146	130	72	0,50	6
AQ271110	110	136	155	144	77	0,66	5
AQ271125	125	156	166	167	82	1,00	5
AQ271160	160	190	175	201	86	1,50	1
AQ271200	200	232	185	243	91	2,17	1
AQ271250	250	296	212	300	106	4,46	1
AQ271315	315	372,5	240	373	120	9,65	1

ORDER

Another categories




PIPES



TRANSITION FITTINGS

certification

We are ISO certified



ISO certificate 9001 14001 50001

DVGW System approval 28.12

KIWA Hygienic Test GB Fiber
Pipes.jpg

K-Aqua KWT GmbH
Auweg 3, 35647 Waldsolms-
Brandobendorf, Deutschland
4,9 ★ (43) ⓘ

leave your contact details
and we will call you back!

SEND

[HOME](#)

[PRODUCTS AND SERVICES](#)

[ABOUT US](#)

[NEWS](#)

[CAREER](#)

[CONTACTS](#)

[DOWNLOAD](#)

[Privacy policy](#)

2026 © 2023 · Kessel Wassertechnologie GmbH · Auweg 3 · 35647 Waldsolms-
Brandobendorf · Phone +49 (0)60 85 / 9868-410 · info@k-aqua.de

🕒 Open: Working days 07:00 - 16:00

