


Pipes



K-Fiber Pipe PP-R SDR 9

K-Fiber Pipe PP-R" SDR 9 — S4 (20° C/2,0 MPa — 60° C/1,0 MPa), length 4 meter

Code	D	DN	Di	S min.	Pack.	Weight (kg/m)	Water capacity (l/m)
AQ169PF32	32	25	24,80	3,6	60	0,33	0,48
AQ169PF40	40	32	31,00	4,5	40	0,52	0,75
AQ169PF50	50	40	38,80	5,6	20	0,80	1,18
AQ169PF63	63	50	48,80	7,1	20	1,25	1,87
AQ169PF75	75	-	58,20	8,4	12	1,77	2,66

AQ169PF90	90	65	69,80	10,1	8	2,55	3,83
AQ169PF110	110	80	85,40	12,3	4	3,78	5,73
AQ169PF125	125	100	97,00	14,0	4	4,89	7,39
AQ169PF160	160	125	124,20	17,9	4	7,70	12,12
AQ169PF200	200	160	155,20	22,4	4	12,35	18,92
AQ169PF250	250	200	194,20	27,9	4	19,08	29,62
AQ169PF315	315	250	244,60	35,2	4	30,10	46,99
AQ169PF355	355	300	275,60	39,7	4	38,14	59,66

ORDER

Another categories



PIPES





TRANSITION FITTINGS

certification

We are ISO certified





PRODUCTS AND SERVICES

ABOUT US

NEWS

CAREER

CONTACTS

DOWNLOAD

Privacy policy

2026 © 2023 · Kessel Wassertechnologie GmbH · Auweg 3 · 35647 Waldsolms-
Brandoberndorf · Phone +49 (0)60 85 / 9868-410 · info@k-aqua.de

🕒 Open: Working days 07:00 - 16:00