


Pipes



K-Fiber Pipe PP-RCT SDR 7,4

„K-Fiber Pipe PP-RCT“ SDR 7,4 — S 3,2 (20° C/2,0 MPa — 70° C/1,0 MPa), length 4 meter

Code	D	DN	Di	S min.	Pack.	Weight kg/m	Water capacity l/m
AQ200F20*	20	15	14.4	2.8	100	0.16	0.16
AQ200F25*	25	20	18.0	3.5	100	0.25	0.25
AQ200F32*	32	25	23.2	4.4	60	0.39	0.42
AQ200F40*	40	32	29.0	5.5	40	0.59	0.66
AQ200F50*	50	40	36.2	6.9	20	0.91	1.03

AQ200F63*	63	50	45.8	8.6	20	1.45	1.63
AQ200F75*	75	-	54.4	10.3	12	2.06	2.31
AQ200F90*	90	65	65.4	12.3	8	2.94	3.32
AQ200F110*	110	80	79.8	15.1	4	4.36	4.89
AQ200F125*	125	90	90.8	17.1	4	5.61	6.47
AQ200F160*	160	115	116.2	21.9	4	9.09	10.60
AQ200F200*	200	145	145.2	27.4	4	14.23	16.55
AQ200F250*	250	180	181.6	34.2	4	22.08	25.89
AQ200F315*	315	230	229.8	43.1	4	34.89	39.39

*Pipe can be delivered in 5.80 meter length on special request with product code
AQ258F+dimension

ORDER

Another categories




PIPES






TRANSITION FITTINGS


certification

We are ISO certified





leave your contact details
and we will call you back!



Name
Phone
Email
SEND