


Pipes



K-Pipe PP-R SDR 11

„K Pipe PP-R“ SDR 11 — S 5 (20° C/1,2 MPa — 60° C/0,6 MPa), length 4 meter

Code	D	DN	Di	S min.	Pack.	Weight (kg/m)	Water Capacity (l/m)
AQ111P20	20	15	16.2	1.9	100	0.11	0.21
AQ111P25	25	20	20.4	2.3	100	0.16	0.33
AQ111P32	32	25	26.2	2.9	60	0.26	0.54
AQ111P40	40	32	32.6	3.7	40	0.41	0.83
AQ111P50	50	40	40.8	4.6	20	0.64	1.31

AQ111P63	63	50	51.4	5.8	20	1.01	2.07
AQ111P75	75	-	61.4	6.8	12	1.41	2.96
AQ111P90	90	65	73.6	8.2	8	2.03	4.25
AQ111P110	110	80	90.0	10.0	4	3.01	6.36
AQ111P125	125	100	102.2	11.4	4	3.91	8.20
AQ111P160	160	125	130.8	14.6	4	6.38	13.43
AQ111P200	200	160	163.6	18.2	4	9.76	21.01
AQ111P250	250	200	204.6	22.7	4	15.00	32.86
AQ111P315	315	250	257.8	28.6	4	24.67	52.17
AQ111P355	355	300	290.60	32.2	4	31.93	66.29
AQ111P400	400	-	327.40	36.3	4	40.31	84.14
AQ111P450	450	350	368.20	40.9	4	49.96	106.28
AQ111P500	500	400	409.20	45.4	4	61.49	131.32

ORDER

Another categories



PIPES



TRANSITION FITTINGS

certification

We are ISO certified

