


Pipes



K-Pipe PP-R SDR 6

„K Pipe PP-R“ SDR 6 — S 2,5 (20° C/2,0 MPa — 70° C/1,0 MPa), length 4 meter

Code	D	DN	Di	S min.	Pack.	Weight (kg/m)	Water Capacity (l/m)
AQ200P20*	20	12	13.2	3.4	100	0.18	0.14
AQ200P25*	25	15	16.6	4.2	100	0.28	0.22
AQ200P32*	32	20	21.2	5.4	60	0.46	0.35
AQ200P40*	40	25	26.6	6.7	40	0.68	0.56
AQ200P50*	50	32	33.2	8.3	20	1.09	0.87

AQ200P63*	63	40	42.0	10.5	20	1.60	1.39
AQ200P75	75	50	50.0	12.5	12	2.50	1.96
AQ200P90	90	-	60.0	15.0	8	3.30	2.83
AQ200P110	110	65	73.2	18.3	4	5.00	4.21
AQ200P125	125	80	83.2	20.8	4	6.50	5.46

ORDER

Another categories



PIPES




TRANSITION FITTINGS

certification

We are ISO certified



ISO certificate 9001 14001 50001



DVGW System approval 28.12



KIWA Hygienic Test GB Fiber Pipes.jpg

A screenshot of a Google Maps interface with a contact form overlay. The map shows a rural area with roads labeled L3055, Hasebörner-Str., and Auweg. A red pin marks the location of 'K-Aqua KWT'. In the top left, a dark overlay box contains the text 'K-Aqua KWT GmbH', the address 'Auweg 3, 35647 Waldsols-Brandoberndorf, Deutschland', a 4.9 star rating with 43 reviews, and icons for a link and a location pin. On the right, a white text box says 'leave your contact details and we will call you back!'. Below this are three white input fields for 'Name', 'Phone', and 'Email', followed by a blue 'SEND' button. At the bottom, the Google logo and map data are visible.