

1 FAILED

41 PASSED

98% passed

42 executed

42 minutes ago

last run

13 minutes 30 seconds

duration



Mac OS X

Java HotSpot(TM) 64-Bit
Server VM 17.0.9+11-LTS-201

cucumber-jvm 7.3.0

Search with text or @tags

You can search with plain text or [Cucumber Tag Expressions](#) to filter the output ☒ failed ☒ passed

✓ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_00_LoginPage.feature

@wip

Feature: As a user, I should be able to log in.

@smoke

Scenario Outline: User can login with valid credentials (either clicking on the "Login button" or hitting the

"Enter" key from the keyboard as the last step)

- ✓ **Given** the user on the login page
- ✓ **Given** the user is logged in with "<submitType>"
- ✓ **Then** the user should see the url contains "index.php/apps/dashboard/"
- ✓ **And** the user should see the username as "Employee61"

Examples:

	submitType
✓	enterKey

Scenario Outline: User cannot login with any invalid credentials
"Wrong username or password." should be displayed

for invalid credentials

- ✓ **Given** the user on the login page
- ✓ **And** the user is logged in "<username>" and "<password>" with "<submitType>"
- ✓ **Then** the user should see the message "Wrong username or password."
- ✓ **Then** the user should see the url contains "index.php/login"

Examples:

	username	password	submitType
✓	1234	Employee123	submitButton
✓	1234	Employee123	enterKey

@NegativeLogin

Scenario Outline: 2-User cannot login with any invalid credentials
"Please fill out this field" message should be

displayed if the password or username is empty

- ✓ **Given** the user on the login page
- ✓ **And** the user is logged in "<username>" and "<password>" with "<submitType>"
- ✓ **Then** the user should see the message "Please fill out this field."
- ✓ **And** the user should see the url contains "index.php/login"

Examples:

	username	password	submitType
✓		Employee123	submitButton

Scenario: User can see the password in a form of dots by default

- ✓ **Given** the user on the login page
- ✓ **And** the user enters the password
- ✓ **Then** the user should see the password form of dots

Scenario: User can see the password explicitly if needed

- ✓ **Given** the user on the login page
- ✓ **And** the user enters the password
- ✓ **And** the user clicks the toggle button
- ✓ **Then** the user should see the password explicitly

Scenario: User can see the "Forgot password?" link on the login page and can see the "Reset Password" button on the next page after clicking on forget password link

- ✓ **Given** the user on the login page
- ✓ **Then** the user should see the forgot password link
- ✓ **When** the user clicks the forgot password link
- ✓ **Then** the user should see the "Reset password" button

Scenario Outline: : User can see valid placeholders on Username and Password fields

- ✓ **Given** the user on the login page
- ✓ **Then** the user should see the "<value>" as placeholder for "<textBoxType>" textbox

Examples:

	value	textBoxType
✓	Username or email	username

✓ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_01_DashboardFunctionality.feature

@wip

Feature: Dashboard Functions**Background:**

- ✓ **Given** the user is logged in

Scenario: After Login user can see all modules and Username

- ✓ **Then** the user should be able to see the username
- ✓ **And** the user should be able to see below modules

Dashboard
Files
Photos
Activity
Talk
Contacts
Circles
Calendar
Deck
More

Scenario: User can click on Customize button and select any of the Widgets

- ✓ **When** user click "customize button"
- ✓ **Then** the "widgets" are clickable

Scenario: User can click on Set Status button and select any of the Status options

- ✓ **When** user click "user icon"
- ✓ **And** user click "status"
- ✓ **Then** the "status" are clickable

✓ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_02_UploadEditDeleteFile.feature

@wip

Feature: Upload Edit Delete File Functionality

Background:

- ✓ **Given** the user is logged in
- ✓ **And** the user navigate to "files"

Scenario Outline: User can upload a file

- ✓ **When** the user upload <file>
- ✓ **Then** the user should see total number of files and folders
- ✓ **Then** the user should see <file> on page
- ✓ **And** the user delete any selected <file>
- ✓ **Then** the user should see <file> in deleted files

Examples:

	file
✓	"testTXTFile123.txt"

Scenario Outline: User can create a new folder

- ✓ **When** the user create new folder <folder>
- ✓ **Then** the user should see <folder> on page

Examples:

	folder
✓	"TestFolder11111"
✓	"TestFolder22222"

Scenario Outline: User can move any item to any folder

- ✓ **When** the user create new folder <folder>
- ✓ **And** the user upload <item>
- ✓ **And** the user move the <item> to <folder>
- ✓ **Then** the user should see moved <item> in <folder>
- ✓ **And** the user navigate to "files"
- ✓ **And** the user delete any selected <item>
- ✓ **And** the user delete any selected <folder>

Examples:

	item	folder
✓	"moveFileTest111.txt"	"TestFolderForMoveAction981"

Scenario Outline: User can copy any item to any folder

- ✓ **When** the user create new folder <folder>
- ✓ **And** the user upload <item>
- ✓ **When** the user copy the <item> to <folder>
- ✓ **Then** the user should see copied <item> in <folder> and FileList
- ✓ **And** the user navigate to "files"
- ✓ **And** the user delete any selected <item>
- ✓ **And** the user delete any selected <folder>

Examples:

	item	folder
✓	"CopyFileTest123.txt"	"FolderToCopyTest239"

Scenario: User can see the total number of files and folders under the files list table

- ✓ **Then** the user should see total number of files and folders

✓ ✓ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_03_Contacts.feature

@wip

Feature: Contacts Module

Background:

- ✓ **Given** the user is logged in
- ✓ **And** the user clicks on "Contacts" module

Scenario Outline: User can create a new contact

- ✓ **When** the user clicks on New Contact button
- ✓ **Then** the user can put "<Contact_Name>"
- ✓ **When** the user clicks on All contacts button
- ✓ **Then** the user should see the "<Contact_Name>" in the All contacts list
- ✓ **And** the user "<Contact_Name>" should be deleted after test

Examples:

	Contact_Name
✓	Oscar Test

Scenario: User can see all the contacts as a list inside the middle column and total number

- ✓ **When** the user clicks on All contacts button
- ✓ **Then** the user should see total number of contacts

Scenario: User can change the profile picture of any contact by using "Choose from files" option

- ✓ **When** the user clicks on an existing contact
- ✓ **And** the user clicks on the avatar icon on the right side
- ✓ **Then** the user clicks on Choose from files option
- ✓ **And** the user should be able to change the profile picture

Scenario Outline: User can delete any selected contact

- ✓ **When** the user selects any "<contact>" on the middle column
- ✓ **And** the user clicks on Delete option from the three dotted menu
- ✓ **Then** the user should be able to delete the "<contact>"

Examples:

	contact	
✓	Dilo	

✖ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_05_Calendar.feature

@wip

Feature: Calendar Module

Background:

- ✓ **Given** the user is logged in
- ✓ **And** the user navigate to "Calendar" module

Scenario: Daily calendar view

- ✓ **Given** the user click three dot icon
- ✓ **When** the user click day icon
- ✓ **Then** the user can see daily calendar view

Scenario: Weekly calendar view

- ✓ **Given** the user click three dot icon
- ✓ **When** the user click week icon
- ✓ **Then** the user can see weekly calendar view

Scenario: Monthly calendar view

- ✓ **Given** the user click three dot icon
- ✓ **When** the user click monthly icon
- ✓ **Then** the user can see monthly calendar view

Scenario: Create new event

- ✓ **Given** the user click new event
- ✓ **When** the user can give a name "Agile Meeting" for new event
- ✓ **When** the user can choose today's date as event start date
- ✓ **When** the user can choose today's date as event finish date
- ✓ **Then** the user can click save event button
- ✓ **Then** the user can see new event related day on the monthly calendar view

Scenario: Delete new event

- ✗ **When** the user can click event "Agile Meeting" on monthly calendar

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate
element: {"method":"xpath","selector":"//div[@class='fc-event-title fc-sticky']
[.='Agile Meeting']"}
(Session info: chrome=140.0.7339.133)
For documentation on this error, please visit:
https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-
such-element-exception
Build info: version: '4.35.0', revision: '1c58e5028b'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.5',
java.version: '17.0.9'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [d651b3b827bfd54295ce38f6e778d65e, findElement
{value="//div[@class='fc-event-title fc-sticky'] [.='Agile Meeting']",
using=xpath}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
140.0.7339.133, chrome: {chromedriverVersion: 140.0.7339.82 (bc93617e21c3...,
userDataDir: /var/folders/js/09j7s1lx21g...}, fedcm:accounts: true,
goog:chromeOptions: {debuggerAddress: localhost:59058},
networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac,
proxy: Proxy(), se:cdp: ws://localhost:59058/devtoo..., se:cdpVersion:
140.0.7339.133, setWindowRect: true, strictFileInteractability: false,
timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: d651b3b827bfd54295ce38f6e778d65e
    at
    java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
    at
    java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeCo
    at
    java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Dele
    at
    java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:49
    at
    java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at
    org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseC
    at
    org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseC
    at
    org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:2
    at
    org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverComm
    at
    org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExe
    at
    org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)
    at
    org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLoc
    at
    org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at
```


```

org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
    at
org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374)
    at net.trycloud.pages.CalendarPage.verifyEvent(CalendarPage.java:101)
    at
net.trycloud.step_definitions.CalendarStepDefs.the_user_can_click_event_on_monthl
    at *.the user can click event "Agile Meeting" on monthly
calendar(file:///Users/umute/IdeaProjects/%20TryCloud-UI-
Automation/src/test/resources/features/US_05_Calendar.feature:32)

```

- **When** the user can click more button
- **Then** the user can click three button next to event's name
- **Then** the user can click delete button

▼ Delete new event screenshot



✓ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_06_TalkModuleFunctionality.feature

@wip

Feature: As a user, I should be able to create a new conversation, add participant under the Talk module

Background:

- ✓ **Given** the user is logged in
- ✓ **And** the user clicks on "spread" module

Scenario: User can create a new conversation by adding any selected participant

- ✓ **When** user click "Create a new group conversation"
- ✓ **And** user enter "Test" as Conversation name
- ✓ **And** user click "Add participants"
- ✓ **And** user select a user from the list
- ✓ **And** user click "Create conversation"
- ✓ **Then** the user should see the message "You created the conversation"

Scenario: User can delete a conversation

- ✓ **When** user delete conversation "Test"
- ✓ **Then** the conversation should be deleted.

✓ ✓ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_07_DeletedFilesFunctionality.feature

@wip

Feature: Deleted Files Tab Functionality

Background:

- ✓ **Given** the user on the login page
- ✓ **Given** the user is logged in
- ✓ **And** the user navigate to "files"
- ✓ **When** the user clicks Deleted files link

Scenario: User can order the all deleted files by newest to oldest or visa versa

- ✓ **And** the user deletes the file which is in the first line
- ✓ **When** the user clicks Deleted files link
- ✓ **Then** the user should be able to order the all deleted files

Scenario: User can order alphabetically all the deleted files based on their names

- ✓ **When** the user clicks Deleted files link
- ✓ **Then** the user should be able to order alphabetically all the deleted files

Scenario: User can delete any deleted file permanantly by using the three dots icon in the file's line

- ✓ **Then** the user should be able to delete any deleted file permanently

Scenario: User can restore any deleted file and see it again under the All Files tab

- ✓ **When** the user clicks Deleted files link
- ✓ **Then** he user should be able to restore the file

✓ ✓ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_09_SearchDashboardIcons.feature

@wip

Feature: Search Functionalities Dashboard Icons

Background:

- ✓ **Given** the user is logged in

Scenario: User can search file typing its name through the magnifying glass icon and

see the details side page of the file when clicked on it.

- ✓ **When** User can click the magnifying glass icon
- ✓ **And** User can write "testAvatar" into the text box
- ✓ **And** User can click on the file name
- ✓ **Then** User can see the details side page of the "testAvatar"

Scenario: User can search contacts by clicking on the contacts icon and typing its name

- ✓ **When** User can click contacts icon
- ✓ **And** User can write "Mike" into the contact text box
- ✓ **Then** User can see the contact name related to keyword "Mike"

Scenario: User can see only the images files with the extension of .jpeg/.jpg under the Photos module

when uploaded them

- ✓ **When** the user click "Photos" module
- ✓ **And** User should be on the "/index.php/apps/photos/"
- ✓ **Then** User can see only the images files with the extension of "jpeg" or "jpg"

Scenario: User can navigate to files page as home page whenever clicking the seamlessly icon on Dashboard

- ✓ **When** the user click "Photos" module
- ✓ **And** User can click seamlessly icon on dashboard
- ✓ **Then** User should be on the files page as home page "/index.php/apps/files/?dir=/&fileid"

✓ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_13_EditProfileSettings.feature

@wip

Feature: Profile Settings Functionality

Background:

- ✓ **Given** the user is logged in
- ✓ **And** the user clicks the avatar icon
- ✓ **And** the user clicks settings label

Scenario: User can see at least following titles inside personal info under Full name/Email/Phone Number

- ✓ **Then** the user should see following labels

Full name
Email
Phone number
Address
Website
Twitter
Language
Locale
Profile picture

Scenario: User can change "Full name" info under Profile Settings page

- ✓ **And** the user enters the name "Abcd"
- ✓ **Then** the user should be able to see the "Abcd"

Scenario: User can make "Phone number" info as private under Profile Settings page

- ✓ **And** the user clicks the phone icon-triangle
- ✓ **And** the user clicks the private label
- ✓ **Then** the user should see the private is selected

Scenario: User can see the current local time under the Local dropdown

- ✓ **Then** the user should see the localtime in page

✓ file:///Users/umute/IdeaProjects/%20TryCloud-UI-Automation/src/test/resources/features/US_17_Logout.feature

@wip

Feature: Log out Function

Background: Preconditions

- ✓ **Given** the user is logged in
- ✓ **And** the user clicks the avatar icon
- ✓ **And** the user clicks the logout label

@smoke

Scenario: User can log out and ends up in login page

- ✓ **Then** the user should see the url contains `"/index.php/login"`

Scenario: User can not go to home page again by clicking step back button after successfully logged out.

- ✓ **Then** the user should see the url contains `"/index.php/login"`
- ✓ **When** the user clicks step back button
- ✓ **Then** the user should see the url contains `"/index.php/login"`