

SYSTEM FLOWCHARTS

Nine diagrams of how the game works, from the moment-to-moment turn to the long-term collection. Each one mirrors the shipped code; the source file is named on its page.

01 · CORE AND META LOOPS

How a single level feeds the long-term collection, and what brings the player back.

02 · SCREEN FLOW

Every screen and panel, and how the player moves between them.

03 · TURN RESOLUTION

What happens between the player's swipe and the board settling.

04 · SPECIAL TILE CREATION

Which special a matched shape makes, and where it appears.

05 · LEVEL END: WIN, LOSE AND RESCUE

How a level ends, how the reward is decided, and the extra-moves offer.

06 · BOOSTERS AND REFILLS

Using a booster, arming Tower Strike, and the refill hook when one runs out.

07 · CARD UNLOCK RULES

Which card a win grants. Random within each pool, never a duplicate.

08 · DAILY DRAW

The once-a-day ritual that draws from the player's own collection.

09 · CODE ARCHITECTURE

Rules in pure C#, MonoBehaviours only for display, input and animation.

COLOUR KEY

 Entry / exit point

 Failure state

 Special tile / effect


 Reward or success

 Monetisation hook

 Neutral / no-cost path

CORE AND META LOOPS

How a single level feeds the long-term collection, and what brings the player back.



1 The core loop is one level of 18 to 24 moves.

2 Losing never ends the loop: rescue or retry.

3 The daily draw has no streak, so the meta loop never punishes absence.

■ Entry / exit point

■ Reward or success

■ Failure state

■ Monetisation hook


■ Special tile / effect

■ Neutral / no-cost path

Source: [GameApp.cs](#), [LevelSession.cs](#)

SCREEN FLOW

Every screen and panel, and how the player moves between them.



1 Two screens (Home, Level) plus the Collection; everything else is a panel.

2 Every screen and panel also has a way back to Home (omitted for clarity); Play is always one tap away.

3 Gold nodes are monetisation hooks; green are rewards.

Entry / exit point

Reward or success

Failure state


Monetisation hook

Special tile / effect

Neutral / no-cost path

Source: [GameApp.cs](#), [HomeScreen.cs](#), [panels](#)

TURN RESOLUTION

What happens between the player's swipe and the board settling.

1 Resolved instantly in pure C#; the view replays the steps.

2 Invalid swaps are free.

3 Combo rises with each cascade; scoring is tiles x 10 x combo.

Entry / exit point

Reward or success

Failure state

Monetisation hook


Special tile / effect

Neutral / no-cost path

Source: [BoardResolver.cs](#),
[StepPlayer.cs](#)

SPECIAL TILE CREATION

Which special a matched shape makes, and where it appears.



1 Checked from rarest to most common, so a harder shape is never downgraded.

2 Player-made specials can be aimed.

3 Specials chain; each fires once per chain.

Entry / exit point

Reward or success

Failure state

Monetisation hook


Special tile / effect

Neutral / no-cost path

Source: [BoardResolver.PlanSpecials](#)

LEVEL END: WIN, LOSE AND RESCUE

How a level ends, how the reward is decided, and the extra-moves offer.



1 Win is checked before lose.

2 Foil for 5+ moves left; it is never lost.

3 The rescue is offered once per attempt, through the store interface.

Entry / exit point

Reward or success

Failure state

Monetisation hook


Special tile / effect

Neutral / no-cost path

Source: [LevelSession.cs](#),
[GameApp.OnWon / OnLost](#)

BOOSTERS AND REFILLS

Using a booster, arming Tower Strike, and the refill hook when one runs out.



1 No booster costs a move.

2 Tower Strike must be armed first, so a stray tap never wastes it.

3 Refills go through IStoreService / IAdService; free in this build.

Entry / exit point

Reward or success

Failure state

Monetisation hook


Special tile / effect

Neutral / no-cost path

Source: `BoosterController.cs`,
`BoosterInventory.cs`

CARD UNLOCK RULES

Which card a win grants. Random within each pool, never a duplicate.



1 The Fool starts the journey at level 1.

2 Majors every 4th level act as chapter markers.

3 78 wins complete the deck (covered by an automated test).

Entry / exit point

Reward or success

Failure state

Monetisation hook


Special tile / effect

Neutral / no-cost path

Source: CardUnlockRules.cs

DAILY DRAW

The once-a-day ritual that draws from the player's own collection.



1 Unlocks at 3 cards.

2 One draw per calendar day; nothing is lost by skipping a day.

3 The bigger the deck, the more varied the draw.

■ Entry / exit point

■ Reward or success

■ Failure state

■ Monetisation hook


■ Special tile / effect

■ Neutral / no-cost path

Source: [DailyDraw.cs](#),
[DailyDrawPanel.cs](#)

CODE ARCHITECTURE

Rules in pure C#, MonoBehaviours only for display, input and animation.



1 The model never waits for animation: a move returns a list of steps.

2 Randomness is injected, so tests and the balance bot are repeatable.

3 Colour key: pale = Game (MonoBehaviours), dark = Core (pure C#, tested), gold = services behind interfaces.

Entry / exit point
 Failure state
 Special tile / effect
 Reward or success
 Monetisation hook
 Neutral / no-cost path

Source: [Docs/ARCHITECTURE.md](#)