#### 1 General introduction

- 1. Chomsky (1957): a language is a set of its grammatical sentences.
- 1.1. Change "sentences" to "expressions".
- 1.2. Change "expressions" to "expressions with their structural descriptions".
- 1.2.1. String similarity is usually misleading:
  - (1) a. John is easy to please.
    - b. John is eager to please.
  - (2) a. I expected John to leave.
    - b. I persuaded John to leave.
  - (3) a. We expected several students to be at the talk.
    - b. We persuaded several students to be at the talk.
  - (4) a. A unicorn seems to be in the garden.
    - b. A unicorn tries to be in the garden.
  - (5) a. It is easy to play this sonata on this violin.
    - b. This sonata is easy to play on this violin.
    - c. This violin is easy to play this sonata on.
  - (6) a. John grows tomatoes.
    - b. John destroys tomatoes.
- 1.3. Item 1.2. brings meaning into picture:

It is assumed in LSLT (as in SS) that the theory developed is to be embedded in a broader semiotic theory which will make use of the structure of L, as here defined, to determine the meaning and reference of expressions and the conditions on their appropriate use, and will also encompass other investigations (statistical linguistics, etc.). (Chomsky 1975:3)

- 2. **Grammar** is an explicit system of rules and representations that pairs phonetic forms (sound pathway) with logical forms (meaning pathway).
- 3. Acceptability (data) versus grammaticality (theory).

- 3.1. Factors effective in acceptability are manifold and complex.
- 3.2. Grammar is just one among many.
- 3.3. Such idealization is indispensable in science.
- 3.3.1. Economist Dani Rodrik:

All models are wrong. They are helpful [when] used in relevant context. Empirics without models yield no understanding.


To clarify, models are wrong in the same sense that a subway map is wrong. Leaves out, misrepresents real world details.


Simplicity in theory is a feature, not a bug. "But the real world is more complicated" is never good riposte. All causal theories simplify. (tweets, March 8, 2017)

- 4. **Descriptive** versus **explanatory** adequacy.
- 4.1. Description: "Given a language, what is possible to utter to mean what?"
- 4.1.1. A descriptively successful grammar for a given language has the widest possible coverage with a minimal set of rules and assumptions.
- 4.2. Explanation: "What is a possible human language?"
- 4.2.1. What is the common denominator of all the descriptively successful grammars?

### 2 Phrase Structure

- 1. "Grammar is about things that go together in meaning" (Mark Steedman)
  - (7) a. ((Toy car) manufacturer.)
    - b. (Toy (car manufacturer.))
- 2. A motivation for phrase structure: structural ambiguity.
  - (8) I saw the man with the telescope.





- 3. A motivation for phrase structure + categories: distributional generalizations.
- 3.1. The labels  $X_2$  and  $X_3$  are identical when it comes to what can come in the context I saw \_\_\_\_.
- 3.2. Likewise, *I* and *saw* are instances of larger classes that can appear in the places they occupy.
- 4. Another motivation for phrase structure comes from the need for relational generalizations:
  - (11) a. John murdered Smith.
    - b. Smith was murdered by John.
  - (12) a. The army destroyed the city.
    - b. The army's destruction of the city.
    - c. The city's destruction by the army.
  - (13) a. We expected several students to be at the talk.
    - b. We expected there to be several students at the talk.

- (14) a. John saw the cat that chased the dog.
  - b. Which dog did John see the cat that chased?
- (15) a. John saw the man with the telescope.
  - b. Which telescope did John see the man with?
- (16) a. The  $man_i$  who said  $he_i$  was tall.
  - b. \*The man<sub>i</sub> who he<sub>i</sub> said was tall.
- 5. Such generalizations are best stated over phrase structures.

Complex NP Constraint (Ross 1986):

- (17) a. I believed the claim that Otto was wearing this hat.
  - b. I believed that Otto was wearing this hat.
- (18) a. \*Which hat did you believe the claim that Otto was wearing?
  - b. Which hat did you believe that Otto was wearing?

Complex Subject Constraint (Ross 1986):

- (19) a. The reporters expected [that the principal would fire some teacher].
  - b. [That the principal would fire some teacher] was expected.
  - c. It was expected by the reporters [that the principal would fire some teacher].

Noun phrases in *that*-clauses can be relativized in (19a) and (19c), but not in (19b) (Ross 1986:147).

# 3 Categories and Features

- 1. Features start to appear in linguistic generalizations originally in phonetics.
- 1.1. Some simplified phonetics:

**Features**: (i) where (**place**) in the vocal tract it is articulated (alveolar, dental, glottal, and so on), (ii) how (**manner**) it is articulated (fricative, plosive,

nasal, and so on); and (iii) whether the vocal chords are involved or not (voice). A particular consonant can be represented as a set of features.

For example, t and d are both "alveolar plosives", articulated by restricting (hence plosive) the air flow by tongue and alveolar ridge (hence alveolar). The former is voiceless, while the latter is voiced. Formally, t is {[place alveolar],[manner plosive],[voice -]}, while d is {[place alveolar],[manner plosive],[voice +]}. We adopt a abbreviating convention, where we omit the words "place" and "manner" and write '[+voice]' instead of '[voice +]', etc.

In its full complexity, the consonant /g/ would be just a short-hand for (Gazdar *et al.* 1985:17):

2. Chomsky (1970:207): "[t]he distinction between features and categories is a rather artificial one."

Chomsky (1970:208): "we might just as well eliminate the distinction of feature and category, and regard all symbols of the grammar as sets of features."

- 3. Features become useful in various levels of specification: V is enough for tense, but you need subcat for transitive versus intransitive modes of combination.
- 4. Initially 3 important types of features: projection level (word versus phrase),

head features (agreement), combinatory features (valency for now, directionality and order later).

#### 3.1 Feature structures

**Definition 3.1** (Feature structures without variables<sup>1</sup>)

Let  $S_c$  be the set of symbols standing for complex features and  $S_a$  for atomic features. The set of feature structures F is the smallest set satisfying,

- i. If  $\alpha \in S_c$  and  $\beta \in S_a$ , then  $\{\langle \alpha, \beta \rangle\} \in F$ .
- ii. If  $\alpha \in S_c$  and  $\beta \in F$ , then  $\{\langle \alpha, \beta \rangle\} \in F$ .
- iii. If  $F_1$  and  $F_2 \in F$ , and  $Dom(F_1) \cap Dom(F_2) = \emptyset$ , then  $F_1 \cup F_2 \in F$ .

1. Attribute-value matrices (AVMs) make things more readable.

1.1. Represent  $\{\langle \alpha, \beta \rangle\}$  as  $\begin{bmatrix} \alpha & \beta \end{bmatrix}$ .

1.2. Represent 
$$\{\langle \alpha_1, \beta_1 \rangle, \dots, \langle \alpha_n, \beta_n \rangle\}$$
 as  $\begin{bmatrix} \alpha_1 & \beta_1 \\ \vdots & \vdots \\ \alpha_n & \beta_n \end{bmatrix}$ .

1.3. Here is a definition of feature structures with variables, in AVM notation:

#### **Definition 3.2**

Let  $S_c$  be the set of symbols standing for complex features and  $S_a$  for atomic features. The set of feature structures F is the smallest set satisfying,

i. If 
$$\alpha \in S_c$$
 and  $\beta \in S_a$ , then  $\begin{bmatrix} \alpha & \beta \end{bmatrix} \in F$ .

ii. If 
$$\alpha \in S_c$$
 and  $\beta \in S_a$  and  $n \in \mathbb{Z}^+$ , then  $\left[\alpha \quad \overline{n}\beta\right] \in F$ .

iii. If 
$$\alpha \in S_c$$
 and  $n \in \mathbb{Z}^+$ , then  $\begin{bmatrix} \alpha & \boxed{n} \end{bmatrix} \in F$ .

<sup>&</sup>lt;sup>1</sup>See the appendix for a set-theoretic formulation of feature structures with variables.

iv. If  $\alpha \in S_c$  and  $\beta \in F$ , then  $\begin{bmatrix} \alpha & \beta \end{bmatrix} \in F$ .

v. If  $\gamma \in F$  and not formed by this rule, and  $n \in \mathbb{Z}^+$ , then  $\overline{n} \gamma \in F$ .

vi. If 
$$F_1 = \begin{bmatrix} \alpha_1 & \beta_1 \\ \vdots & \vdots \\ \alpha_m & \beta_m \end{bmatrix}$$
 and  $F_2 = \begin{bmatrix} \gamma_1 & \delta_1 \\ \vdots & \vdots \\ \gamma_n & \delta_n \end{bmatrix}$  for  $m, n \ge 1$  are both  $\in F$ , and if, disregarding any possible indices heading  $\alpha_i$  and  $\gamma_j$ ,

$$\{lpha_1,\ldots,lpha_m\}\cap\{\gamma_1,\ldots,\gamma_n\}=\emptyset, ext{ then }egin{bmatrix}lpha_1 & eta_1 \ dots & dots \ lpha_m & eta_m \ \gamma_1 & \delta_1 \ dots & dots \ \gamma_n & \delta_n \end{bmatrix}\in F.$$

2. Sag et al.'s (2003) differ from Definition 3.2 by having a type decoration for each feature structure. Type decorations can be fitted into the system of Definition 3.2 by introducing an obligatory feature TYPE for each feature structure. The following equivalence would hold:

Sag et al.'s (2003) type decorations should not be confused with atomic features; their notation is a little confusing in this. For example, the following sentence category,

$$(22) \begin{bmatrix} phrase \\ HEAD & verb \\ VAL & \begin{bmatrix} COMPS & itr \\ SPR & + \end{bmatrix} \end{bmatrix}$$

is actually,

(23) 
$$\begin{bmatrix} phrase \\ HEAD & [verb] \\ VAL & \begin{bmatrix} COMPS & itr \\ SPR & + \end{bmatrix} \end{bmatrix} \equiv \begin{bmatrix} TYPE & phrase \\ HEAD & [TYPE & verb] \\ VAL & \begin{bmatrix} COMPS & itr \\ SPR & + \end{bmatrix} \end{bmatrix}$$

Feature structures can also be represented as **directed acyclic graphs** (DAGs) with a unique root constraint. For example the AVM in (23) is,

A path in such a DAG is a successive application of feature names to a feature structure to access its sub-features. For instance, naming the above AVM F, we have,

$$F(\langle \text{TYPE} \rangle) = \text{phrase}$$
  
 $F(\langle \text{VAL COMPS} \rangle) = \text{itr}$ 

### 3.2 Subsumption and Unification

1. A feature structure  $F_1$  subsumes another  $F_2$ , shown  $F_1 \sqsubseteq F_2$  if  $F_2$  has all the information  $F_1$  has.

**Definition 3.3** (Subsumption)

Given  $F_1$  and  $F_2$ :

- (a)  $F_1 \sqsubseteq F_2$ , if  $F_1$  and  $F_2$  are atomic features and equal.
- (b)  $F_1 \sqsubseteq F_2$ , if  $F_1$  and  $F_2$  are feature structures such that  $Dom(F_1) \subseteq Dom(F_2)$  and for each  $f \in Dom(F_1)$ ,  $F_1(\langle f \rangle) \sqsubseteq F_2(\langle f \rangle)$ .
- 2. Given two feature structures  $F_1$  and  $F_2$ , their **unification**  $F_3 = F_1 \sqcup F_2$ , if exists, is the smallest feature structure subsumed by both, that is  $F_1 \sqsubseteq F_3$  and  $F_2 \sqsubseteq F_3$ .
- 3. Shieber 1986 is a classic on the use of unification in grammar.

### **3.3** Structure sharing (re-entrancy)

- 1. The variables in AVMs indicate token rather than type identity.
- 2. It might be tempting to think that the AVMs in (25) and (26) are equivalent, in the sense that (25) is just a more economic way of representing (26); but they are not.

(25) 
$$\begin{bmatrix} \text{HEAD} & \boxed{1} \begin{bmatrix} \text{AGR} & \begin{bmatrix} \text{PER} & 2\text{nd} \end{bmatrix} \end{bmatrix} \\ \text{VAL} & \begin{bmatrix} \text{SPEC} & \begin{bmatrix} \text{HEAD} & \boxed{1} \end{bmatrix} \end{bmatrix}$$

(26) 
$$\begin{bmatrix} \text{HEAD} & \left[ \text{AGR} & \left[ \text{PER} & 2 \text{nd} \right] \right] \\ \text{VAL} & \left[ \text{SPEC} & \left[ \text{HEAD} & \left[ \text{AGR} & \left[ \text{PER} & 2 \text{nd} \right] \right] \right] \end{bmatrix} \end{bmatrix}$$

- 2.1. In (26) there is an accidental type identity between certain parts of the structure; while (25) states that certain sub-structures of the AVM are token identical they are one and the same thing.
- 2.2. The difference is best understood by observing their behavior under unification. Take the following AVM for instance,

(27) 
$$\left[ \text{HEAD} \left[ \text{AGR} \left[ \text{NUM} \quad \text{pl} \right] \right] \right]$$

While unifying (27) with (26) gives,

(28) 
$$\begin{bmatrix} \text{HEAD} & \begin{bmatrix} \text{AGR} & \begin{bmatrix} \text{PER} & 2 \text{nd} \\ \text{NUM} & \text{pl} \end{bmatrix} \end{bmatrix} \\ \text{VAL} & \begin{bmatrix} \text{SPEC} & \begin{bmatrix} \text{HEAD} & \begin{bmatrix} \text{AGR} & \begin{bmatrix} \text{PER} & 2 \text{nd} \end{bmatrix} \end{bmatrix} \end{bmatrix} \end{bmatrix}$$

unifying it with (25) gives,

(29) 
$$\begin{bmatrix} \text{HEAD} & \begin{bmatrix} \text{AGR} & \begin{bmatrix} \text{PER} & 2 \text{nd} \\ \text{NUM} & \text{pl} \end{bmatrix} \end{bmatrix} \\ \text{VAL} & \begin{bmatrix} \text{SPEC} & \begin{bmatrix} \text{HEAD} & \begin{bmatrix} \text{AGR} & \begin{bmatrix} \text{PER} & 2 \text{nd} \\ \text{NUM} & \text{pl} \end{bmatrix} \end{bmatrix} \end{bmatrix} \end{bmatrix}$$

## 4 Heads, complements, specifiers

- 1. Endocentric and exocentric constructions.
- 2. The notion of head:
- 2.1. most "important" item in the phrase;
- 2.2. same distribution with the entire phrase possible, not necessary;
- 2.3. obligatory in their phrase;
- 2.4. imposes restrictions on its dependents their number and form.
- 3. Typical head-dependent relations:
- 3.1. part-of-speech restriction;
- 3.2. agreement;
- 3.3. case

### 4.1 Adjunct/complement

- 1. How to tell:
- 1.1. If adjunct, then optional; equivalently, if obligatory, then complement.
- 1.2. The form of a complement is governed by its head; adjuncts have no syntactic or semantic restrictions only pragmatic plausibility.
- 1.3. Adjuncts can be indefinitely iterated in any orders; complements are limited in number and come in more restricted orders case take over for order in some languages.
- 2. Adjunct/complement distinction is cross-categorial; e.g. complement adverbials, adjunct NPs.
- 3. All objects are complements, but not vice-versa.
- 3.1. "Object" usually means a complement with an accusative case (direct object) or dative case (indirect object). In,
  - (30) John resorted to violence.

to violence is a prepositional complement of the verb resort; violence is an object of the preposition to. The complement to violence is obligatory (\*John resorted), the form of the complement is governed by resort (\*John resorted in violence.

- 3.2. Primary test for objecthood is passivization:
  - (31) a. I gave John the book.
    - b. John was given the book by me.
    - c. \*The book was given John.
  - (32) a. I gave the book to John.
    - b. The book was given to John by me.
    - c. \*To John was given the book.
    - d. \*John was given the book to.
  - (33) a. John resorted to violence.
    - b. \*To violence was resorted by John.
    - c. Violence was resorted to by John.<sup>2</sup>
- 3.3. Some non-objective complements of verbal heads:
  - (34) a. John relies [on Sue]. (prepositional)
    - o. John wants [to leave]. (infinitival)
    - c. John thinks [that he is a genius]. (finite/clausal)
    - d. Sue considers Bill [intelligent]. (adjectival)
    - e. Sue considers [leaving Bill]. (gerundive)
    - Sue treated Bill [cruelly]. (adverbial)
- 3.4. See Tallerman 2015:123–4 for typical complements of non-verbal heads.
- Transitive/intransitive distinction concerns whether a head gets an objective complement or not. Terminology becomes loose when it comes to "ditransitives".
- 5. The term "argument" usually appears in its semantic sense as components (=relata) of the relation denoted by the head.

 $<sup>^{2}</sup>$ On the basis of passivization data, it has been claimed that the preposition to is actually the part of the verb rather than the complement TODO:citation.

#### References

Chomsky, N. (1957). Syntactic Structures. Mouton, The Hague.

Chomsky, N. (1970). Remarks on nominalization. In R. Jacobs and P. Rosenbaum, editors, *Readings in English Transformational Grammar*, pages 184–221. Ginn, Waltham, Mass.

Chomsky, N. (1975). *The Logical Structure of Linguistic Theory*. Plenum Press, New York.

Gazdar, G., Klein, E., Pullum, G. K., and Sag, I. A. (1985). *Generalized Phrase Structure Grammar*. Harvard University Press, Cambridge, MA.

Ross, J. R. (1986). *Infinite Syntax!* Ablex Publishing Corporation, Norwood, NJ.

Sag, I. A., Wasow, T., and Bender, E. M. (2003). *Syntactic Theory: A Formal Introduction*. CSLI, Stanford, CA.

Shieber, S. (1986). *An Introduction to Unification-Based Approaches to Grammar*. CSLI Publications, Stanford, CA.

Tallerman, M. (2015). *Understanding Syntax*. Hodder Education, Croydon, UK, 4 edition.

#### **A Definitions**

**Definition A.1** (Feature structures with variables – variable clash possible) Let  $S_c$  be the set of symbols standing for complex features,  $S_a$  for atomic features, both disjoint from  $\mathbb{Z}^+$ . Let  $K_c$  be the set of indexed complex feature names defined as  $\{\langle n,\alpha\rangle \mid \alpha \in S_c \text{ and } n \in \mathbb{Z}^+\}$ , and likewise let  $K_a$  be the set of indexed atomic feature names defined as  $\{\langle n,\alpha\rangle \mid \alpha \in S_a \text{ and } n \in \mathbb{Z}^+\}$ .

The set of feature structures F is the smallest set satisfying,

- 1. If  $\alpha \in K_c$  and  $\beta \in K_a \cup \mathbb{Z}^+$ , then  $\{\langle \alpha, \beta \rangle\} \in F$ .
- 2. If  $\alpha \in K_c$  and  $\beta \in F$ , then  $\{\langle \alpha, \beta \rangle\} \in F$ .

3. If  $F_1$  and  $F_2 \in F$ , and Range(Dom( $F_1$ ))  $\cap$  Range(Dom( $F_2$ )) =  $\emptyset$ , then  $F_1 \cup F_2 \in F$ .