


Probability textbooks

Choose k of n distinct objects $\binom{n}{k}$

How many ways are there to choose a set of 3 from a set of 6 distinct books? Assume order doesn't matter.



$$\binom{6}{3} = \frac{6!}{3!3!} = 20 \text{ ways}$$

we select
three books but
don't care about
order of selection

we don't care about
order of books
we ignore either.



Lisa Yan, Chris Piech, Mehran Sahami, and Jerry Cain, CS109, Winter 2024

Stanford University 23

Probability textbooks

Choose k of n distinct objects $\binom{n}{k}$

- How many ways are there to choose 3 books from a set of 6 distinct books?

$$\binom{6}{3} = \frac{6!}{3!3!} = 20 \text{ ways}$$

- Two are by the same author. What if we don't want to choose both?

Strategy 1: Sum Rule

two books are by author with last name Steinbeck,
others by authors A, B, C, and D

partition
into three
cases

Steinbeck	Steinbeck	A	B	C	D	
✓	✗	—	—	—	—	→ $\binom{4}{2}$
✗	✓	—	—	—	—	→ $\binom{4}{2}$
✗	✗	—	—	—	—	→ $\binom{4}{3}$

answer is
 $2\binom{4}{2} + \binom{4}{3}$
 $= 16$

Lisa Yan, Chris Piech, Mehran Sahami, and Jerry Cain, CS109, Winter 2024

Stanford University 33

Probability textbooks

Choose k of n distinct objects $\binom{n}{k}$

1. How many ways are there to choose 3 books from a set of 6 distinct books?

$$\binom{6}{3} = \frac{6!}{3!3!} = 20 \text{ ways}$$

2. Two are by the same author. What if we don't want to choose both?

Strategy 2: "Forbidden method" (unofficial name)

count number of illegal/forbidden subsets

Steinbeck Steinbeck A B C D
 ✓ ✓ | select one |
 $= \binom{4}{1}$

answer is

$$\binom{6}{3} - \binom{4}{1} = 16$$

Forbidden method: It is sometimes easier to exclude invalid cases than to include cases.

Lisa Yan, Chris Piech, Mehran Sahami, and Jerry Cain, CS109, Winter 2024

Stanford University 34

Venture capitalists. #1

Divider method $\binom{n+r-1}{r-1}$
(n indistinct objects, r buckets)

You have \$10 million to invest in 4 companies (in units of \$1 million).

1. How many ways can you fully allocate your \$10 million?

Set up

$$x_1 + x_2 + x_3 + x_4 = 10$$

x_i : amount invested in company i

$$x_i \geq 0$$

x_i are integers

Solve

one such possibility

\$	\$	\$	\$
\$	\$	\$	\$
1	2	3	4

$$\binom{10+4-1}{4-1} = 286$$

Lisa Yan, Chris Piech, Mehran Sahami, and Jerry Cain, CS109, Winter 2024

Stanford University 48

Venture capitalists. #2

Divider method $\binom{n+r-1}{r-1}$
(n indistinct objects, r buckets)

You have \$10 million to invest in 4 companies (in units of \$1 million).

1. How many ways can you fully allocate your \$10 million?
2. What if you want to invest at least \$3 million in company 1?

Set up

$$x_1 + x_2 + x_3 + x_4 = 10$$

x_i : amount invested in company i

constraint that \$3 million goes to company 1, but

remaining \$7 million can be freely allocated. We're really solving

$$x_1 + x_2 + x_3 + x_4 = 7$$

Lisa Yan, Chris Piech, Mehran Sahami, and Jerry Cain, CS109, Winter 2024

Solve

$$\text{answer} = \binom{7+4-1}{4-1} = 120$$

Stanford University 49

Venture capitalists. #3

Divider method $\binom{n+r-1}{r-1}$
(n indistinct objects, r buckets)

You have \$10 million to invest in 4 companies (in units of \$1 million).

1. How many ways can you fully allocate your \$10 million?
2. What if you want to invest at least \$3 million in company 1?
3. What if you don't have to invest all your money?

Set up

$$x_1 + x_2 + x_3 + x_4 \leq 10$$

x_i : amount invested in company i

$$x_i \geq 0$$

you are really solving this

$$x_1 + x_2 + x_3 + x_4 + \boxed{x_5} = 10, \text{ where}$$

x_5 counts the money you don't invest

Solve

$$\text{answer is } \binom{10+5-1}{5-1} = 1001$$

Lisa Yan, Chris Piech, Mehran Sahami, and Jerry Cain, CS109, Winter 2024

Stanford University 50