

$$\leq n^n$$

$$\gcd(a, b) = \gcd(b, a \bmod b)$$

7

..... $\leq n^k$

$$n^2 < n^3 < 2^n < 3^n < n!$$

$$n \log n < n^2 < n^n$$

$$\log(n!) = n \log n$$

$$\underline{2T(n-1) + 1}$$

$$\underline{7T(n/2) + O(n^2)}$$

Q

$$\tau(n, dr) \approx O((1 - m + c)m)$$

$$\tau(n, m) \approx O\left(\frac{(1 - m + c)m}{m + m^2 - m^2}\right)$$

9. *[Handwritten signature]*

$\Omega \times \frac{0.71}{\text{cycle}}$

Ω ~~224~~ path
224.

9

1

2

3

4

w

Q

Q

$O(V+E)$

Q

()

Q_f
w

224

Q

Q

224

Q

Q

10

$N/2:0, \text{ post } u \in 2$

()

w

Q



Exp 9

9

and: Mth

Q 1 7

For

DHG: No cycle

2



km

Q

$$\frac{\pi(n/2)}{2} \neq 0$$

Q



α

$\log_2(2^n)$

~~α~~

$\log_3(2^n)$

$$\begin{aligned} \gcd(n, n) \\ = \gcd(n, n \bmod n) \end{aligned}$$

$$T(n) = aT(n/b) + f(n)$$



$$aT(n/b) + f(n) \text{ where } n$$

~~9~~

~~7~~

12 2 1 5 4 3
2 6 1 4 3
2 6 1 3 4 9 8
4 2 6 1 3 4 8

9

1. ~~LR~~
2. ~~LR~~
3. ~~LR~~

4

$$\min(\quad) \approx 0.$$

4



$$\frac{n \left(\frac{n}{2} \right) + O(n^2)}{n \log n}$$

9 0 0





$$\star \left(\begin{array}{l} \eta T(a/2) \in O(n^2) \\ \phi(n \log n) \end{array} \right)$$

✓

At

2nd
n
spn
(ow)

CCC →
 α α α

↓ ↓
 0 2 3 5 6 7 10 10 10
 1 4 6
 ✓ ✓ ✓

~

0/1/4/1

?

4

2

~ $\text{int} f(l)$
O $\text{int} k$
O $(d(n+r))$

$d(a+r)$
/

Q

↑
.....

.....

Q

2321
B4RBER


123456

Q

Q

/

Q (art 5)



$d = \begin{cases} d_1 \\ \max(d_1, d_2) \end{cases}$

d



Analys





(7

[17d1
1x d/2

Q

37 26 4 26 5
Ooh

h
V

13

c

Q ✓

~~Q~~

11

Q

✓

~~Q~~

wave 1


wave
(wave)

1

2
Q
wave

Q
ref (ref)

2 ✓



~~Handwritten scribbles and symbols~~

~~Handwritten symbol~~

2^n
 $\log$
 $n \log n$

$\Omega -$

$$J = a/a_n$$

1411

