


<< [See all 24 Products in Family](#)

TECHSPEC®

10mm Length, T-Mount Extension Tube



Stock #52-294 ✓ In Stock

-

1

+

\$31<sup>.76</sup>

Qty 1-4	Qty 5+	Volume
\$31.76	\$28.67	Pricing

[Request Quote](#)

Product Downloads

-  STEP:step
-  PDF Drawing:pdf
-  IGES:igs
-  eDrawing:eprt
-  EO Spec Sheet

[Download All](#)

SPECIFICATIONS

General

Type:	Extension Tube	Function:	Extension Tube (Fixed)
-------	----------------	-----------	------------------------

Physical & Mechanical Properties

<b>Extension Length (mm):</b>	10.0	<b>Total Length (mm):</b>	13.45
<b>Outer Diameter (mm):</b>	48.0	<b>Clear Aperture CA (mm):</b>	37.0

### Threading & Mounting

<b>Thread Type:</b>	T-Mount
---------------------	---------

### Regulatory Compliance

<b>RoHS 2015:</b>	<a href="#">Compliant</a>	<b>Certificate of Conformance:</b>	<a href="#">View</a>
<b>REACH 241:</b>	<a href="#">Compliant</a>		










## PRODUCT DETAILS

- Used for Adding a Fixed Tube Extension to Optical Systems
- Feature Male/Female Threads at Opposite Ends
- Black Anodized Aluminum Construction

TECHSPEC® C, S, and T-Mount Extension Tubes add extension length to an optical system while blocking external light and debris from entering the system. Extension tubes are available with C, S, or T-Mount threading, allowing them to be integrated into a wide range of systems and applications. Their black anodized aluminum construction, combined with a threaded inner diameter, ensures that stray light is reduced within the system. TECHSPEC C, S, and T-Mount Extension Tubes feature different lengths that can be combined to create the exact extension length needed for a specific application. The actual tube length is longer than the extension length due to the male threaded portion.

## ACCESSORIES

**Note:** Compatible accessories for individual stock numbers may vary. If unsure about which accessories work with your products, please contact us [here](#).

	Title 	Compare	Stock Number 	Price 	Buy
MORE+	Mounting Clamp, 1.75" Centerline, 30mm ID		#56-870	\$189.75 Request Quote	✓ In Stock <input type="text"/> 
MORE+	S-Mount Extension Tube Kit		#68-226	\$198.45 Qty 5+ \$175.67 Request Quote	CONTACT US <input type="text"/> 
MORE+	S-Mount Retainer Ring		#63-969	\$17.33 Qty 5+ \$15.44 Request Quote	✓ In Stock <input type="text"/> 
MORE+	C-Mount Retainer Ring		#58-740	\$18.38 Qty 5+ \$16.49 Request Quote	✓ In Stock <input type="text"/> 
MORE+	C-Mount Extension Tube Kit		#54-668	\$349.65 Qty 5+ \$308.39 Request Quote	✓ In Stock <input type="text"/> 
MORE+	T-Mount Retainer Ring		#58-741	\$18.38 Qty 5+ \$16.49 Request Quote	✓ In Stock <input type="text"/> 

RELATED PRODUCTS



C, S, and T-Mount  
Components



Acktar Hexa-Black™  
C-Mount Noise  
Reduction Extension  
Tubes



C, S, and T-Mount  
Brass Spacer Rings



C, S, and T-Mount  
Fine Thread Focus  
Tubes

FREQUENTLY PURCHASED TOGETHER



#03-625 - 30mm -  
50mm Length, C-  
Mount Fine Focus  
Tube

\$112.35



#03-627 - C-Mount  
Male to Olympus  
(RMS/DIN) Female  
Step-Down Adapter

\$49.61



#03-628 - 23mm  
Diameter, C-Mount  
Eyepiece Mount

\$44.36



#00-736 - 7.75" x  
10.75" Sheets,  
Industrial Grade Lens  
Tissue

\$66.50



RESOURCES

Media Type

☐ Application

☐ Note

☐ FAQ

☐ Video

☐ Glossary term

☐ Trending in

Optics

APPLICATION

NOTE

A Closer

Look at

Kinematic

Movemen

? FAQ

How do

truncated

optics

eliminat...

VIDEO

E-Series

Kinematic

Optical

Mirror...

VIDEO

Important

Concepts

for

Selectin...

VIDEO

TECHSPEC

90°

Kinematic

Adapter

GLOSSARY

TERM

Gimbal

VIEW MORE

