

ProfiCut Direct Cut Header

The High Capacity Header for Direct Harvesting of all Crops

ZÜRN
H A R V E S T I N G



Best Performance in Whole Crop Harvest



Precise Cutting and Chopping in one Operation

The powerful ProfiCut direct cut header is the perfect solution for harvesting wholecrop silage with your Fendt Katana self-propelled forage harvester. With a working width of 6.20 m the ProfiCut direct cut header is well equipped for an effective harvest with the most powerful forage harvesters.

The robust construction of the ProfiCut ensures the direct harvest of biomass in all conditions. With the disc cutter bar the header is designed to achieve high working rates of up to 6 ha/h.

Superior Technology for Fendt Katana Forage Harvesters

The ProfiCut direct cutting header was specially designed for the Fendt Katana. Its design ensures the driver excellent visibility to the front.

The robust header adapts perfectly to the ground contours and allows a first class cutting quality. Four wide skid plates provide clean forage even with low stubble and high operating speeds up to 15 km/h. Due to direct drive the ProfiCut also impresses with its low power consumption therefore low fuel consumption.



Your requirements for a high-performance all crop direct cut header

- Harvest of biomass with minimal soil contamination for premium silage quality
- Precise cutting quality without leaf/ear losses - also in tough conditions and laid crops
- Universal use in different crops: cereals, grass, clover, lucerne/alfalfa, sunflowers, milo/sorghum
- Robust construction for operation with the most powerful forage harvesters

Zürn ProfiCut:
The Fendt recommended solution
for the direct harvesting of biomass

Even Stubble Length, Precise Cutting Quality and Best Chopping Quality



Zürn ProfiCut 620 - Maximized Capacity and Reliability

- Best cutting quality with the Kuhn disc mower bar
- High output with working speed up to 15 kph
- Minimized soil contamination of feed and best ground contour following due to adapting headstock frame and four wide, adjustable skid plates
- Best crop flow in high yields with floating auger and adjustable feeding paddles
- Very robust drive lines with premium components
- Central drive of mower bars for best synchronisation of mower discs and low loads on the cutterbar gears



The ProfiCut direct cutting header scores with the quality of work: The header leaves a very uniform, clean stubble in low and high yields. The mower discs also cut laid crops precisely. Perfect conditions for an excellent forage quality!

Fast on the road

In the production of the ProfiCut direct cutting header we consistently focus on the use of high quality components.

The clever design and world-wide proven technology offer high reliability and easy maintenance.

Special crop conditions in the production of biomass require special solutions.

Even for difficult operations Zürn offers the right accessories for a successful harvest without downtime.



In order to reduce time lost during transportation forage harvesters are usually driven fast on the road. Therefore our header transporter model 600 is braked on both axes as standard and meets all the requirements of traffic regulations for approval up to 40 km/h.


A long wheelbase, three-point support and the pendulum front axle provide a high driving stability and comfortable tracking properties for this transporter.

Thanks to the new supports with mechanical header locking device the ProfiCut is secured quickly and easily on the header transporter.



With the Zürn header transporter you transport your ProfiCut direct cutting header quickly and safely to the destination.

Maximum Performance and Reliability



Feed shaft, header mount and drive unit are perfectly matched to the Fendt Katana. The feed drum ensures a smooth handover of the crop to the feedrolls.




The worldwide proven Kuhn disc mower bar with quick-change knife system convinces with excellent cutting quality, high functional reliability and low maintenance effort.



Due to the short distance between the central drive units, the two mower bars are synchronized perfectly. Even after many hours of operation, there is no risk of the blades colliding.

Reduced power consumption due to direct drive lines: drive shaft with slip clutch (1), maintenance free belt drive of the mower bar (2), and chain drive for feeding auger (3).



Due to the automatic chain lubrication system (4) the lubricant is applied continuously and precisely on the chain. For less wear and higher reliability.



For hardest working conditions, the four skid plates can be optionally equipped with wear-resistant Hardox plates.




Technical Details



At large harvest volumes the floating auger (Ø 600 mm) can move upwards by up to 70 mm - for a smooth cropflow under all conditions.

The hydraulically driven side knives cleanly cut through tangled energy crops (option).



ProfiCut 620	
Description	Direct cut header for harvest of whole crop silage with self-propelled forage harvesters Fendt Katana.
Working width	6.20 m (20 ft)
Operating speed	5 - 15 km/h
Work rate	up to 6 ha/h
Cutting height	5 - 15 cm
Qty. mower discs	2 x 8
Qty. knives	32 (2/disc)
Rpm mower discs	3,000 min ⁻¹
Ø Feeding auger	600 mm
↑ ↓ Feeding auger	70 mm
Drives	3,000 Nm slip clutch, maintenance free belt drive of the mower bar, chain drive with radial pin clutch for feeding auger
Drive power required	74 kW (100 hp)
Adapter frame	height adjustable (4 positions), cutting angle adjustment; pendular suspension forager-sided
Qty. skid plates	4
Hardox plates for skid plates	○
Central chain lubrication system	●
Operating hours counter	○
Hydr. vertical cutter bars	○
Weight	3,050 kg

SWW 600-620		
Description		2-Axle header transporter with turntable steering for direct cutting header Zürn ProfiCut.
Recommended for headers		6.20 m (20 ft)
Number of supports		2
Dimensions	Length	11,020 mm
	Width	2,425 mm
	Loading length	6,710 mm
Weight		1,800 kg
Max. permissible weight		6,800 kg
Payload		5,000 kg
Tyre equipment		10.0 / 75 - 15.3 18 PR
Supports with mechanical header locking device		•
Parking brake		•
Overrun brake with auto-reverse		•
Lighting		•
Type-approval		approval up to 40 km/h

This literature has been compiled for worldwide circulation. Some illustrations and text may include product options and accessories not available in all regions. Please contact your local dealer for details.

Zürn Harvesting reserves the right to change specification and design to products described in this literature without notice.



Our Product Range

The company Zürn was founded in 1885 as a blacksmith shop. In 1963 Zürn became a John Deere dealership.

For more than 30 years Zürn has been developing and producing attachments for combine and forage harvesters for all manufacturers.

The extensive range of products extends from header attachments for rape and sunflower harvesting, to the direct cutting ProfiCut header and the high-performance PremiumFlow belt header. Header transporters complete our portfolio.

At our Hohebuch factory we have developed, produced and sold grain-clean plot combines for field research since 2004.

Zürn has many years of production and service experience. Therefore we can assure you of high-performing, reliable machines and attachments which are designed for use in all conditions.



PremiumFlow Belt Header



RapsProfi II Header Extension



RapsCompact Side Knife



Sunflower Header Extension



Header Transporters



Zürn 150 Plot Combine



RapsProfi II Rape Header Extension

- Extension of the cutting table by 80 cm
- unmatched easy and fast installation and removal
- mechanical drive of the slim side knives - no overhead drive unit

Dealer:

Zürn Harvesting GmbH & Co. KG

Kapellenstraße 1
D - 74214 Schöntal-Westernhausen
Tel.: +49 (0) 7943 9105-0
Fax: +49 (0) 7943 9105-33
info@zuern.de • www.zuern.de

ZÜRN
H A R V E S T I N G