

fixing of joists over.

FOR: MR. R. & MRS. R. SEBASTIAN


FINAL CONSTRUCTION - 09.08.16

Amended - 20.06.16 MJB Amended - 26.05.16 MJB PREPARED - 20.05.16 MJB

SHEET:

OF 8

JOB NO: 77 | 4/15




## FLOOR JOISTS


SCALE 1:100

- \* Set down wet area joists 35mm and shower recess ioists an additional 25mm
- \* Set down Deck joists 45mm \$ pack up to floor level over the back span
- \* SJ Denotes tilling smart joists
- \* LVL Denotes tilling smart lvl

Amended - 20.06.16 MJB FINAL CONSTRUCTION - 09.08.16 FOR: MR. R. & MRS. R. SEBASTIAN SHEET: 2 OF 8 Amended - 26.05.16 MJB PREPARED - 20.05.16 MJB AT: 28 WOOD STREET, LANE COVE WEST. NSW. 2066. JOB NO: 77 | 4/15 |



AT: 28 WOOD STREET, LANE COVE WEST. NSW. 2066.



FOR: MR. R. \$ MRS. R. SEBASTIAN

FINAL CONSTRUCTION - 09.08.16


Amended - 20.06.16 MJB Amended - 26.05.16 MJB PREPARED - 20.05.16 MJB


SHEET: 4 OF 8

AT: 28 WOOD STREET, LANE COVE WEST. NSW. 2066.

JOB NO: 77 | 4/15

D Cape Co





## PACKER LAYOUT

SCALE 1:100

 Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.

\* Provide 100x50 plate to top of steel beams to allow fixing of joists over.

FOR: MR. R. \$ MRS. R. SEBASTIAN

FINAL CONSTRUCTION - 09.08.16

Amended - 20.06.16 MJB Amended - 26.05.16 MJB PREPARED - 20.05.16 MJB


NJB SHEET:

6 OF 8

2066

JOB NO: 77 | 4/15

D Cape Co



AT: 28 WOOD STREET, LANE COVE WEST. NSW. 2066.

JOB NO: 77 | 4/15

