

PACKER LAYOUT

SCALE 1:100

- * Note: Steel beam/timber intel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- * X - Denotes, site check for min. 3 stud cluster under.
- * Y - Denotes, site check for min. 2/90mm steel double stud under.

FOR: MR. M & MRS S STARR & MR N & MRS K JARVIS

FINAL CONSTRUCTION - 17.08.17



AMENDED - 20.06.17 CS
PREPARED - 07.06.17 CS

SHEET: 1 OF 3

AT: 21 MERRIC COURT, OAKHURST. NSW. 2761.

JOB NO: 7839/17 C

Cape Cod
AUSTRALIA



DETAIL A
SCALE 1:20

FLOOR JOISTS

SCALE 1:100

- * Set down wet area joists 35mm and shower recess joists an additional 25mm
- * 5J - Denotes tilling smart joists
- * LVL - Denotes tilling smart lvl

FOR: MR. M & MRS S STARR & MR N & MRS K JARVIS

FINAL CONSTRUCTION - 17.08.17

AMENDED - 20.06.17 CS
PREPARED - 07.06.17 CS


SHEET: 2 OF 3

AT: 21 MERRIC COURT, OAKHURST. NSW. 2761.


JOB NO: 7839/17

C

Cape Cod
AUSTRALIA



BEAM 3: 150 UB 18



BEAM 4: 150 UB 18

STEELWORK DETAILS SCALE 1:10

FOR: MR. M & MRS S STARR & MR N & MRS K JARVIS

FINAL CONSTRUCTION - 17.08.17

AMENDED - 20.06.17 CS
PREPARED - 07.06.17 CS

SHEET: 3 OF 3

AT: 21 MERRIC COURT, OAKHURST. NSW. 2761.

JOB NO: 7839/17

C

Cape Cod
AUSTRALIA