


Legend

- SAC Air Conditioning Compressor
- DP Downpipe
- G Gully
- HL Heater/Light
- HWU Hot Water Unit
- MH Manhole
- MB Meter Box - Electrical
- Smoke Detector - Existing
- T Tap - Garden
- T.V. TV Antenna - Owner to relocate as required
- VP Sewer Vent Pipe
- WL Wall Light
- Velux Fixed Skylight 780x1180mm



Sub-Floor Plan

PROTECT PROBABLE ASBESTOS CEMENT [ACM] SHEET IN RETAINED LAUNDRY CEILING LINING FROM DAMAGE DURING THE COURSE OF THE WORKS

DEMOLITION & DISPOSAL SUMMARY


PARTIAL DEMOLITION OF THE RESIDENCE & THE REMOVAL, STORAGE, HANDLING & DISPOSAL OF BUILDING MATERIALS MUST BE CARRIED OUT "AS FAR AS IS REASONABLY PRACTICABLE" & IN ACCORDANCE WITH THE FOLLOWING WORK PLACE REGULATIONS;

WORK HEALTH & SAFETY ACT 2011 & REGULATIONS 2011
SAFE WORK NSW GUIDELINES & CODES OF PRACTICE
SAFework AUSTRALIA GUIDELINES & CODES OF PRACTICE
AUSTRALIAN STANDARD AS2601 (2001) - DEMOLITION OF STRUCTURES
NSW PROTECTION OF THE ENVIRONMENT OPERATIONS ACT -1997 [or as amended]
NSW PROTECTION OF THE ENVIRONMENT OPERATIONS [WASTE] REGULATION - 2014
RELEVANT NSW OFFICE OF ENVIRONMENT & HERITAGE [OEH] GUIDELINES
RANDWICK CITY COUNCIL CONDITIONS FOR DEVELOPMENT CONSENT


HAZARDOUS MATERIALS SUMMARY

DEMOLITION & DISPOSAL OF PRODUCTS & MATERIAL "THAT MAY" CONTAIN ASBESTOS [ACM] OR [ACD] IS TO BE "AS FAR AS IS REASONABLY PRACTICABLE" & IN ACCORDANCE WITH SAFE WORK NSW & SAFE WORK AUSTRALIA - CODES OF PRACTICE FOR THE SAFE REMOVAL OF ASBESTOS & ALL OTHER AUTHORITY REQUIREMENTS.

PROBABLE ASBESTOS CEMENT [AC] SHEET TO FRONT PORCH SOFFIT & LAUNDRY CEILING LININGS
PROBABLE ASBESTOS CEMENT [AC] WEATHERBOARDS TO REAR SECTION CLADDING
MALTHOID SARKING [ACM] TO UNDERSIDE OF ROOF TILES
SYNTHETIC MINERAL FIBRE [SMF] BATT INSULATION OVER ALL THE ROOF SPACE
MINIMUM CEILING DUST OBSERVED WITHIN THE ROOF SPACE
NIL EXPOSED LEAD BASED PAINTS OBSERVED



REMOVE & DISPOSE OF PROBABLE ASBESTOS CEMENT [ACM] WEATHERBOARDS IN A MANNER APPROVED BY SAFE WORK NSW, NSW OEH & RANDWICK CITY COUNCIL



Ground Floor Plan

REMOVE & DISPOSE OF MALTHOID SARKING [ACM] TO ROOFING TILES & SYNTHETIC MINERAL FIBRE BATT INSULATION [SMF] IN ROOF SPACE IN A MANNER APPROVED BY SAFE WORK NSW, NSW OEH & RANDWICK CITY COUNCIL