

PACKER LAYOUT

SCALE 1:100

- * Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- * Provide 100x50 plate to top of steel beams to allow fixing of joists over.
- * 'X' Denotes site check for min 3 stud cluster down to concrete slab under.
- * Y Denotes, ensure min 3 studs remain at rip down of G/Floor wall

FOR: MR. D DI FRANCESCO \$ MS. A HEMMINGS


FINAL CONSTRUCTION - 07.12.16


AMENDED - 09.11.16 CS PREPARED - 25.10.16 CS


OF 7 SHEET:


JOB NO: 778 1/16


AT: 5 I EASTERN AVENUE, KINGSFORD. NSW. 2032.















BRACKET I - 2 OFF



BRACKET 2 - 2 OFF (Galvanised)

STEEL BRACKET DETAILS

SCALE 1:10

FOR: MR. D DI FRANCESCO \$ MS. A HEMMINGS

FINAL CONSTRUCTION - 07.12.16

AMENDED - 09.11.16 CS PREPARED - 25.10.16 CS SHEET: 7 OF 7

o∠.

JOB NO: 778 1/16

1/16 C

AT: 5 | EASTERN AVENUE, KINGSFORD. NSW. 2032.