

DS: 2/70X45 F5 Double Stud

PACKER LAYOUT

SCALE 1:100

- * Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- * Provide 100x50 plate to top of steel beams to allow fixing of joists over.


FOR: MR. L. \$ MRS. G. BILFOLCO

FINAL CONSTRUCTION - 17.12.14

AMENDED - 12.15.14 GJ PREPARED - 10.11.14 GJ SHEET: | OF 3

AT: 12 MOONBI CLOSE, GREENFIELD PARK. NSW. 2176.

JOB NO: 7585/14



FLOOR JOISTS

SCALE 1:100

FOR: MR. L. \$ MRS. G. BILFOLCO

FINAL CONSTRUCTION - 17.12.14

AMENDED - 12.15.14 GJ
PREPARED - 10.11.14 GJ


SHEET: 2 OF 3

AT: 12 MOONBI CLOSE, GREENFIELD PARK. NSW. 2176.

^{*} Set down wet area joists 35mm and shower recess joists an additional 25mm

^{*} SJ - Denotes tilling smart joists

^{*} LVL - Denotes tilling smart lvl



Beam 3, 150 UB 14

STEEL DETAIL

SCALE 1:10

FOR: MR. L. \$ MRS. G. BILFOLCO

FINAL CONSTRUCTION - 17.12.14 AMENDED - 12.15.14 GJ PREPARED - 10.11.14 GJ PREPARE