

PACKER LAYOUT

SCALE 1:100

- * Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- * Provide min. I 00x50 plate to top of steel beams to allow fixing of joists over.

FOR: MR. C. \$ MRS. A. MURRAY

FINAL CONSTRUCTION - 02.12.15


PREPARED - 27.09.15 MJB

SHEET: 1 OF 5

AT: 19 VISTA AVENUE, BALGOWLAH HEIGHTS. NSW. 2093.

JOB NO: 7644/15 B

Cape Cod



* Set down Patio joists 60mm

* SJ - Denotes tilling smart joists

* LVL - Denotes tilling smart Ivl

FINAL CONSTRUCTION - 02.12.15 FOR: MR. C. \$ MRS. A. MURRAY


PREPARED - 27.09.15 MJB

JOB NO: 7644/15

OF 5

SHEET: 2

AT: 19 VISTA AVENUE, BALGOWLAH HEIGHTS. NSW. 2093.



STEEL DETAIL SCALE 1:10


FINAL CONSTRUCTION - 02.12.15 FOR: MR. C. \$ MRS. A. MURRAY

PREPARED - 27.09.15 MJB


SHEET: 3 OF 5

AT: 19 VISTA AVENUE, BALGOWLAH HEIGHTS. NSW. 2093.

JOB NO: 7644/15 B



FOR: MR. C. & MRS. A. MURRAY	FINAL CONSTRUCTION - 02.12	2.15 PREPARED - 27.09.15 MJB	SHEET: 4 OF 5
AT: 19 VISTA AVENUE, BALGOWLAH HEIGHTS. NSW. 2093.		JOB NO: 7644/15 E	Cape Cod



FINAL CONSTRUCTION - 02.12.15 FOR: MR. C. \$ MRS. A. MURRAY SHEET: 5 OF 5 PREPARED - 27.09.15 MJB JOB NO: 7644/15 B