


### 1000 FOR THE PROPERTY OF T				
March Marc	BASIV COMMITMENTS			
WARD 00 D70900 Washington and Section 1997 Washington 1997		COMMINITIVIENTS		
March 1997		IDEC AND CVCTENC		
COUNTY OF THE WAS AND ADDRESS OF THE WAS AND ADDRESS OF THE WAS ADDR	FIXIU			
Miles March Sept March Sept March Sept Sep	TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE			
PRINT 1 1 1 1 1 1 1 1 1	· '			
Total State	ALTERED TOILETS 3 STAR RATED			
State Control Contro		ATION REQUIREMENTS		
## 160-## 170-## 200-## 180-## 200-## 180-## 200-## 180-## 200-## 180-## 200-## 180-## 200-## 180-## 200-##	RO.60 (DOWN)(or KT.30 INCLUDING			
Sec. Control	ABOVE EXISTING NG OR BUILDING			
Project (1970) Proj	AL WALL: VENEER	R1.16(or R1.70 INCLUDING CONSTRUCTION)		
## Commence of the control of the co	AL WALL: EXTERNAL TED FACADE SYSTEM ACADE PANEL:50mm)	NIL		
SCOP FORMING SERVICE (COURSE) COURSE	CEILING,	CFILING: R 95 (UP)		
## PROF. ASSAURT SHARET STORY OF SAME SECTION ASSAURT SAME SHARET STORY OF SAME SECTION ASSAURT SAME SAME SAME SAME SAME SAME SAME SAME	D ROOF	ROOF: FOIL/BACKED BLANKET (55mm)		
BOURDING MACHINERS 12 12 12 12 12 12 12 1	CEILING D / SKILLION ROOF: D	ROOF: FOIL/BACKED BLANKET (55mm)		
### STRONGO ALIMBRIUM, SHOLE CLICK, (CR 1474), 79(74), 27(74),	, , ,			
STANDARD ALLMANDA, SHADE CLEAR, OR CLE				
MASTER DEPARTMENT FOR COLORS OF PROJECT OF STREET PROJECT OF STREE				
THE COPE INTERNALARCON PLUCIDER DETENDING UNVALUE 2.5, SHECK OURSO SHADONG DEVICES SHADONG DEV	W3, W5, W6, \$ W10,			
SHADING DEVICES 19 (179 mm) 179 mm 10	GHT			
S ONNE 2 YERANDAH / PERSONA / BALCOMY > 48/0M BARSE BOARDS MATERIAL PROFINISHED ZINCALLME F PLAN CRECK TO RECIPION TOX COLNOL D SURVEY'S BASIC DETAILS ADDED \$ TO CO. SU	SHAD	ING DEVICES		
BARGE POARDS MATERIAL PREFINISHED ZINCALIME EACH / VERNISHAN / PERSON A / BALCONY	WS			
2 - 430MM EAVE / VERANDAH / PERCOLA / BALCONY 2 - 600MM EAVE / VERANDAH / PERCOLA / BALCONY 2 - 600MM A, WS. NONE MONE HOT WATER UNIT CONNECT TO EXISTING HOT WATER UNIT CONNECT TO EXISTING NO. I 99UE PARTITING - REFER TO SPECIFICATION FOR THE PICTURE OF WORK GROUND FLOOR EXTERNAL: BY CAPE COD GROUND FLOOR EXTERNAL: BY		FAVE / VERANDAH / PERGOLA / BALCONY		
EAVE / VERANDAH / PERGOLA / BACKONY	WTO,			
Second A, WS, NONE HOT WATER UNIT CONNECT TO EXISTING NONE NONE PAINTING - REFER TO SPECIFICATION FOR THE STEED OF EXTERNAL: BY CAPE COD ROUND FLOOR EXTERNAL BY CAPE COD ROUND F		EAVE / VEDANDALL / DED COLA / DAL CONV		
MATERIAL: PREPINISHED ZINCALIME B TO CLIENT A TECHNICAL NO. 159JE PAINTING - REFER TO SPECIFICATION FOR THE DATE NALL BY CAPE COD FIRST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY CAPE COD GROUND FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR EXTERNAL: BY CAPE COD FROM THE DATE OF THE DESIGN AND FLOOR EXTERNAL: BY CAPE COD GROUND FLOOR EXTERNAL: BY CAPE COD FROM THE DATE OF THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE SOLE PLAPPOSE OF ENTERING INTO A BUILDING CONSTRUCT WITH THE COMMANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PRANT WHOLE OWN FROM THE COMMANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PRANT WHOLE OWN FROM THE COMMANY.				
NONE NONE NONE NONE NONE NONE TECHNICAL NO. ISSUE DESIGN CONSULTANT: TERRY SMITH PAINTING - REPER TO SPECIFICATION FOR THEST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY CAPE COD GROUND FLOOR EXTERNAL: BY CAPE COD ADDITIONS \$ ALTERAT FINISHED GROUND LEVEL-3 FIBER THAT GROUND WORK. CONDITIONS. DO NOT SCALE OFF DRAWINGS. ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONTRACT. MEASURE DURING CONSTRUCTION. NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING. COPPOSIGNT. THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS SHOUT FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT. WITH THE COMPANY, IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN FERMISSION FROM THE COMPANY, IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN FERMISSION FROM THE COMPANY, IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN FERMISSION FROM THE COMPANY, IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN FERMINSHALL BY CAPE COD AND IS SHOUT THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN FERMINSHALL BY CAPE COD AND IS SHOUT THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN FERMINGHMENDAL BY CAPE COD AND IS SHOUT THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN FERMINGHMENDAL BY CAPE COD AND IS SHOUT THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN FERMINGHMENDAL BY CAPE COD AND IS SHOUT THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT BY CAPE COD AND IS SHOUT THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT BY CAPE COD AND IS SHOUT BY CAPE COD AND IS SHOUT BY CAPE COD				
PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK THE EXTENT OF WORK CONDITIONS. PRINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK	/2, W3, W4, W5, /8, \$ W9,	NONE		
PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK PROPOSED ADDITIONS \$ ALTERAT FLOOR EXTERNAL: BY CAPE COD GROUND FLOOR EXTENSION INTERNAL: BY OWNER FINISHED GROUND LEVELS OF THE EXTENT OF WORK PROPOSED ADDITIONS \$ ALTERAT FOR MR M BICKNELL \$ MS FOR MR MR M BICKNELL \$ MS FOR MR M BICKNELL \$				
SPECIFICATION FOR THE EXTENT OF WORK FINISHED GROUND FLOOR EXTENSION INTERNAL: BY OWNER GROUND FLOOR EXTENSION INTERNAL: BY OWNER FINISHED GROUND LEVELS SEPTING TO AFTERATION AND REPOVATION WORK CONDITIONS. DO NOT SCALE OFF DRAWINGS. ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION. NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING. COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY, IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY, IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY.		NONE		
CONDITIONS. DO NOT SCALE OFF DRAWINGS. ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION. NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING. COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITHEN PERMISSION FROM THE COMPANY.				
DO NOT SCALE OFF DRAWINGS. ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION. NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING. COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN PERSON THE ORD THE COMPANY.				
ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION. NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING. COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE COMPANY. WITH THE COMPANY. PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY. COUNCIL: WAVERLEY A.B.N CAPE COD A U S T R A L I A BUILD A U S T R A L I A BUILD A U S T R A L I A				
COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH COMPANY, IT MUST THE COMPANY, IT MUST THE PROPERTY OF CAPE COD AND IS BUILDING CONTRACT WITHOUT WRITTEN PERMISSION FROM THE COPPANY.				
COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY.				
PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY.				









Site Plan


No. : 66 Lot. : X


DP : 443811


AREA: 214.4m²(By TITLE) : 215m² (By DP)











WINDOW SC	HEDULE (BASI	X A20613	36) CHENT.		ALUMINIUM TREND WINDO	DWS:				
STANDARD NOTES:	,	•	CLILINI:		STANDARD ALUMINUM CO EX-STOCK COLOURS: PEA)LOURS: RL WHITE GLOSS, WHITE BIRCH,	ANODIC OFF WHITE.			
	ARE DRAWN AS VIEWED FROM	OUTSIDE	CLIENT:		PRIMROSE GLOSS, ANOD	IC NATURAL MATT, STONE BEIGI				
ALL WINDOWS COME WITH	TH "KEYED ALIKE" LOCKS "ED "R" HAVE RESTRICTED OPEN	JUNICS TO COMPLY WITH	H THE BUILDED	DATE	ULTRA BLACK.					
B.C.A 3.9.2.5	LD K HAVE RESTRICTED OF ER	NINGS TO COMILE WITH	IT ITIL DUILDER: .	DATE:	DESIGNER'S COLOURS AV. SILVER PEARL. DEEP OCEA	AILABLE: DUNE, JASPER, HAMMI AN, SURF MIST, MONUMENT, TR	ERSLEY BROWN, TREND END METALLIC CHARCO	AL. TERRAIN: 3	WIND LOAD: W 33 N	
	(WI)	COLOUR	GLAZING	SPECIAL NOTES			COLOUR	GLAZING	SPECIAL NOTES	
	(WI) ATL 09 8/2-152		SINGLE PYROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY		WIO PD 2108		SINGLE PYROLYTIC		
	NE ELEVATION / BEDROOM I	INSECT SCREEN	LOW-E, (OR U-VALUE: 3.99,	WITH BCA.		SW ELEVATION / HALL	INSECT SCREEN	LOW-E, (OR U-VALUE: 3.99,		
	ALUMINIUM	NOT SUPPLIED	SHGC: 0.4)			ALUMINIUM	NOT SUPPLIED	SHGC: 0.4)		
	LOUVRE		REVEAL			HINGED DOOR				
	OPEN / OPEN		I 40mm			OPEN				
	(W2) REUSE 2050x3000	COLOUR	GLAZING SINGLE PYROLYTIC	SPECIAL NOTES REUSE FOLDING DOORS FROM GROUND FLOOR	-					
	SE ELEVATION / BEDROOM 2	27.13	LOW-E, (OR	DEMOLITION. SITE CHECK OPENING SIZE.			_			
	ALUMINIUM	INSECT SCREEN	U-VALUE: 3.99, SHGC: 0.4)							
	BIFOLD	NOT SUPPLIED	REVEAL	_			_			
	OPEN / OPEN / OPEN / OPEN		I 40mm							
	QCC 0906 x 3 \$	COLOUR	GLAZING	SPECIAL NOTES						
	QCC 0906 x 3 # QPF 0406 x 3		SINGLE PYROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY						
	SW ELEVATION / BEDROOM :	2 INSECT SCREEN	LOW-E, (OR U-VALUE: 3.99,	WITH BCA.						
	ALUMINIUM	NOT SUPPLIED	SHGC: 0.4)							
FFF	CASEMENT		REVEAL							
	3 x OPEN OVER 3 x FIXED		I 40mm							
	(W4) ATL 08 2/2	COLOUR	GLAZING OBSCURED,	SPECIAL NOTES	-					
		_	(U-VALUE: 7.63,				_			
	SW ELEVATION / BATHROOM ALUMINIUM	INSECT SCREEN	SHGC: 0.75)							
	LOUVRE	NOT SUPPLIED	REVEAL				-		\dashv	
	OPEN / OPEN		I 40mm							
	QCC 0906 x 3 \$	COLOUR	GLAZING	SPECIAL NOTES						
	QCC 0906 x 3 # QPF 0406 x 3		SINGLE PYROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY						
	SW ELEVATION / BEDROOM	INSECT SCREEN	LOW-E, (OR U-VALUE: 3.99,	WITH BCA.						
	ALUMINIUM	NOT SUPPLIED	SHGC: 0.4)							
FFF	CASEMENT		REVEAL							
	3 x OPEN OVER 3 x FIXED		I 40mm							
	(W6) QCC 1218	COLOUR	GLAZING SINGLE PYROLYTIC	SPECIAL NOTES RESTRICT OPENING TO 1 25mm TO COMPLY	-					
	NW ELEVATION / BEDROOM	_	LOW-E, (OR	WITH BCA.			_			
	ALUMINIUM	INSECT SCREEN	U-VALUE: 3.99, SHGC: 0.4)							
R R	CASEMENT	NOT SUPPLIED	REVEAL				-		_	
	OPEN / OPEN		I 40mm							
	W7 GV 22 4 52 :	COLOUR	GLAZING	SPECIAL NOTES						
F	(W7) CW5D-4-204		SINGLE CLEAR,	CRESLITE.						
	SE ELEVATION / KITCHEN/FAN	INSECT SCREEN	(U-VALUE: 7.63, SHGC: 0.75)							
	ALUMINIUM	NOT SUPPLIED								
	STACKING OPEN / OPEN / FIXED		REVEAL	_						
	OI LIN / OF LIN / I IXED	COLOUR	I 40mm	CRECIAL NOTEC						
	(W8) ATL 2412/2-152	COLOUR	GLAZING SINGLE PYROLYTIC	SPECIAL NOTES	+				+	
	SW ELEVATION / KITCHEN/FAI		LOW-E, (U-VALUE:							
	ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.47)				_			
	LOUVRE	NOT SUPPLIED	REVEAL							
	OPEN / OPEN		I 40mm							
	W9 QPF SPECIAL 1775 x 1570	COLOUR	GLAZING	SPECIAL NOTES						
	1775 x 1570		SINGLE PYROLYTIC LOW-E, (OR	SITE MEASURE.						
F	SW ELEVATION / STAIRWELL	INSECT SCREEN	U-VALUE: 3.99,							
	ALUMINIUM	NOT APPLICABLE	SHGC: 0.4)							
	FIXED		REVEAL 140mm	\dashv						
			1							
OR MR M BICKN	ELL & MS F CATTE	IJ.	AT: 6	GE PLOWMAN STREET. NORTH BC	NDI NSW 2026		SCALE, I. NTS G	HEET. 8 OF 8	IOB NO: 7592/14	H Pana Pade