BASIX	COMMITMENTS					
CERTIFICATE NO. A282178						
	IRES AND SYSTEMS					
LIGHTING	MIN 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS					
WET AREAS: NEW OR ALTERED	SHOWER HEADS 3 STAR RATED TOILETS 3 STAR RATED TAPS 3 STAR RATED					
INSUL	ATION REQUIREMENTS					
FLOOR ABOVE EXISTING DWELLING OR BUILDING	NIL					
FLAT CEILING, PITCHED ROOF	CEILING: R 2.50 (UP) ROOF: FOIL/ SARKING DARK (SOLAR ABSORPTANCE >0.70)					
EXTERNAL WALL: BRICK VENEER (RO.54)	RI.IG (or RI.70 INCLUDING CONSTRUCTION)					
EXTERNAL WALL: EXTERNAL INSULATED FACADE SYSTEM (EIFS)(R2.48)	NIL					
GLAZI	NG REQUIREMENTS					
WINDOWS & SKYLIGHTS						
W  \$ W2	STANDARD ALUMINIUM, SINGLE PYROLYTIC LOW-E, (OR U-VALUE: 5.7, SHGC:0.47)					
W3 - W9	STANDARD ALUMINIUM, SINGLE CLEAR, (OR U-VALUE: 7.63, SHGC: 0.75)					
SLI, SL2 \$ SL3	TIMBER, LOW E INTERNAL/ ARGON FILL/ CLEAR EXTERNAL, (U-VALUE: 2.5, SHGC: 0.456)					
SHAD	VING DEVICES					
WINDOWS & SKYLIGHTS						
W1 - W9	EAVE / VERANDAH / PERGOLA / BALCONY >= GOOMM					
SL1, SL2 \$ SL3	NONE					
	1					

FINAL CONSTRUCTION.

EXTERNAL	PAINT	SCHEDULE

ITEM	BRAND eg. WATTYL	CODE	COLOUR
Barge Board - Party Wall	Colorbond		Deep Ocean
Fascia Board			Deep Ocean
Soffit Lining			Aura
Wall Cladding			Invisible

# SPECIFICATION SUMMARY

### STRUCTURAL TIMBER - All to ASA 1684.2

WALLS: F5 SOFTWOOD 90 X 35 EXT. STUDS @ .600 CTS 70 X 35 INT. STUDS @ .600 CTS

ROOF: ROOF TRUSSES TO MANUFACTURERS DETAILS @ .600 CTS

FLOOR: REFER TO STRUCTURAL LAYOUTS WIND LOAD W 28 N

SHOWN.

## **FINISHES**

ROOF COVERING

ROOF SARKING

INSULATION

(FIBREGLASS)

INTERNAL FIXINGS

INTERNAL DOORS

TIMBER BALUSTRADE

STAIRCASE MAPLE TREADS

FASCIA #

BARGE BOARDS

HOT WATER UNIT

PAINTING - REFER TO SPECIFICATION FOR

THE EXTENT OF WORK

BRICKWORK SELECT COMMONS BRICKWORK TO PARTY WALL 19MM STRUCTURAL PARTICLEBOARD WITH EX FLOORING I 13x25mm CYPRESS PINE T&G FLOOR BOARDS OVER. 75mm POLYSTYRENE WALL SHEETING FIXED TO 20mm CLADDING BATTENS OVER POLASTIC INSULATION BLANKET FRAME: PREFINISHED ALUMINIUM WINDOWS - TREND KEYED LOCKS (TERRAIN: 3) INSECT SCREENS: BY OWNER

TERRA COTTA ROOF TILES TO MATCH EXISTING AS

CLOSE AS POSSIBLE, REUSE EXISTING TILES WHERE

FLAME RETARDANT DOUBLE SIDED ALUMINIUM FOIL

R4.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA R1.5 BATTS TO FIRST FLOOR EXTERNAL WALL FRAMES

PRIMED HARDBOARD CORINTHIAN "COLONIAL" DOORS

I 2mm POLASTIC INSULATION BLANKET TO FIRST

FLOOR EXTERNAL WALL FRAMES

SKIRTING: Ex. 75x25mm "BULLNOSE" ARCHITRAVE: Ex. 75x25mm "BULLNOSE"

SOLID CORE TO BEDROOM 4, ENTRY. HOLLOW CORE ELESWHERE. TYPE: OPEN TIMBER

DAR: FINGER JOINTED PINE

PAINTING TO ALTERATION AND RENOVATION WORK

### SPECIAL NOTES

- PROVIDE TWO (2) SMOKE DETECTORS AS SHOWN-9-
- PROVIDE DUCTED HOME VENTILATION SYSTEM UTILIZING ROOF SPACE.
- CONNECT/INSTALL SIXTEEN (16) DOWNLIGHT FITTINGS & ONE (1) FAN/LIGHT/HEATER UNIT (AS SUPPLIED BY THE OWNER).
- REUSE EXISTING SMOKE DETECTORS IF POSSIBLE ELECTRICIAN TO CHECK FOR COMPLIANCE WITH NCC.

## WORKS BY OWNER

- REMOVAL \$ INSTALLATION OF T.V ANTENNA IF REQUIRED \$ CONNECTION TO NEW AND EXISTING TV POINTS.
- CONNECTION OF NEW COAXIAL CABLE "T.V.POINT" TO EXISTING AND/OR NEW T.V. AERIAL
- SUPPLY SIXTEEN (16) DOWNLIGHT FITTINGS \$ ONE (1) FAN/LIGHT/HEATER LIMIT
- SANDING & FINISHING TO NEW T&G FLOORING TO FIRST FLOOR.
- PROVIDE INSECT SCREENS TO WINDOWS AS REQUIRED.
- PROVIDE TELEPHONE, INTERNET, AND/OR PAY TV CABLING IF REQUIRED.
- EXTEND EXISTING KITCHEN RANGEHOOD FLU IF REQUIRED.

	WIDTH: 900mm							
	RISE: 19 @ 189mm	Н	FINAL CONSTRUCTION	JE	16-08-17			
	GOING: 240mm (260mm TREAD)	G	TO CONTRACTS	NL	28-07-17			
	MATERIAL: PREFINISHED METAL ADJACENT PARTY WALL	F	PLAN CHECK	BJP	24-07-17			
	DAR TIMBER ELSEWHERE	E	BASIX ADDED \$ TO COUNCIL	M.P.	29-05-17			
			P.O.V-19364	B.P.	05-05-17			
	TYPE: QUAD	С	P.O.V-19338 \$ CLIENT CHECK	M.P./S.M.	04-04-17			
	MATERIAL: PREFINISHED ZINCALUME GUTTER COLOUR: MOUNTAIN BLUE DOWNPIPE COLOUR: MOUNTAIN BLUE	В	TO CLIENT	S.M.	03-03-17			
		Α	TECHNICAL	S.M.	24-02-17			
	CONNECT TO EXISTING	No.	ISSUE	DRAWN	DATE			
		DESIGN CONSULTANT: ROSS ALLEN						
	FIRST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY OWNER	PROPOSED ADDITIONS # ALTERATIONS						

FINISHED GROUND LEVELS SHOWN ON PLAN ARE SUBJECT TO SITE CONDITIONS.

DO NOT SCALE OFF DRAWINGS.

GUTTERS & DOWNPIPES TYPE: QUAD

ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION.

TO BE BY THE OWNER

NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.

COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY.

FOR MS S BEUKES & MS C WEST

AT 10 COLLEGE STREET GLADESVILLE NSW 2111

COUNCIL: RYDE




A.B.N. 54 000 605 407


SUITE 41, 410 CHURCH STREET, NORTH PARRAMATTA 2151 PHONE: (02) 9849 4444 BUILDERS LICENCE NO. 5519


SHEET: 1 OF 8


JOB NO: 7834/17


Н
















WINDOW SCHE	DULE (BASIX A282	178)	_	CLIENT:		ALUMINIUM TREND WINDOW	<del>_</del>						
STANDARD NOTES:						STANDARD ALUMINUM COLO EX-STOCK COLOURS: PEARL	WHITE GLOSS, DUNE, STON						
	S ARE DRAWN AS VIEWED FROM	OUTSIDE	С	LIENT:		ANODIC OFF WHITE, ANOD	IC NATURAL MATT, WOODLAN	ND GREY, ULTRA BLACK.					
	WITH "KEYED ALIKE" LOCKS IOTED "R" HAVE RESTRICTED OPE	NINGS TO COMPLY WITI	H THE B	UILDER:	DATE:	DESIGNER'S COLOURS AVAI BROWN, TREND SILVER PEA	LABLE: WHITE BIRCH, PRIMR	OSE GLOSS, HAMMERSLEY	,				
NCC 3.9.2.5						CHARCOAL, IRONSTONE.	THE, DEET OCEAN, SON WIS	T, JASI EK, TKEND METALLI	TERRAIN: 3	WIND LOAD: \	₩ 28 N		
	(WI) SWDD 1214	COLOUR PEARL WHITE	GLAZING		SPECIAL NOTES								
RR	0 3 1 2 1 1	PEARL WHITE	SINGLE PYROL LOW-E, (U-VA)		RESTRICT BOTTOM SASH OPENINGS TO I 25mm TO COMPLY WITH NCC.			_					
	NE ELEVATION / BEDROOM 4 ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.	.47)									
		BY OWNER	REVEAL										
	DOUBLE HUNG OPEN / OPEN x 2		I 40mm					-					
	(4/0)	COLOUR	GLAZING		SPECIAL NOTES								
	(W2) SWD 1207	PEARL WHITE	SINGLE PYROL		RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH NCC.	]							
	NE ELEVATION / BEDROOM 4	4 INSECT SCREEN	LOW-E, (U-VA) 5.7, SHGC:0.		TO COM LI WITTINGO.								
<u>F</u>	ALUMINIUM	BY OWNER											
	DOUBLE HUNG OPEN / OPEN		REVEAL I 40mm										
		COLOUR	GLAZING		SPECIAL NOTES								
	(W3) SWD 1407	PEARL WHITE	SINGLE CLEAR	₹,	RESTRICT BOTTOM SASH OPENING TO 125mm	-							
	SE ELEVATION / BEDROOM 4	4 INSECT SCREEN	(U-VALUE: 7.6 SHGC: 0.75)	63,	TO COMPLY WITH NCC.								
	ALUMINIUM	BY OWNER	31190. 0.73)		RESTRICT TOP SASH OPENING TO NO LESS THAN								
	DOUBLE HUNG	DI OWNER	REVEAL		I 700mm ABOVE FLOOR TO COMPLY WITH NCC.								
	OPEN / OPEN		I 40mm										
	(W4) SWD 1407	COLOUR PEARL WHITE	GLAZING		SPECIAL NOTES  RESTRICT BOTTOM SASH OPENING TO 125mm								
	SE ELEVATION / RUMPUS		SINGLE CLEAR (U-VALUE: 7.6	63,	TO COMPLY WITH NCC.								
	ALUMINIUM	INSECT SCREEN	SHGC: 0.75)										
R	DOUBLE HUNG	BY OWNER	REVEAL					<b>⊣</b> ⊢					
	OPEN / OPEN		I 40mm										
	(W5) SWD 1407	COLOUR	GLAZING		SPECIAL NOTES								
		PEARL WHITE	SINGLE CLEAR (U-VALUE: 7.6		RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH NCC.			_					
	SE ELEVATION / RUMPUS	INSECT SCREEN	SHGC: 0.75)										
R	ALUMINIUM	BY OWNER	REVEAL										
	DOUBLE HUNG OPEN / OPEN		I 40mm										
	(W6) SWD 1407	COLOUR	GLAZING		SPECIAL NOTES								
	(W6) SWD 1407	PEARL WHITE	SINGLE CLEAR (U-VALUE: 7.6	ζ,	RESTRICT BOTTOM SASH OPENING TO 125mm TO COMPLY WITH NCC.								
	SE ELEVATION / BEDROOM 3	3 INSECT SCREEN	SHGC: 0.75)		TO GOME ET WITH NOC.								
	ALUMINIUM	BY OWNER	25) (5.1)		RESTRICT TOP SASH OPENING TO NO LESS THAN 1700mm ABOVE FLOOR TO COMPLY WITH NCC.								
	DOUBLE HUNG OPEN / OPEN		REVEAL I 40mm					-					
		COLOUR	GLAZING		SPECIAL NOTES								
	(W7) SWD 1407	PEARL WHITE	SINGLE CLEAR		RESTRICT BOTTOM SASH OPENING TO 125mm	-							
	SE ELEVATION / BEDROOM 3	3 INSECT SCREEN	(U-VALUE: 7.6 SHGC: 0.75)		TO COMPLY WITH NCC.								
	ALUMINIUM	BY OWNER			RESTRICT TOP SASH OPENING TO NO LESS THAN								
	DOUBLE HUNG OPEN / OPEN		REVEAL I 40mm		700mm ABOVE FLOOR TO COMPLY WITH NCC.			P					
	OFLIN / OFLIN	COLOUR			CDECIAL MOTEC								
	(W8) SWDD 1214	PEARL WHITE	GLAZING SINGLE CLEAR	₹.	SPECIAL NOTES  RESTRICT BOTTOM SASH OPENINGS TO	-							
	SW ELEVATION / BEDROOM	3	(U-VALUE: 7.6 SHGC: 0.75)	£3,	I 25mm TO COMPLY WITH NCC.								
	ALUMINIUM	INSECT SCREEN BY OWNER	31190.0.73)										
	DOUBLE HUNG	- DI OWNER	REVEAL					7 [					
	OPEN / OPEN x 2		I 40mm										
	(W9) SWD 1407	COLOUR PEARL WHITE	GLAZING		SPECIAL NOTES  RESTRICT BOTTOM SASH OPENING TO 125mm	-							
	SE ELEVATION / RUMPUS		SINGLE CLEAR (U-VALUE: 7.6	., 63,	TO COMPLY WITH NCC.								
<del>        </del>	ALUMINIUM	INSECT SCREEN	SHGC: 0.75)										
R	DOUBLE HUNG	BY OWNER	REVEAL										
	OPEN / OPEN		I 40mm										
FOR MASSELIK	(ES \$ MS C WEST			AT 10	COLLEGE STREET GLADESVILLE	NSW 2111		SCALE: 1: NTS SH	EET: 8 OF 8	100 110	78311-	нс	anacad
IOK: IVIO O DEUN	VEO 4 IVIO O VVEOI			AI: I O	JULIUL DINLLI OLADLUVILLE			SCALE: I. NIJ SH	ILLI: O OI O	JUD NU: /	004/1/	, ''   <b>'</b>	ape Cod