




BASIX COMMITMENTS		EXTERNA	L PAINT SCHED	ULE	SPEC	IFICATION SUMMARY	SPECIAL NOTES			
CERTIFICATE NO. A246256_02		ITEM	BRAND CODE COLOUR STRUCTURAL TIMBER - All to ASA 1 684.2		RUCTURAL TIMBER - All to ASA 1684.2	PROVIDE TWO (2) SMOKE DETECTORS AS SHOWN 9 ELECTRICIAN TO CHECK/ENSURE THE EXISTING SMOKE DETECTORS COMPL				
FIXTURES AND SYSTEMS		Soffit Lining Haymes		White	WALLS: F5 SOFTWOOD 90 X 35 EXT. STUDS @		WITH THE BUILDING CODE OF AUSTRALIA (NCC). • AS PER THE NCC - ALL WET AREA WINDOWS TO HAVE TOUGHENED GLASS.			
LIGHTING	MIN 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT	Wall Cladding	Haymes	Charcoal Smoke	70 X 35 INT. STUDS @		PROVIDE MARINE GRADE BRICKS, MOR AS3700 AS SITE IS WITHIN 1KM OF OCCUPANT OF THE PROVIDED TO THE PROVIDE THE PROVIDED TO			
	FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS				FLOOR: 190x45mm MIN	N. FLOOR JOISTS WIND LOAD W 33 N / W 41 N	CONNECT/INSTALL THIRTY SEVEN (37) DOWNLIGHT FITTINGS \$ ONE (1) 3-IN-I FAN/LIGHT/HEATER UNIT (AS SUPPLIED BY THE OWNER).			
WET AREAS:	SHOWER HEADS 3 STAR RATED				— FINISHES		PROVIDE A NEW ATTIC AREA APPROX 2°	700 X 3600mm WITHIN FIRST FLOC		
NEW OR ALTERED TOILETS 3 STAR RATED TAPS 3 STAR RATED					BRICKWORK FACE BRICKWORK TO MATCH EXISTING AS CLOSE AS		BEDROOM I ROOF SPACE, INCLUDING ATTIC LADDER. • RELOCATE EXISTING POINT OF ATTACHMENT.			
_					British	POSSIBLE	INSTALLATION OF QUARRY TILES (AS SUPPLIED BY THE OWNER). BUSHFIRE COMPLIANCE: BAL 40			
	LATION REQUIREMENTS				FLOORING	19MM STRUCTURAL PARTICLEBOARD	DO NOT PROVIDE EAVE VENTS. DO NOT INSTALL ROOF VENTILLATOR.			
SUSPENDED FLOOR WITH ENCLOSED SUBFLOOR FRAMED (RO.7)	RO.GO (DOWN) (or R1.30 INCLUDING CONSTRUCTION)				CLADDING	SCYON "AXON" 133 SMOOTH CLADDING TO STAIR AREA	INSTALL PREFINISHED METAL LEAF GUAF GROUND FLOOR ROOF GUTTERS \$ VALI FIRST FLOOR EAVE LININGS TO BE SUPI	LEYS. PLIED WITH Gmm SOFFIT LINING.		
FLOOR ABOVE EXISTING DWELLING OR BUILDING	NIL				WINDOWS - STEGBAR KEYED LOCKS (TERRAIN: 3)	FRAME: PREFINISHED ALUMINIUM	REPLACE REMAINING EXISTING GROUND SOFFIT LINING. INSTALL STEEL MESH TO NEW \$ EXISTIN			
EXTERNAL WALL: BRICK VENEER	R1.16 (or R1.70 INCLUDING CONSTRUCTION)				INSECT SCREENS: TO ALL NEW OPERABLE WINDOW SASHES	FRAME: PREFINISHED ALUMINIUM MESH: STAINLESS STEEL				
EXTERNAL WALL: CAVITY BRICK	NIL				ROOF COVERING	TERRA COTTA ROOF TILES TO MATCH EXISTING AS CLOSE AS POSSIBLE, REUSE EXISTING TILES WHERE	WORKS BY OWNER			
EXTERNAL WALL: FRAMED (WEATHERBOARD, FIBRO, METAL CLAD)	R1.30 (or R1.70 INCLUDING CONSTRUCTION)					SHOWN. PRE-FINISHED ZINCALUME ROOF SHEETING TO STAIRS PROFILE: SELECT PROFILE COLOUR: PALE EUCALYPT	REMOVAL & INSTALLATION OF T.V ANTE NEW AND EXISTING TV POINTS. CONNECTION OF NEW COAXIAL CABLE ¹			
FLAT CEILING, PITCHED ROOF	CEILING: R 3.00 (UP) ROOF: FOIL/ SARKING DARK (SOLAR ABSORPTANCE >0.70)			TION.	ROOF SARKING	FLAME RETARDENT DOUBLE SIDED ALUMINIUM FOIL TO TILED ROOF & R I . 3 ALUMINIUM FOIL BACKED "ANTICON INSULATION BLANKET TO METAL ROOF	NEW T.V. AERIAL			
RAKED CEILING, PITCHED / SKILLION ROOF: FRAMED	CEILING: R 2.24 (UP) ROOF: FOIL BACKED BLANKET (55mm) DARK (SOLAR ABSORPTANCE >0.70)		CNISTRU	CII	INSULATION (FIBREGLASS)	R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA R2.0 BATTS TO FIRST FLOOR EXTERNAL WALL FRAMES I 2mm POLASTIC INSULATION BLANKET TO FIRST	ALL JOINERY TO NEW BUTLERS PANTRY & LAUNDRY.			
GLAZING REQUIREMENTS		FINAL CONSTRUCTION.			INTERNAL FIXINGS	FLOOR EXTERNAL STAIR WALL FRAMES DAR: FINGER JOINTED PINE	SUPPLY OF WALL & FLOOR TILES TO GRI			
WINDOWS						SKIRTING: Ex. I 50x25 SQUARE ARCHITRAVE: Ex. I 00x25 SQUARE	REQUIRED.			
WI, W2, W3, W4, W5, W6, W7, W8, W9, W10, W11, W12, W13, W14, W15, W16, W17, W18, W19, W20,	IMPROVED ALUMINIUM, SINGLE CLEAR, (U-VALUE: 6.44, SHGC: 0.75)	Fire			INTERNAL DOORS	PRIMED HARDBOARD SOLID CORE "FLUSH" Type: Open Timber				
W2I, \$ W22,					STAIRCASE MAPLE TREADS		J FINAL CONSTRUCTION	S.C. 17-10-1		
SHA[DING DEVICES	1				WIDTH: I OOOmm	I AMENDED CONSTRUCTION CERTIFIC	CATE T.P. 07-10-1		
WINDOWS		-				RISE: 18 @ 186mm	H CONSTRUCTION CERTIFICATE	J.E. 26-09-1		
W20, \$ W21,	EAVE / VERANDAH / PERGOLA / BALCONY	-				GOING: 240mm (260mm TREAD)	G TO CONTRACTS	S.C. 30-08-1		
,	>= 600MM EAVE / VERANDAH / PERGOLA / BALCONY >= 750MM EAVE / VERANDAH / PERGOLA / BALCONY >= 900MM PROJECTION /HEIGHT ABOVE SILL RATIO >= 0.36				FASCIA # BARGE BOARDS	MATERIAL: PREFINISHED ZINCALUME FASCIA COLOUR: PALE EUCALYPT BARGE COLOUR: PALE EUCALYPT BARGE SOAKER COLOUR: PALE EUCALYPT TYPE: QUAD MATERIAL: PREFINISHED ZINCALUME	F POV 18166	J.M. 29-06-1		
W.L. W.O. W.C. W.Z. W.G. W.O.		-					E TO COUNCIL	N.E. 08-06-1		
WI, W2, W6, W7, W8, W9, W10, W11, \$ W12,							D POV 18010 \$ 18011	B.P. 06-06-1		
		_			GUTTERS & DOWNPIPES		C POV 17835 \$ BASIX ADDED	N.E. 1-04-1		
W22,						GUTTER COLOUR: PALE EUCALYPT DOWNPIPE COLOUR: PALE EUCALYPT	B TO CLIENT A TECHNICAL	5.C. 03-03-1		
					HOT WATER UNIT	CONNECT TO EXISTING	No. ISSUE	5.C. 18-02-1 DRAWN DATE		
WI3, \$ WI4,							DESIGN CONSULTANT: DAREK SZYMANSKI			
		_			PAINTING - REFER TO	FIRST FLOOR EXTERNAL: BY CAPE COD	PROPOSED ADDITIONS & ALTERATIONS			
W3, W4, W5, W17, \$ W19,	PROJECTION /HEIGHT ABOVE SILL RATIO >= 0.43				SPECIFICATION FOR THE EXTENT OF WORK	FIRST FLOOR INTERNAL: BY CAPE COD PAINTING TO ALTERATION AND RENOVATION WORK	FOR MR M & MRS C O'NE			
W15, W16, \$ W18,	NONE				FINISHED GROUND LEVI	TO BE BY THE OWNER - SEE SPECIFICATION FOR EXTENT OF GROUND FLOOR WORKS ELS SHOWN ON PLAN ARE SUBJECT TO SITE	AT 15 GREENFIELD AVENUE, MIDDLE COVE, NSW 2068			
		4			CONDITIONS.					
					DO NOT SCALE OFF DR	AWINGS.				
						VN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE	COUNCIL: WILLOUGHBY			
					MEASURE DURING CON	ISTRUCTION.		A.B.N. 54 000 605 407		
					NO ALLOWANCE HAS BE	EEN MADE FOR SHRINKAGE OR MILLING.		SUITE 41, 410 CHURCH STREET,		
						SIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS PURPOSE OF ENTERING INTO A BUILDING CONTRACT	- Cape Cod A U S T R A L I A SUITE 41, 410 CHURCH STREET, NORTH PARRAMATTA 2151 PHONE: (02) 9849 4444 BUILDERS LICENCE NO. 5519			
					WITH THE COMPANY. IT	F MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN N PERMISSION FROM THE COMPANY.	SHEET: 1 OF 9	OB NO: 7739/16 J		

















WINDOW SCHED	ULE (BASIX A2462	256 02)		0.151.5		ALUMINIUM (STEGBAR) WI	INDOWS:				
STANDARD NOTES:				CLIEN1:			OLOURS: ANODISED CLEAR, APO				
						PEARL WHITE, PRIMROSE, GREY.	, STONE BEIGE, SURFMIST, WHIT				
ALL WINDOWS COME WITH "KEYED ALIKE" LOCKS				BUILDER:DATE:		CUSTOM COLOURS AVAIL	_ABLE: DEEP OCEAN. HAMERSLE				
WINDOW OPENINGS NOTED "R" HAVE RESTRICTED OPENINGS TO COMPLY WITH THE NCC 3.9.2.5			POTTERY.			TERRAIN: 3 WIND LOAD: W 33 N / W 4 I N					
		COLOUR	GLAZING		SPECIAL NOTES		2 x AFW 1308	COLOUR	L GLAZING	SPECIAL NOTES	
	(WI) AAW 1326		SINGLE CLE		6mm TOUGHENED GLASS TO COMPLY WITH BAL 40		COUPLED TOGETHER	PALE EUCALYPT	SINGLE CLEAR,	SPECIAL	
	N ELEVATION / LIVING	INSECT SCREEN	(U-VALUE: 6 SHGC: 0.7!				S ELEVATION / STAIRS		(U-VALUE: 6.44, SHGC: 0.75)	6mm TOUGHENED GLASS TO COMPLY WITH BAL 40	
	ALUMINIUM	ALUMINIUM	31160. 0,7	.73)		ALUMINIUM	N/A	11GC: 0.75)			
	AWNING	S/LESS STEEL MESH	REVEAL				EIVED / EIVED		REVEAL		
	OPEN / FIXED / OPEN	PALE EUCALYPT I 40mm					FIXED / FIXED		140mm		
	(W2) AAW 1324		GLAZING		SPECIAL NOTES		(WII) AAW 1318			SPECIAL NOTES	
	7AW 1324	PALE EUCALYPT	SINGLE CLEAR, (U-VALUE: 6.44,		RESTRICT OPENING TO 125mm TO COMPLY WITH NCC. Gmm TOUGHENED GLASS TO COMPLY WITH BAL 40			PALE EUCALYPT		6mm TOUGHENED GLASS TO COMPLY WITH BAL 40	
	N ELEVATION / BEDROOM I		SHGC: 0.7				S ELEVATION / LIVING	INSECT SCREEN	SHGC: 0.75)		
	ALUMINIUM	ALUMINIUM					ALUMINIUM	ALUMINIUM			
	AWNING OPEN / OPEN	DATE STORAGE	REVEAL I 40mm				AWNING OPEN / OPEN		REVEAL 140mm		
	OI LIN / OI LIN			CRECIM MOTEC			OI EN / OI EN				
	(W3) AAW 1208		GLAZING OBSCURED		SPECIAL NOTES Gmm TOUGHENED GLASS TO COMPLY WITH BAL 40		(W12) AAW 1312		GLAZING SINGLE CLEAR,	SPECIAL NOTES Gmm TOUGHENED GLASS TO COMPLY WITH BAL 40	
	E ELEVATION / ENSUITE	-	SINGLE CLE	AR,	6mm TOUGHENED GLASS TO COMPET WITH BAL 40		W ELEVATION / LIVING		(U-VALUE: 6.44,	CHILIT TO GOT LEVEL OF TO GOT VIII ET WITH BALL TO	
	ALUMINIUM	INSECT SCINEER	(U-VALUE: 6 SHGC: 0.7!				ALUMINIUM		SHGC: 0.75)		
		_ ALUMINIUM	REVEAL					ALUMINIUM S/LESS STEEL MESH	REVEAL		
	AWNING OPEN	PALE EUCALYPT	I 40mm				AWNING OPEN	IDALE SUCALLOR	I 40mm		
		COLOUR	GLAZING		SPECIAL NOTES			COLOUR	GLAZING	SPECIAL NOTES	
	(W4) AAW 1306	PALE EUCALYPT	OBSCURED		6mm TOUGHENED GLASS TO COMPLY WITH BAL 40		W13) AAW 1206	PALE EUCALYPT	SINGLE CLEAR,	6mm TOUGHENED GLASS TO COMPLY WITH BAL 40	
	E ELEVATION / POWDER RM		SINGLE CLE (U-VALUE: 6				N ELEVATION / LAUNDRY		(U-VALUE: 6.44, SHGC: 0.75)		
	ALUMINIUM		SHGC: 0.7				ALUMINIUM	INSECT SCREEN ALUMINIUM	31160.0.73)		
	AWNING	S/LESS STEEL MESH	REVEAL				AWNING		REVEAL		
	OPEN	PALE EUCALYPT	I 40mm				OPEN	PALE EUCALYPT	170mm		
	(W5) AAW 1308		GLAZING		SPECIAL NOTES		(W14) AAW 1121 (Special)		GLAZING	SPECIAL NOTES	
	W3) AAW 1300		SINGLE CLE		Gmm TOUGHENED GLASS TO COMPLY WITH BAL 40 RESTRICT OPENING TO 125mm TO COMPLY		W14) AAW 1121 (Special)	I ALL LOOKLII I	SINGLE CLEAR, (U-VALUE: 6.44,	6mm TOUGHENED GLASS TO COMPLY WITH BAL 40	
	N ELEVATION / BED2/STUDY		SHGC: 0.7		WITH NCC.		N ELEVATION / BEDROOM 3	INSECT SCREEN	(U-VALUE: 6.44, SHGC: 0.75)	TO SUIT EXISTING OPENING.	
	ALUMINIUM	ALUMINIUM					ALUMINIUM	ALUMINIUM		SITE CHECK.	
	AWNING	IDALE ELICALVERT	REVEAL		_		AWNING		REVEAL	_	
	OPEN		1 40mm				OPEN		170mm		
	(W6) AAW 1312		GLAZING	A.D.	SPECIAL NOTES Gmm TOUGHENED GLASS TO COMPLY WITH BAL 40		W15) AAW 1311 (Special)		GLAZING	SPECIAL NOTES 6mm TOUGHENED GLASS TO COMPLY WITH BAL 40	
	C FLEWATION / PEDOVETUDY		SINGLE CLE (U-VALUE: 6		RESTRICT OPENING TO 125mm TO COMPLY		E ELEVATION / BEDROOM 3 ALUMINIUM	⊣	SINGLE CLEAR, (U-VALUE: 6.44,	GIIIII TOOGIIENED GEASS TO COMI ET WITT DAE 40	
	S ELEVATION / BED2/STUDY ALUMINIUM	INSECT SCREEN	SHGC: 0.7		WITH NCC.			INSECT SCREEN	SHGC: 0.75)	TO SUIT EXISTING OPENING. SITE CHECK.	
V R		ALUMINIUM S/LESS STEEL MESH	REVEAL		_			ALUMINIUM S/LESS STEEL MESH	REVEAL	SITE CITEOR.	
	AWNING OPEN	PALE EUCALYPT 14			_		AWNING OPEN	PALE EUCALYPT	170mm	- 	
		COLOUR	GLAZING		SPECIAL NOTES			COLOUR	GLAZING	SPECIAL NOTES	
	(W7) AAW 1312		SINGLE CLE	AR,	RESTRICT OPENING TO 125mm TO COMPLY		(W16) AAAW 1414 (Special	PALE EUCALYPT (OBSCURED	6mm TOUGHENED GLASS TO COMPLY WITH BAL 40	
	W ELEVATION / BED2/STUDY	┪	(U-VALUE: 6 SHGC: 0.7	5.44,	WITH NCC. 6mm TOUGHENED GLASS TO COMPLY WITH BAL 40		E ELEVATION / WC		SINGLE CLEAR, (U-VALUE: 6.44,	TO SUIT EXISTING OPENING.	
R	ALUMINIUM	ALUMINIUM	31160. 0,7	J)	6 Milli 1009 TENED GLASS TO COM ET WITH DAL 40		ALUMINIUM		SHGC: 0.75)	SITE CHECK.	
	AWNING	S/LESS STEEL MESH	REVEAL				AWNING	S/LESS STEEL MESH	REVEAL		
	OPEN	PALE EUCALYPT	140mm				OPEN / OPEN	PALE EUCALYPT	170mm		
	2 x AFW 1308 (W8) COUPLED TOGETHER		GLAZING		SPECIAL NOTES		(W17) AAW 1311 (Special)		GLAZING	SPECIAL NOTES	
	COULLED TOGETHER		SINGLE CLE (U-VALUE: 6		SPECIAL Gmm TOUGHENED GLASS TO COMPLY WITH BAL 40		AAW 1311 (Special)		SINGLE CLEAR, (U-VALUE: 6.44,	6mm TOUGHENED GLASS TO COMPLY WITH BAL 40	
	S ELEVATION / STAIRS		SHGC: 0.7		Olimi Todoli ENED OD 103 TO COMI ET WITH DAE 110		E ELEVATION / BEDROOM 4		SHGC: 0.75)	TO SUIT EXISTING OPENING.	
	ALUMINIUM	N/A					ALUMINIUM	ALUMINIUM		SITE CHECK.	
	FIXED / FIXED		REVEAL I 40mm				AWNING	<u> </u>	REVEAL 170mm		
	2 AFM 1209	COLOUR	GLAZING		GDECIAL MOTEG		OPEN			GPECIAL NOTEG	
	(W9) 2 x AFW 1308 COUPLED TOGETHER	COUPLED TOCETHER THE SUBMINET		ΔR	SPECIAL NOTES SPECIAL		W18 AAW 1311 (Special)			SPECIAL NOTES Gmm TOUGHENED GLASS TO COMPLY WITH BAL 40	
	S ELEVATION / STAIRS		SINGLE CLE (U-VALUE: 6	5.44,	6mm TOUGHENED GLASS TO COMPLY WITH BAL 40		S ELEVATION / BEDROOM 4		(U-VALUE: 6.44,		
	ALUMINIUM	1110201 001(2211	SHGC: 0.7!	D)			ALUMINIUM	INSECT SCREEN	SHGC: 0.75)	TO SUIT EXISTING OPENING. SITE CHECK.	
		N/A	REVEAL		-		AWNING	ALUMINIUM S/LESS STEEL MESH	REVEAL		
	FIXED / FIXED	1	I 40mm		1		OPEN		170mm		
			<u> </u>			201/5		<u> </u>	_		
FOR: MR M & MRS	O C O'NEIL			AT: 5	5 GREENFIELD AVENUE, MIDDLE C	UVE, NSW 206	8	SCALE: 1: NTS SH	HEET: 8 OF 9	JOB NO: 7739/16 J Cape Cod	

WINDOW SCHED	DULE (BASIX A2462	256 02)		CLIENT:		ALUMINIUM (STEGBAR) WIND	OWS:				
STANDARD NOTES:						STANDARD ALUMINIUM COLO PEARL WHITE, PRIMROSE, ST	DURS: ANODISED CLEAR, APC	GREY, CUSTOM BLACK	••		
	ARE DRAWN AS VIEWED FROM	OUTSIDE		CLIENT:		GREY.	ONE DEIGE, JOIN MIST, WITH	L BIRCH, WOODLAND			
 ALL WINDOWS COME W WINDOW OPENINGS NO 	/ITH "KEYED ALIKE" LOCKS DTED "R" HAVE RESTRICTED OPEN	JINGS TO COMPLY WITI	H THE	BUII DER:	DATE:	CUSTOM COLOURS AVAILAB	LE: DEEP OCEAN, HAMERSLEY	BROWN, NOTRE DAME	,		
NCC 3.9.2.5				33,232,7		POTTERY.			TERRAIN: 3 W	/IND LOAD: W 33 N / W 41 N	
	W19 AAW 1312 (Special)	COLOUR	GLAZING		SPECIAL NOTES			COLOUR	GLAZING	SPECIAL NOTES	
		PALE EUCALYPT	SINGLE CLI (U-VALUE:	EAR, 6.44.	6mm TOUGHENED GLASS TO COMPLY WITH BAL 40			_			
	W ELEVATION / BEDROOM 4	INSECT SCREEN	SHGC: 0.7	75)	TO SUIT EXISTING OPENING.			INSECT SCREEN			
	ALUMINIUM	ALUMINIUM S/LESS STEEL MESH	REVEAL		SITE CHECK.			_	REVEAL		
	AWNING OPEN	PALE EUCALYPT	170mm		_				KLVLAL	4	
		COLOUR	GLAZING		SPECIAL NOTES			COLOUR	GLAZING	SPECIAL NOTES	
	(W20) AAW I 406 (Special)	PALE EUCALYPT	SINGLE CLI	EAR,	6mm TOUGHENED GLASS TO COMPLY WITH BAL 40						
	S ELEVATION / LOUNGE	INSECT SCREEN	(U-VALUE: SHGC: 0.7	6.44, 75)	TO SUIT EXISTING OPENING.			INSECT SCREEN			
	ALUMINIUM	ALUMINIUM			SITE CHECK.						
	AWNING	S/LESS STEEL MESH PALE EUCALYPT			_				REVEAL	_	
	OPEN		170mm		CDECIM NOTES			COLOLID	01.4.71110	CDECIM NOTEC	
	(W21) AAW 1406 (Special)	COLOUR PALE EUCALYPT	GLAZING SINGLE CLI	FΔR	SPECIAL NOTES Gmm TOUGHENED GLASS TO COMPLY WITH BAL 40	-		COLOUR	GLAZING	SPECIAL NOTES	
	S ELEVATION / LOUNGE	_	(U-VALUE:	6.44.							
	ALUMINIUM	INSECT SCREEN ALUMINIUM	SHGC: 0.7	75)	TO SUIT EXISTING OPENING. SITE CHECK.			INSECT SCREEN			
	AWNING	S/LESS STEEL MESH	REVEAL						REVEAL		
	OPEN	PALE EUCALYPT	170mm								
	(W22) AAW 1409 (Special)	COLOUR	GLAZING		SPECIAL NOTES			COLOUR	GLAZING	SPECIAL NOTES	
		PALE EUCALYPT	SINGLE CL U-VALUE:	EAR, (OR 6.44.	6mm TOUGHENED GLASS TO COMPLY WITH BAL 40			_			
	S ELEVATION / ENTRY ALUMINIUM	INSECT SCREEN	SHGC: 0.7		TO SUIT EXISTING OPENING. SITE CHECK.			INSECT SCREEN			
		ALUMINIUM S/LESS STEEL MESH	REVEAL		SITE CHECK.			-	REVEAL	_	
	AWNING OPEN	PALE EUCALYPT	170mm						INC V ET (E	-	
		COLOUR	GLAZING		SPECIAL NOTES						
		INSECT SCREEN	_								
								_			
			REVEAL		_					4	
		COLOUR	GLAZING		SPECIAL NOTES						
		COLOGIC	01/21110		OT LOTTE NOTES	-					
		INSECT SCREEN									
		INSECT SCREEN	-								
			REVEAL]	
		COLOUR	GLAZING		SPECIAL NOTES	-					
		INSECT SCREEN	_								
		_	REVEAL					7			
		COLOUR	GLAZING		SPECIAL NOTES						
								4			
		INSECT SCREEN									
			REVEAL					1		-	
										1	
		COLOUR	GLAZING		SPECIAL NOTES						
		INSECT SCREEN	7								
			REVEAL		_						
			NLVLAL		\dashv						
		1				201/5 1:2::: 5 5 5					
OR: MR M & MRS	5 C O'NEIL			AT: !	5 GREENFIELD AVENUE. MIDDLE C	JUVE. NSW 2068	c	SCALE: 1:100 La	SHEET: 9 OF 9 1 1/	OB NO: 7739/16 J	Cane Cod