BASIX (COMMITMENTS						
CERTIFICATE NO. A24 250							
FIXTURES AND SYSTEMS							
LIGHTING	MIN 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS						
WET AREAS: NEW OR ALTERED	SHOWER HEADS 3 STAR RATED TOILETS 3 STAR RATED TAPS 3 STAR RATED						
INSUL	ATION REQUIREMENTS						
CONCRETE SLAB ON GROUND FLOOR	NIL						
FLOOR ABOVE EXISTING DWELLING OR BUILDING	NIL						
EXTERNAL WALL: BRICK VENEER	R1.16 (or R1.70 INCLUDING CONSTRUCTION)						
EXTERNAL WALL: FRAMED (WEATHERBOARD, FIBRO, METAL CLAD)	R1.30 (or R1.70 INCLUDING CONSTRUCTION)						
FLAT CEILING, PITCHED ROOF	CEILING: R I .450 (UP) ROOF: FOIL BACKED BLANKET (55mm) DARK (SOLAR ABSORPTANCE >0.70)						
GLAZII	NG REQUIREMENTS						
WINDOWS							
W3, W4, W5, W9, \$ W11,	STANDARD ALUMINIUM, SINGLE CLEAR, (OR U-VALUE: 7.63, SHGC: 0.75)						
W1, W2, W6, W7, \$ W8,	STANDARD ALUMINIUM, SINGLE PYROLYTIC LOW-E, (OR U-VALUE: 5.7, SHGC:0.47)						
SKYLIGHTS SI,	TIMBER, DOUBLE CLEAR/AIR FILL, (U-VALUE: 4.3, SHGC: 0.5)						
SHADI	NG DEVICES						
WINDOWS							
W6, W7, \$ W8,	EAVE / VERANDAH / PERGOLA / BALCONY >= 900MM						
WI, W2, \$ W5,	PROJECTION /HEIGHT ABOVE SILL RATIO >= 0.36						
W3, \$ W4,	PROJECTION /HEIGHT ABOVE SILL RATIO >= 0.43						
W9, \$ W11,	NONE						
SKYLICHTS SI,	NONE						

EXTERNAL PAINT SCHEDULE

ITEM	BRAND eg. WATTYL	CODE	COLOUR					
Verendah Barge Board	Haymes		Marble Mist					
Verendah Barge Soaker	Colorbond		Terrain					
Barge Board - Party Wall	Haymes		Marble Mist					
Fascia Board	Haymes		Marble Mist					
Rafter Tails	Haymes		Marble Mist					
Soffit Lining	Haymes		Marble Mist					
Wall Cladding	Haymes		Marble Mist					
Verendah Post	Haymes		Marble Mist					
Verendah Beam	Haymes		Marble Mist					

FINAL CONSTRUCTION.

SPECIFICATION SUMMARY

STRUCTURAL TIMBER - All to ASA 1684.2

WALLS: F5 SOFTWOOD 90 X 35 EXT. STUDS @ .600 CTS 70 X 35 INT. STUDS @ .600 CTS

ROOF: ROOF TRUSSES TO MANUFACTURERS DETAILS @ .600 CTS

WIND LOAD W 33 N

FLOOR: 140x45mm MIN. FLOOR JOISTS

FINISHES

ROOF COVERING

ROOF SARKING

INSULATION

(FIBREGLASS)

NTERNAL FIXINGS

INTERNAL DOORS

PLASTERBOARD SOFFI

STAIRCASE STAINED

LINING

BRICKWORK COMMON BRICKWORK LAID AS FACE TO FIRST FLOOR \$ GROUND FLOOR ADDITIONS AS SHOWN. 19MM STRUCTURAL PARTICLEBOARD FLOORING 230mm HARDIPLANK " SMOOTH" CLADDING AS SHOWN CLADDING LAID OVER POLASTIC INSULATION BLANKET. WINDOWS - STEGBAR FRAME. PREFINISHED ALLIMINILIM KEYED LOCKS (TERRAIN: 3) FRAME: PREFINISHED ALUMINIUM INSECT SCREENS: TO ALL NEW OPERABLE MESH: FIBREGLASS WINDOW SASHES

PROFILE: SELECT PROFILE

BLANKET

"STANFORD"

MAPLE TREADS & RISERS WIDTH: 900mm

COLOUR: WOODLAND GREY

FLOOR CLADDED WALL FRAMES

SKIRTING: Ex. 100x25 HALF SPLAY

ARCHITRAVE: Ex. 100x25 HALF SPLAY

DAR: FINGER JOINTED PINE

TYPE: CLOSED TIMBER

RISE: 16@178mm

GOING: 240mm (260mm TREAD)

PRE-FINISHED ZINCALUME ROOF SHEETING

R 1.3 ALUMINIUM FOIL BACKED "ANTICON" INSULATION

R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA

R2.4 | 2mm POLASTIC INSULATION BLANKET TO FIRST

PRIMED HARDBOARD HOLLOW CORE CORINTHIAN

R I .5 BATTS TO NEW BRICK VENEER EXTERNAL WALL

WORKS BY OWNER

SPECIAL NOTES

PROVIDE TWO (2) SMOKE DETECTORS AS SHOWN \$

FAN/LIGHT/HEATER UNIT (AS SUPPLIED BY THE OWNER).

WITH THE BUILDING CODE OF AUSTRALIA (NCC).

CONNECT TO EXISTING STORMWATER LINE.

ELECTRICIAN TO CHECK/ENSURE THE EXISTING SMOKE DETECTORS COMPLY

AS PER THE NCC - ALL WET AREA WINDOWS TO HAVE TOUGHENED GLASS.

CONNECT/INSTALL EIGHTEEN (18) DOWNLIGHT FITTINGS \$ TWO (1) 3-IN-1

PROVIDE INTERNAL/EXTERNAL PAINTING TO GROUND FLOOR ADDITIONS. PROVIDE PVC OPEN GRATE DRAIN TO NEW VERENDAH AS SHOWN \$

PROVIDE FEDERATION STYLE EAVES WITH 4.5mm F.C SOFFIT LINING.

- REMOVAL \$ INSTALLATION OF T.V ANTENNA IF REQUIRED \$ CONNECTION TO NEW AND EXISTING TV POINTS.
- CONNECTION OF NEW COAXIAL CABLE "T.V.POINT" TO EXISTING AND/OR NEW T.V. AERIAL
- PHONE AND/OR DATA CABLING.

FINAL CONSTRUCTION

TO CONTRACTS

G

- ALL WORK ASSOCIATED WITH THE SUPPLY AND INSTALLATION OF THE NEW KITCHEN CUPBOARDS AND APPLIANCES INCLUDING CONNECTION TO THE PLUMBING AND DRAINAGE AND SUPPLY/INSTALLATION OF ANY SPLASHBACKS
- ALL WORKS ASSOCIATED WITH THE CONSTRUCTION OF THE ON SITE DETENTION (OSD) SYSTEM AS REQUIRED BY COUNCIL.
- SUPPLY EIGHTEEN (18) DOWNLIGHT FITTINGS \$ ONE (1) 3-IN-1 FAN/LIGHT/HEATER UNIT.
- ALL WORK ASSOCIATED WITH THE FLOOR FINISH TO THE NEW SLAB TO THE
- GROUND FLOOR ADDITION.
- SUPPLY OF NEW LAUNDRY TUB, TAPS & OUTLETS & WM TAPS.
- ALL WORK ASSOCIATED WITH THE REMOVAL AND PRUNING OF TREES. ALL WORK ASSOCIATED WITH FLOOR FINISH TO EXISTING LOBBY.
- ALL WORK ASSOCIATED WITH TILED FINISH TO NEW VERENDAH IF
- REQUIRED.
- ALL WORK ASSOCIATED WITH BOUNDARY RETAINING WALLS AND REGRADING UP TO EXISTING REAR YARD.

TO COUNCIL FASCIA \$
BARGE BOARDS MATERIAL: DAR TIMBER POV 17539 D COUNCIL PREPARATION С POV 17463 GUTTERS & DOWNPIPES TYPE: QUAD MATERIAL: PREFINISHED ZINCALUME В TO CLIENT GUTTER COLOUR: TERRAIN DOWNPIPE COLOUR: TERRAIN Α TECHNICAL. HOT WATER UNIT CONNECT TO EXISTING No. ISSUE DESIGN CONSULTANT: PETER BROWN PAINTING - REFER TO FIRST FLOOR EXTERNAL: BY CAPE COD PROPOSED ADDITIONS & ALTERATIONS SPECIFICATION FOR FIRST FLOOR INTERNAL: BY CAPE COD THE EXTENT OF WORK PAINTING TO ALTERATION AND RENOVATION WORK

FINISHED GROUND LEVELS SHOWN ON PLAN ARE SUBJECT TO SITE CONDITIONS.

DO NOT SCALE OFF DRAWINGS.

ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION.

TO BE BY THE OWNER

NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.

COPYRIGHT THIS DESIGN AND PRINT IS THE PROPERTY OF CAPE COD AND IS ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY.

FOR MR. J. & MRS. L. RAVULO.

35 GARRONG ROAD. AT LAKEMBA, NSW, 2195.

COUNCIL: CANTERBURY



A.B.N. 54 000 605 407

SUITE 41, 410 CHURCH STREET, NORTH PARRAMATTA 2151 PHONE: (02) 9849 4444 BUILDERS LICENCE NO. 5519

S.C.

S.C.

N.E.

B.P.

N.E.

C.S.

S.C.

JGI.

DRAWN

07-06-16

28-04-16

6-02-16

05-02-16

02-02-16

8-01-16

27-11-15


24-10-1


DATE

SHEET: 1 OF 8

JOB NO: 7690/15

Н





Site Plan


No. : 35 Lot. : 2


: 206364


AREA: 379.3m² (By Title) : 380.6m² (By Calc)


Existing Ground Floor 81.72m² Ground Floor Extension 45.47m² Proposed First floor Excluding Stairs


50.33m²











WINDOW SCHEDI	ULE (BASIX A24 I 2	250)		CLIENT:							
STANDARD NOTES:											
	ARE DRAWN AS VIEWED FROM	OUTSIDE		CLIENT:							
 ALL WINDOWS COME WIT WINDOW OPENINGS NOT 	TH "KEYED ALIKE" LOCKS TED "R" HAVE RESTRICTED OPEN	IINGS TO COMPLY WITH	H THE	BUILDER: .	DATE:						
NCC 3.9.2.5									TERRAIN: 3 W	ND LOAD: W 33 N	
	(WI) ASW 1218	COLOUR	GLAZING		SPECIAL NOTES		WIO DELETED	COLOUR	GLAZING		
F		PEARL WHITE	SINGLE PY LOW-E, (U-		RESTRICT OPENING TO 125mm TO COMPLY WITH NCC.		DELETED	_			
	NE ELEVATION / BEDROOM 2	INSECT SCREEN	5.7, SHG0					INSECT SCREEN			
	ALUMINIUM	ALUMINIUM			_			_			
	SLIDING OPEN / FIXED	FIBREGLASS MESH PEARL WHITE	REVEAL I 40mm		_			<u> </u>	REVEAL		
	CT ENT TIMED	COLOUR	GLAZING					COLOUR	GLAZING		
	(W2) ASW 1218	PEARL WHITE	SINGLE PY	ROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY	F	(WII) ASD 2115		SINGLE CLEAR,		
F	NE ELEVATION / BEDROOM I		LOW-E, (U-VA		WITH NCC.		SE ELEVATION / LAUNDRY		(U-VALUE: 7.63, SHGC: 0.75)		
	ALUMINIUM	ALUMINIUM	3.7, 31160	5:0.47)			ALUMINIUM	INSECT SCREEN ALUMINIUM	JIIGC: 0,75)		
	SLIDING	FIBREGLASS MESH	REVEAL				SLIDING	FIBREGLASS MESH	REVEAL		
	OPEN / FIXED	PEARL WHITE	1 40mm				OPEN / FIXED	PEARL WHITE	70mm		
	(W3) ASW 0418	COLOUR	GLAZING								
		PEARL WHITE	SINGLE CL (U-VALUE:					_			
F	SE ELEVATION / BEDROOM I	INSECT SCREEN	SHGC: 0.7								
	ALUMINIUM	ALUMINIUM FIBREGLASS MESH	DEV/EAT		4			_			
	SLIDING OPEN / FIXED	PEARL WHITE	REVEAL I 40mm		- 			-			
		COLOUR	GLAZING								
	(W4) ASW 0412	PEARL WHITE	OBSCURE								
	SE ELEVATION / ENSUITE	INSECT SCREEN	TOUGHEN U-VALUE:								
ALUMI	ALUMINIUM	ALUMINIUM	SHGC: 0.								
	SLIDING	FIBREGLASS MESH	REVEAL					7 [
	OPEN / FIXED	PEARL WHITE	I 40mm								
	(W5) ASW 1218	COLOUR	GLAZING								
F		PEARL WHITE	SINGLE CL (U-VALUE:	EAR, 7.63.	RESTRICT OPENING TO 125mm TO COMPLY WITH NCC.			_			
	SE ELEVATION / BEDROOM 3 ALUMINIUM	INSECT SCREEN	SHGC: 0.7								
		ALUMINIUM FIBREGLASS MESH	REVEAL		_			_			
	SLIDING OPEN / FIXED	PEARL WHITE	I 40mm		-						
		COLOUR	GLAZING								
	(W6) ASW 1207	PEARL WHITE	SINGLE PY								
F	NE ELEVATION / FAMILY RM	INSECT SCREEN	LOW-E, (U- 5.7, SHG0								
	ALUMINIUM	ALUMINIUM	-	,							
	SLIDING	FIBREGLASS MESH PEARL WHITE	REVEAL								
	OPEN / FIXED		I 40mm								
F	(W7) AST 2132	COLOUR PEARL WHITE	GLAZING SINGLE PY	POLYTIC							
	NE ELEVATION / FAMILY RM		LOW-E, (U-	-VALUE:							
	ALUMINIUM	INSECT SCREEN	5.7, SHG0	C:0.47)							
	STACKER DOOR	ALUMINIUM FIBREGLASS MESH	REVEAL		 			-			
	OPEN / OPEN / FIXED	PEARL WHITE	I 40mm		7						
	(M8) AC::::005	COLOUR	GLAZING								
	(W8) ASW 1207	PEARL WHITE	SINGLE PY								
	NE ELEVATION / FAMILY RM	INSECT SCREEN	LOW-E, (U- 5.7, SHGC					_			
	ALUMINIUM	ALUMINIUM						_			
الصاصا	SLIDING OPEN / FIXED	FIBREGLASS MESH PEARL WHITE	REVEAL I 40mm								
	OT LIN / TIALD	COLOUR									
	(W9) ASW 1224	PEARL WHITE	GLAZING SINGLE CL	EAR.	+						
F	SE ELEVATION / FAMILY RM		(U-VALUE:	7.63,							
	ALUMINIUM	INSECT SCREEN ALUMINIUM	SHGC: 0.7	/ 0)							
	SLIDING	FIBREGLASS MESH	REVEAL		_						
	OPEN / FIXED / OPEN	PEARL WHITE	I 40mm		<u></u>						
or: MR. J. \$ MRS	5. L. RAVULO.			AT: 3	35 GARRONG ROAD, LAKEMBA. NS	6W. 2195.		SCALE: 1: NTS 15H	HEET: 8 OF 8 J.C	DB NO: 7690/15	H Cape Coo