




Column   C	BASIV	COMMITMENTS				SPFC	IFICATION SUMMARY	SPECIAL NOTES		
## 1 / # Throws			_				· · · · · · · · · · · · · · · · · · ·	ELECTRICIAN TO CHECK/ENSURE THE EXISTING SMOKE DETECTORS COMPLY WITH THE BUILDING CODE OF AUSTRALIA (NCC).     AS PER THE NCC - ALL WET AREA WINDOWS TO HAVE TOUGHENED GLASS.		
Windows   Proceedings   Process			_							
Part						I **				
Part	LIGITING	TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE								
MODIFICATION   COMMITTED   C			7			FINISHES		†		
Courties Continued   Courties Continued Courties Courti	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					BRICKWORK	COMMON BRICKWORK FOR BAG AND PAINT FINISH			
Part	INS	ULATION REQUIREMENTS								
Company   Comp		NIL					50MM INSULCIAD OVER POLASTIC INSULATION			
Part	INSULATED FACADE SYSTEM	1					EXTERNAL WALLS 7.5 HARDITEX BASE SHEET WITH APPLIED TEXTURE	REMOVAL \$ INSTALLATION OF T.V ANTENNA IF RINEW AND EXISTING TV POINTS.		
Total Column   Colu		R1.16 (or R1.70 INCLUDING CONSTRUCTION)	7			KEYED LOCKS		NEW T.V. AERIAL • PHONE AND/OR DATA CABLING.		
Proof Sub- Color   Proof Sub-		ROOF: FOIL/ SARKING				INSECT SCREENS: TO ALL NEW OPERABLE		SUPPLY FLOOR TILES WHERE WALLS REMOVED SUPPLY OF QUARRY TILES TO NEW FIRST FLOOR BALCONY SUPPLY OF WC SUITE, BATH, VANITY UNIT, TAPS & OUTLETS, TOWEL		
ROSE PROPRIES   PLANE PERSONNEL   PLANE PERSON	PITCHED / SKILLION ROOF:	ROOF: FOIL/ SARKING						FURNITURE  SUPPLY # INSTALLATION OF SHOWER SCREENS 4 FIT OUT OF PROPOSED BUILT IN ROBES INCLUDI	MIRRORS	
Magazing	GLA	ZING REQUIREMENTS				ROOF SARKING	FLAME RETARDANT DOUBLE SIDED ALUMINIUM FOIL	ALL WORKS ASSOCIATED WITH THE REMOVAL/RELOCATION/ALTERAT		
March   Marc	WINDOWS		7			INSULATION		CONDITIONING SYSTEM	HE REMOVAL OF AIR	
Minday   Politics   Description   Descript	W2, W5, W6, W8 ¢ D1	1				(FIBREGLASS)	R2.4 I 2mm POLASTIC INSULATION BLANKET TO FIRST	ALL WORKS ASSOCIATED WITH THE SUPPLY AND INSTALLATION OF A DUCTED AIR CONDITIONING/OR SPLIT AIR CONDITIONING SYSTEMS.		
SAME AND		· · · · · · · · · · · · · · · · · · ·				INTERNAL FIXINGS	SKIRTING: Ex. 100x25 COLONIAL PROFILE	REQUIRED.		
### STARCASE NOT COLOR   STARC	SHADING DEVICES					INTERNAL DOORS PRIMED HARDBOARD HOLLOW CORE "FLUSH"		1		
MARIE TREADS   MOTH #50mm   M	WINDOWS	WINDOWS				CTAIDCACE	TYPE: CLOSED PISEP	4		
PARCE A PAINT ADDRESS OF THE PROPERTY ADDRESS OF THE	. , , , , , , ,					MAPLE TREADS		I		
SCINIC 240min (260min (260mi		51/5//5//5//5//5//5//5//5//5//5//5//5//5	$\dashv$				RISE: 16 @ 188mm	H FINAL CONSTRUCTION	S.C. 27-02-15	
PROLICTION HEIGHT ABOVE SIL RATIO  - 0.23  BARGE BOARDS  PASCIA COLOUR: RONSTONE DARGE COLOURS, RONSTONE DARGE COLOURS, RONSTONE DE SURROY, BASS MEMBLED & BASK LYDATED S.M. 27 OT DESURROY, BASK COLOURS, CLASS COLOURS DESURED CASS OF SERVING CASS COLOURS DESURED CASS OF SERVING CASS COLOURS DESURED CASS OF SERVING CASS COLOURS DESURED COLOURS CASS COLOURS DESURED COLOURS COLOURS D	DI, \$ D2,						GOING: 240mm (260mm TREAD)	G TO CONTRACTS		
BARGE COLOUR: IRONITONE  BARGE COLOUR: IRONITO			4					F PLAN CHECK	S.C. 02-02-15	
EXTERNAL PAINT SCHEDULE  EXTERNAL PAINT SCHEDULE  EXTERNAL PAINT SCHEDULE    BAND	W3,					BARGE BOARDS		E WINDOWS WG # W8 AMENDED # BASIX UPDA	TED S.M. 27-01-15	
MATERIAL PREINISHED ZINCALUME GUTTER COLOUR CLASSIG CREAM DOWNIPPE COLOUR. CLASSIG CREAM DOWNIPPE COLOUR. CLASSIG CREAM A TECHNICAL A.M. IS-OB- DESIGN CONSULTANT: SCOTT MCDOUGAL HOT WATER LINIT CONNECT TO EXISTING No. ISSUE DESIGN CONSULTANT: SCOTT MCDOUGAL  PRANTING - REFER TO SPECIFICATION YOR THE EXTENT OF WORK PAINTING TO ALTERATION AND RENOVATION WORK THE EXTENT OF WORK PAINTING TO ALTERATION AND RENOVATION WORK TO BE BY THE OWNER  TIEM REANID CO. COLOUR CONJUTIONS. Shading Device Batterie Shading Device Frame DOWN When Indigo Review Sheen Navigo White Will Classding Down When Navigo White Will Classding Down When Navigo White World Classding Down When Navigo White Will Classding Down White Navigo White Will Classding Down When Navigo White Will Classding Down White Navigo Down White Navigo White Navigo Down Wh							BARGE SOAKER COLOUR: IRONSTONE	D SURVEY, BASIX DETAILS ADDED \$ TO COUNC	IL N.E. 30-10-14	
EXTERNAL PAINT SCHEDULE    First Floor External: BY CAPE COOP   First Floor External:						GUTTERS & DOWNPIPES	MATERIAL: PREFINISHED ZINCALUME	C CONSULTANTS CHECK PLAN	A.M. 29-09-14	
HOT WATER UNIT  CONNECT TO EXISTING  No. ISSUE  DESIGN CONSULTANT: SCOTT MCDOUGALL  PAINTING - REFER TO O SPECIFICATION FOR THE ST FLOOR EXTERNAL: BY CAPE COD PESSING CONSULTANT: SCOTT MCDOUGALL  PAINTING - REFER TO O SPECIFICATION FOR THE ST FLOOR EXTERNAL: BY CAPE COD PESSING CONSULTANT: SCOTT MCDOUGALL  PAINTING TO ALTERATION AND RENOVATION WORK TO BE BY THE OWNER  FINISHED GROUND LEVELS SHOWN ON PLAN ARE SUBJECT TO SITE CONDITIONS.  FOR MR W \$ MRS T WALSH  ALL INMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE  MEASURE DURING CONSTRUCTION.  A.B. N. 54 000 605 407  Sheet Navige Withe  Well Cladding Dulux Low Sheen Navige  HALD INVESTMENT AND THE PROPERTY OF THE PR								B TO CLIENT	A.M. 16-09-14	
DESIGN CONSULTANT; SCOTT MCDOUGALL  PAINTING - REFER TO SPECIFICATION POR THE EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY OWNER  PAINTING TO ALTERATION AND RENOVATION WORK TO BE BY THE OWNER  TO BE BY TH							DOWNPIPE COLOUR: CLASSIC CREAM	A TECHNICAL	A.M. 01-09-14	
PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK  EXTERNAL PAINT SCHEDULE  TEM BRAND CODE COLOUR ITEM BRAND CODE COLOUR G. WATTYL CODE CONDITIONS.  Balustrade Colorbond Ironstone Roof Tiles Soho Night Do NOT SCALE OFF DRAWINGS.  Shading Device Batteris Ironstone MEASURE DUlux MERSURE DUlux Dulux Half Strength Low Sheen Navajo White Sheen Navajo White Sheen Navajo White Wall Cladding Dulux Low Sheen Navajo White Sheen Navajo White Dulux Low Sheen Navajo White Dulux Low Sheen Navajo White Dulux Low Sheen Navajo White Sheen Navajo						HOT WATER UNIT	CONNECT TO EXISTING	No. ISSUE	DRAWN DATE	
SPECIFICATION FOR THE EXTENT OF WORK  EXTERNAL PAINT SCHEDULE  ITEM BRAND eg. WATTYL CODE COLOUR Geg. WATTYL CODE Eg. WATTYL Eg. WATTYL Eg. WATTYL Eg. WE SUBJECT TO SITE MEASURE DURING CONSTRUCTION.  ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION.  A.B.N. 54 000 605 407  SOFIIE Lining Dulux Beginning Construction.  WEIL Cladeling Dulux Beginning Construction Eg. WATTYL E								DESIGN CONSULTANT: SCOTT MCDOUGALL		
EXTERNAL PAINT SCHEDULE    TO BE BY THE OWNER						SPECIFICATION FOR		PROPOSED ADDITIONS \$ ALTERATION	IS	
ITEM	EXTERNAL PAINT SCHEDULF		+			PAINTING TO ALTERATION AND RENOVATION WORK		FOR MR W # MRS T WALSH		
Balustrade Colorbond Ironstone Roof Tiles Soho Night DO NOT SCALE OFF DRAWINGS.  Shading Device Batters Ironstone Ir	ITFM BR	RAND CODE COLOUR		CODE	COLOUR	CONDITIONS.				
Shading Device Datters  Shading Device Frame  Short Lining  Dulux  Half Strength Low Sheen Navajo White  Wall Cladding  Dulux  Low Sheen Navajo  Dulux  ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE  MEASURE DURING CONSTRUCTION.  A.B.N. 54 000 605 407  NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.  SUITE 41, 410 CHURCH STREET, NORTH PARRAMATTA 2151  PHONE: (02) 9849 4444					Soho Night					
Soffit Lining  Dulux  Half Strength Low Sheen Navajo White  NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.  NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.  SUITE 41, 410 CHURCH STREET, NORTH PARRAMATTA 2151 PHONE: (02) 9849 4444	Shading Device Batters	Ironstone				1		COUNCIL: CANADA BAY		
Soffit Lining Dulux Half Strength Low Sheen Navajo White NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.  NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.  Cape Cod Suite 41, 410 Church Street, NORTH PARRAMATTA 2151 PHONE: (02) 9849 4444	Shading Device Frame	Ironstone						A B N 54	000 005 407	
Wall Cladaling   Dulux   Low Sheen Navaio   THONE: (02) 3043 4444	Soffit Lining Dul	Trail Strength Low				NO ALLOWANCE HAS B	EEN MADE FOR SHRINKAGE OR MILLING.		410 CHURCH STREET,	
White  White  White  White  White  White  White  A U S T R A L I A  BUILDERS LICENCE NO. 55 19  WITH THE COMPANY, IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN	Wall Cladding Dul	Low Sheen ways				ISSUED FOR THE SOLE		PHONE: (02) 9849 4444  A U S T R A L I A BUILDERS LICENCE NO. 5519		
PVC Louvre Vent Dulux Low Sheen Navajo PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY.	PVC Louvre Vent Dul	Low once in wavaje						SHEET:   OF 8 JOB NO: 7	7589/14 H	

















WINDOW SCHEDL	JLE (BASIX A2027	51 02)	CLIEN	NT:	ALUMINIUM (STEGBAR) WI	INDOWS:			
STANDARD NOTES:						OLOURS: WHITE BIRCH, PRIMROS STOM BLACK, WOODLAND GREY			
WINDOWS AND DOORS A	RE DRAWN AS VIEWED FROM (	OUTSIDE	CLIEN	VT:		OCEAN (MOUNTAIN BLUE)	(SLATE GRET), SORTIVII	51	
ALL WINDOWS COME WITH     WINDOW OPENINGS NOTE	H "KEYED ALIKE" LOCKS ED "R" HAVE RESTRICTED OPEN	INGS TO COMPLY WITH	THE BUILT	DER:DATE:	CUSTOM COLOURS AVAIL	_ABLE: HAMMERSLEY BROWN, NO	OTRE DAME, POTTERY.		
B.C.A 3.9.2.5			0012	5/12				TERRAIN: 3 V	MIND LOAD: W 28 N
	(WI) ADH 1524 CB	COLOUR	GLAZING	SPECIAL NOTES		(WIO) ADH 1515 CB	COLOUR	GLAZING	SPECIAL NOTES
RIF		IRONSTONE	SINGLE PYROLYTI LOW-E, (U-VALUE		F		IRONSTONE	SINGLE PYROLYTIC LOW-E, (U-VALUE:	COLONIAL BARS
	E ELEVATION / BEDROOM 2	INSECT SCREEN	5.7, SHGC:0.47)	RESTRICT TOP \$ BOTTOM SASH OPENING TO		E ELEVATION / BEDROOM 1	INSECT SCREEN	5.7, SHGC:0.47)	
	ALUMINIUM	ALUMINIUM FIBREGLASS MESH	DEL/EAL	I 25mm TO COMPLY WITH NCC.		ALUMINIUM	ALUMINIUM FIBREGLASS MESH	DEL (EAL	_
	DOUBLE HUNG OPEN / FIXED	IRONSTONE	REVEAL I 40mm			DOUBLE HUNG OPEN / FIXED	IRONSTONE	REVEAL I 40mm	-
		COLOUR		SPECIAL NOTES			COLOUR	GLAZING	SPECIAL NOTES
	(W2) ADH 1224 CB	IRONSTONE	SINGLE CLEAR,		F	(DI) ASD 2118 CB	IRONSTONE	SINGLE CLEAR,	
F	S ELEVATION / LIVING ROOM		(U-VALUE: 7.63, SHGC: 0.75)	COLONIAL BARS		S ELEVATION / BEDROOM 2		(U-VALUE: 7.63, SHGC: 0.75)	COLONIAL BARS
	ALUMINIUM	INSECT SCREEN ALUMINIUM	3/190. 0.73)			ALUMINIUM	INSECT SCREEN ALUMINIUM	31180.0.73)	
	DOUBLE HUNG	FIBREGLASS MESH	REVEAL			SLIDING		REVEAL	
	OPEN / FIXED	IRONSTONE	I 40mm			OPEN / FIXED	IRONSTONE	I 40mm	
	(W3) AFW 1208 CB	COLOUR	GLAZING	SPECIAL NOTES		(D2) ADF 2209 CB	COLOUR	GLAZING	SPECIAL NOTES
		IRONSTONE	SINGLE PYROLYTI LOW-E, (U-VALUE	COLONIAL BARS			IRONSTONE	SINGLE PYROLYTIC LOW-E, (U-VALUE:	COLONIAL BARS
	E ELEVATION / VOID		5.7, SHGC:0.47)			E ELEVATION / LIVING ROOM		5.7, SHGC:0.47)	
F	ALUMINIUM		DEL/EAL			ALUMINIUM		DEL (EAL	_
	FIXED FIXED		REVEAL I 40mm			GLAZED COLONIAL OPEN		REVEAL I 40mm	
		COLOUR	GLAZING	SPECIAL NOTES		01214		1 1011111	
	(W4) AAW 0618	IRONSTONE	SINGLE PYROLYTI						
	W ELEVATION / HALLWAY		LOW-E, (U-VALUE 5.7, SHGC:0.47)						
F	ALUMINIUM	INSECT SCREEN ALUMINIUM	5.7, 3HGC:0.47)						
	AWNING	FIBREGLASS MESH	REVEAL				7		
	OPEN / FIXED	IRONSTONE	I 40mm						
	(W5) AAW 0608	COLOUR	GLAZING	SPECIAL NOTES					
		IRONSTONE	SINGLE CLEAR, (U-VALUE: 7.63,				_		
	S ELEVATION / HALLWAY	INSECT SCREEN	SHGC: 0.75)						
	ALUMINIUM	ALUMINIUM	DEL/EAL				_		_
	AWNING OPEN	FIBREGLASS MESH IRONSTONE	REVEAL I 40mm						
		COLOUR		SPECIAL NOTES					
	(W6) ADH 0908	IRONSTONE	OBSCURED	STEGINE NOTES					
	N ELEVATION / BATHROOM		TOUGHENED, (OF U-VALUE: 7.63,	R			=		
	ALUMINIUM	INSECT SCREEN ALUMINIUM	SHGC: 0.75)						
	DOUBLE HUNG	FIBREGLASS MESH	REVEAL				7		
	OPEN	IRONSTONE	I 40mm						
	(W7) ADH 1218	COLOUR	GLAZING	SPECIAL NOTES	_				
F		IRONSTONE SIN	SINGLE PYROLYTI LOW-E, (U-VALUE	RESTRICT BOTTOM SASH OPENING TO 125mm					
	N ELEVATION / BEDROOM 4 ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.47)						
R		ALUMINIUM FIBREGLASS MESH	REVEAL				-		
	DOUBLE HUNG OPEN / FIXED	IRONSTONE	I 40mm						-
		COLOUR	GLAZING	SPECIAL NOTES					
	(W8) ADH 0906	IRONSTONE	OBSCURED		1				
	N ELEVATION / ENSUITE	INSECT SCREEN	TOUGHENED, (OF U-VALUE: 7.63,	R					
	ALUMINIUM	ALUMINIUM	SHGC: 0.75)						
	DOUBLE HUNG	FIBREGLASS MESH	REVEAL						
	OPEN	IRONSTONE	I 40mm						
F	(W9) AA 450 H x 1570 W	COLOUR	GLAZING	SPECIAL NOTES					
	SPECIAL SPECIA	IRONSTONE	SINGLE PYROLYTI LOW-E, (U-VALUE	WITH NCC.					
	N ELEVATION / BEDROOM 2 ALUMINIUM	INSECT SCREEN	5.7, SHGC:0.47)						
	AWNING	ALUMINIUM FIBREGLASS MESH	REVEAL						
	FIXED / OPEN	IRONSTONE	I 40mm						
FOR: MR W \$ MRS	T WAISH	1	Δ-		NSW 2046		CALE: 1: NTS	SHEET: 8 OF 8	юв NO: 7589/14 Н Саре Со