


Lintel & Post Layout

SCALE 1:100

- * P1 & P2 - 100x100x4 SHS posts to details.
- * P1 posts encased in brick pier.
- * 'A' denotes, ensure min 3 stud cluster in new wall to support existing beam.
- * Bear lintels 150mm min on brickwork.
- * Pack floor joists over onto B1 & B2.



Floor Frame Layout

SCALE 1:100

- * 'P' denotes, new 230sq brick pier founded on 400sq mass concrete pad footing bearing on firm natural ground.
- * Demolish concrete floor slab & site check for existing piers.

AMENDED FINAL CONSTRUCTION - 21.12.17
AMENDED FINAL CONSTRUCTION - 08.12.17

FOR: MR R & MRS M WILLCOCK

FINAL CONSTRUCTION - 07.11.17


AMENDED - 20.12.17 CS
 PREPARED - 08.08.17 CS
 PREPARED - 21.07.17 CS

SHEET: 1 OF 3

AT: 78 BARONS CRESCENT. HUNTER HILL. NSW. 2110.

JOB NO: 7827/17 E

Cape Cod
 AUSTRALIA



STEELWORK DETAILS

SCALE 1:10

AMENDED FINAL CONSTRUCTION - 21.12.17
AMENDED FINAL CONSTRUCTION - 08.12.17

FOR: MR R & MRS M WILLCOCK

FINAL CONSTRUCTION - 07.11.17

AMENDED - 20.12.17 CS
PREPARED - 08.08.17 CS
PREPARED - 21.07.17 CS

SHEET: 2 OF 3

AT: 78 BARONS CRESCENT. HUNTER HILL. NSW. 2110.

JOB NO: 7827/17 E

Cape Cod
AUSTRALIA



Note: L1 & L2 placed at ground floor level below new walls.

LINTEL LAYOUT
SCALE 1:100

AMENDED FINAL CONSTRUCTION - 21.12.17
AMENDED FINAL CONSTRUCTION - 08.12.17

FOR: MR R & MRS M WILLCOCK

FINAL CONSTRUCTION - 07.11.17

AMENDED - 20.12.17 CS
PREPARED - 08.08.17 CS
PREPARED - 21.07.17 CS

SHEET: 3 OF 3

AT: 78 BARONS CRESCENT. HUNTER HILL. NSW. 2110.

JOB NO: 7827/17 E

Cape Cod
AUSTRALIA