


PACKER LAYOUT - FIRST FLOOR

- * STEEL BEAM DIMENSIONS SHOWN IN BRACKETS ARE THE DISTANCE BETWEEN TOP OF EXISTING CEILING JOISTS AND TOP OF NEW STEEL BEAMS -NEGATIVE VALUES INDICATE STEEL BEAM IS BELOW CEILING JOIST LEVEL
- * PROVIDE 90 X 45 PLATE TO TOP OF STEEL BEAMS B I $\,\sharp$ B3 TO ALLOW FIXING OF JOISTS OVER
- * LAYOUT TO BE READ IN CONJUNCTION WITH SECTIONS A, B & C


| FOR: MR A \$ MRS A McEVOY | FINAL CONSTRUCTION - 06.03.17 | PREPARED - 02.12.16 | | SHEET: 10F 10 |
|--------------------------------|-------------------------------|---------------------|---|---------------|
| AT: 28 ALT STREET, QUEENS PARK | • | JOB NO: 7777/16 | В | Cape Cod |



FLOOR JOISTS - FIRST FLOOR

- * PROVIDE 70 X 45 TRIMMERS FOR FIXING WET AREA FLOORING WHERE SHOWN DASHED
- * SET DOWN BATHROOM JOISTS | 5mm AND SHOWER RECESS JOISTS AN ADDITIONAL 20mm
- * LVL DENOTES TILLING SMART LVL
- * LAYOUT TO BE READ IN CONJUNCTION WITH SECTIONS A, B & C


| FOR: MR A \$ MRS A McEVOY | FINAL CONSTRUCTION - 06.03.17 | PREPARED - 02.12.16 | | SHEET: 2 OF 10 |
|--------------------------------|-------------------------------|---------------------|---|----------------|
| AT: 28 ALT STREET, QUEENS PARK | | JOB NO: 7777/16 | В | Cape Cod |



CEILING JOISTS & RAFTERS - GROUND FLOOR

- * CEILING JOISTS TO BE AT MAX. 450 CTS
- * RAFTERS TO BE AT MAX. 600 CTS WITH MIN. I DEGREE FALL
- * LAYOUT TO BE READ IN CONJUNCTION WITH SECTIONS A, B & C


| FOR: MR A \$ MRS A McEVOY | FINAL CONSTRUCTION - 06.03.17 | PREPARED - 02.12.16 | | SHEET: 3 OF 10 |
|--------------------------------|-------------------------------|---------------------|---|----------------|
| AT: 28 ALT STREET, QUEENS PARK | | JOB NO: 7777/16 | В | Cape Cod |



CEILING JOISTS - FIRST FLOOR SCALE 1:100

- * CEILING JOISTS TO BE AT MAX. 600 CTS
- * SJ DENOTES TILLING SMART JOISTS
- * LAYOUT TO BE READ IN CONJUNCTION WITH SECTIONS

| FOR: MR A \$ MRS A McEVOY | FINAL CONSTRUCTION - 06.03.17 | PREPARED - 02.12.16 S | | SHEET: 4 OF 10 |
|--------------------------------|-------------------------------|-----------------------|---|----------------|
| AT: 28 ALT STREET, QUEENS PARK | | JOB NO: 7777/16 | В | Cape Cod |



ROOFING BATTENS/OUTRIGGERS - FIRST FLOOR

- * BATTEN SPACING TO BE AS PER DIMENSIONS
- * OUTRIGGER SPACING TO BE AT MAX. 600 CTS
- * LAYOUT TO BE READ IN CONJUNCTION WITH SECTIONS

| FOR: MR A \$ MRS A McEVOY | FINAL CONSTRUCTION - 06.03.17 | PREPARED - 02.12.16 | | SHEET: 5 OF 10 |
|--------------------------------|-------------------------------|---------------------|---|----------------|
| AT: 28 ALT STREET, QUEENS PARK | | JOB NO: 7777/16 | В | Cape Cod |

