

FOUNDATION LAYOUT

SCALE 1:100

FOR: MR. A KENNEDY & MRS. N GENDERS


FINAL CONSTRUCTION - 28.08.15

PREPARED - 13.8.15 CS

SHEET: 10F 13

IOP NO

JOB NO: 7660/15



BEARER LAYOUT - Ground Floor

SCALE 1:100

FOR: MR. A KENNEDY & MRS. N GENDERS


FINAL CONSTRUCTION - 28.08.15

PREPARED - 13.8.15 CS

SHEET: 2 OF 13

AT: 17 FREDERICK STREET COOGEE. NSW. 2034.

JOB NO: 7660/15 C



FLOOR JOIST LAYOUT - Ground Floor SCALE 1:100

FOR: MR. A KENNEDY & MRS. N GENDERS


FINAL CONSTRUCTION - 28.08.15

PREPARED - 13.8.15 CS

SHEET: 3 OF 13

AT: 17 FREDERICK STREET COOGEE. NSW. 2034.

JOB NO: 7660/15



WALL FRAME LAYOUT - Ground Floor

SCALE 1:100

- * 90x45 F5 studs at 450mm centres
- $^{\bullet}$ Wall frames secured to brick walls with M I O dynabolts at 600mm centres.
- * LVL Denotes tilling smart IVI


FOR: MR. A KENNEDY \$ MRS. N GENDERS

FINAL CONSTRUCTION - 28.08.15

PREPARED - 13.8.15 CS

SHEET: 4 OF 13

AT: 17 FREDERICK STREET COOGEE. NSW. 2034.



LINTEL LAYOUT - Ground Floor SCALE 1:100

FOR: MR. A KENNEDY & MRS. N GENDERS


FINAL CONSTRUCTION - 28.08.15


PREPARED - 13.8.15 CS

SHEET: 5 OF 13

AT: 17 FREDERICK STREET COOGEE. NSW. 2034.

JOB NO: 7660/15





FLOOR JOISTS

SCALE 1:100

- * Set down wet area joists 35mm and shower recess joists an additional 25mm
- * SJ Denotes tilling smart joists
- * LVL Denotes tilling smart lvl


FOR: MR. A KENNEDY \$ MRS. N GENDERS

FINAL CONSTRUCTION - 28.08.15

PREPARED - 13.8.15 CS

SHEET: 7 OF 13

AT: 17 FREDERICK STREET COOGEE. NSW. 2034.




CEILING FRAME LAYOUT - Ground floor

SCALE 1:100

- * 'X' Denotes to splay strutting beam and connect to rafter with three (3) MI2 bolts.
- * Provide min. three (3) F5 studs under B3 at new stud wall.
- * Provide min. two (2) F5 studs under new strutting beams.
- * Ceiling joists at 450mm centres.
- * LVL Denotes tilling smart IVI

FOR: MR. A KENNEDY & MRS. N GENDERS	FINAL CONSTRUCTION - 28.08.15	PREPARED - 13.8.15 C		SHEET: 8 OF 13
AT: 17 FREDERICK STREET COOGEE. NSW. 2034.		JOB NO: 7660/15	С	Cape Cod



HIP RIDGE and VALLEY LAYOUT - Ground Floor

SCALE 1:100

* LVL - Denotes tilling smart lvl


FOR: MR. A KENNEDY \$ MRS. N GENDERS

FINAL CONSTRUCTION - 28.08.15

PREPARED - 13.8,15 CS

SHEET: 9 OF 13

AT: 17 FREDERICK STREET COOGEE. NSW. 2034.



RAFTER LAYOUT - Ground Floor

SCALE 1:100

* Rafters at 450mm centres.

FOR: MR. A KENNEDY \$ MRS. N GENDERS


AT: 17 FREDERICK STREET COOGEE. NSW. 2034.

FINAL CONSTRUCTION - 28.08.15

PREPARED - 13.8.15 CS

SHEET: 10 OF 13

JOB NO: 7660/15



PURLIN LAYOUT - Ground Floor

SCALE 1:100

- * 100x75 oregon purlins laid in continuous lengths with a max. span of 1500mm
- *100x75 oregon struts.
- ullet 90x45 F5 collar ties every second rafter with M I 2 tie bolts.


FOR: MR. A KENNEDY \$ MRS. N GENDERS

FINAL CONSTRUCTION - 28.08.15

AT: 17 FREDERICK STREET COOGEE. NSW. 2034.

SHEET: 11 OF 13

SHEET: 11 OF 13



FOR: MR. A KENNEDY & MRS. N GENDERS

FINAL CONSTRUCTION - 28.08.15

PREPARED - 13.8.15 CS

SHEET: 12 OF 13

AT: 17 FREDERICK STREET COOGEE. NSW. 2034.

JOB NO: 7660/15 C

C Cape Cod

