

PACKER LAYOUT

SCALE 1:100

- * STEEL BEAM DIMENSIONS SHOWN IN BRACKETS ARE THE DISTANCE
 BETWEEN TOP OF EXISTING CEILING JOISTS AND TOP OF NEW STEEL BEAMS
 * PROVIDE 90 V 45 PLATES OVER STEEL BEAMS BL. B3 & B4 TO ALLOW
- * PROVIDE 90 X 45 PLATES OVER STEEL BEAMS B I , B2 \sharp B4 TO ALLOW FIXING OF JOISTS OVER
- * CUT AWAY/NOTCH EXISTING CEILING JOISTS IF REQUIRED TO ACHIEVE LEVELS FOR NEW BEAMS
- * PROVIDE FIRE CUT ENDS TO STEEL BEAMS WHERE SHOWN CIRCLED

FOR: MR B \$ MRS N JONES


FINAL CONSTRUCTION - 22.06.16 AMENDED - 16.06.16 CS AMENDED - 24.05.16 SDS PREPARED - 05.04.16 SDS

AT: 108 GARDENERS ROAD, KINGSFORD

AMENDED - 16.06.16 CS AMENDED - 24.05.16 SDS PREPARED - 05.04.16 SDS

SHEET: 1 OF 5

AMENDED - 20.06.16 SDS



FLOOR JOISTS - FIRST FLOOR

SCALE 1:100

- * PROVIDE 70 X 45 TRIMMERS FOR FIXING WET AREA FLOORING WHERE SHOWN DASHED
- * SET DOWN BATHROOM JOISTS 35mm AND SHOWER RECESS JOISTS AN ADDITIONAL 25mm
- * DECK JOISTS TO BE AT 300mm CTS
- * SJ DENOTES TILLING SMART JOISTS
- * LVL DENOTES TILLING SMART LVL

| | | AMENDED - 20.06, L6 SDS | |
|-----------------------------------|-------------------------------|--|---------------|
| FOR: MR B & MRS N JONES | FINAL CONSTRUCTION - 22.06.16 | AMENDED - 16.06.16 CS AMENDED - 24.05.16 SDS PREPARED - 05.04.16 SDS | SHEET: 2 OF 5 |
| AT: 108 GARDENERS ROAD, KINGSFORD | | JOB NO: 7711/15 E | Cape Cod |

