BASIX (	COMMITMENTS					
CERTIFICATE NO. A274554						
FIXTU	RES AND SYSTEMS					
LIGHTING	MIN 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT OR LIGHT-EMITTING-DIODE (LED) LAMPS					
WET AREAS: NEW OR ALTERED	SHOWER HEADS 3 STAR RATED TOILETS 3 STAR RATED TAPS 3 STAR RATED					
INSUL	ATION REQUIREMENTS					
FLOOR ABOVE EXISTING DWELLING OR BUILDING	NIL					
EXTERNAL WALL: FRAMED (WEATHERBOARD, FIBRO, METAL CLAD)	R1.30 (or R1.70 INCLUDING CONSTRUCTION)					
FLAT CEILING, PITCHED ROOF	CEILING: R I.45 (UP) ROOF: FOIL BACKED BLANKET (55mm) DARK (SOLAR ABSORPTANCE >0.70)					
GLAZII	NG REQUIREMENTS					
WINDOWS						
W9	STANDARD ALUMINIUM, SINGLE CLEAR, (OR U-VALUE: 7.63, SHGC: 0.75)					
WI, W2, W3, W4, W5, W6, W7, W8, \$ WIO	STANDARD ALUMINIUM, SINGLE PYROLYTIC LOW-E, (OR U-VALUE: 5.7, SHGC:0.47)					
SKYLIGHTS SLI, # SL2	TIMBER, DOUBLE CLEAR/AIR FILL, (U-VALUE: 4.3, SHGC: 0.5)					
SHADI	NG DEVICES					
WINDOWS						
WI, W2, W3, W4, W5, W6, W7, W8, \$ WIO	EAVE / VERANDAH / PERGOLA / BALCONY >= 450MM					
W9	NONE					
SKYLIGHTS SLI, \$ SL2	NONE					

FINAL COI

	90 X 35 EXT. STUDS @ .600 CTS TO MANUFACTURERS 70 X 35 INT. STUDS @ .600 CTS DETAILS @ .600 CTS  FLOOR: I 90x45mm MIN. FLOOR JOISTS WIND LOAD W 33 N			AS PER THE NCC - ALL WET AREA WINDOWS TO HAVE TOUGHENED GLASS.     PROVIDE MARINE GRADE BRICKS, MORTAR AND TIES IN ACCORDANCE WITH AS3700 AS SITE IS WITHIN I KM OF OCEAN. (IF REQUIRED)     CONNECT/INSTALL TWELVE (I 2) DOWNLIGHT FITTINGS & ONE (I), 3 3-IN-I FAN/LIGHT/HEATER UNIT (AS SUPPLIED BY THE OWNER).      ELECTRICAL RE-WIRING TO EXISTING HOUSE.     PROVIDE 250MM BUILD TO 'FLOOR ZONE' FOR AIR CONDITIONING				
	FINISHES	_		ROVIDE 250MM BUILD TO FLOOR 20NE FOR A UCTWORK,	AIR CONDITIONIN	6		
	BRICKWORK	DRK N/A		REFURBISH & PAINT EXISTING REMAINING G/FL ROOF TILES. PROVIDE NEW BULLNOSE ROOF OVER G/FL VERANDAH. P.O.A TO BE TEMPORARILY DISCONNECTED DURING THE CONSTRUCTION				
	FLOORING	19MM STRUCTURAL PARTICLEBOARD		IF THE NEW BULLNOSE ROOF. TEMPORARY POV ECONNECT ON COMPLETION OF WORKS.	ver pole requir	₹ED.		
	CLADDING	200mm WEATHERTEX "SMOOTH" CLADDING OVER POLYSTYRENE CORE WALL INSULATION TO EXTERNAL WALLS						
	WINDOWS - TREND KEYED LOCKS (TERRAIN: 3)	FRAME: PREFINISHED ALUMINIUM						
	INSECT SCREENS: FRAME: PREFINISHED ALUMINIUM TO ALL NEW OPERABLE WINDOW SASHES  FRAME: PREFINISHED ALUMINIUM MESH: FIBREGLASS			PRKS BY OWNER				
	ROOF COVERING	PRE-FINISHED ZINCALUME ROOF SHEETING PROFILE: CUSTOM ORB COLOUR: SELECT COLOUR	REMOVAL \$ INSTALLATION OF T.V ANTENNA IF REQUIRED \$ CONEW AND EXISTING TV POINTS.     CONNECTION OF NEW COAXIAL CABLE "T.V.POINT" TO EXISTIN NEW T.V. AERIAL					
ioN.	ROOF SARKING	R I.3 ALUMINIUM FOIL BACKED "ANTICON" INSULATIO	PHONE AND/OR DATA CABLING.					
ONSTRUCTION.	INSULATION (FIBREGLASS)	BLANKET  R3.0 BATTS TO FIRST FLOOR ADDITION CEILING AREA I 2mm POLASTIC INSULATION BLANKET TO FIRST FLOOR EXTERNAL WALL FRAMES	• F	SUPPLY TWELVE (12) DOWNLIGHT FITTINGS & ONE (1) 3-IN-I FAN/LIGHT/HEATER UNIT. PAINTING OF EXISTING AND EXTERNAL AREAS AFFECTED BY THE ADDITION AND ALTERATIONS. ALL WORK ASSOCIATED WITH THE SUPPLY & INSTALLATION OF SPLIT				
	INTERNAL FIXINGS	DAR: FINGER JOINTED PINE SKIRTING: Ex. I 00x25 ARCHITRAVE: Ex. I 00x25	SYSTEM A/C TO BEDROOM I \$ 3.  • ALL WORK ASSOCIATED WITH THE SUPPLY AND INSTALLA AIR CONDITIONING SYSTEM.			ATION OF A DUCTED		
	INTERNAL DOORS PRIMED HARDBOARD HOLLOW CORE CORINTHIAN "STANFORD"							
	STAIRCASE MAPLE TREADS \$ RISERS	TYPE: CLOSED TIMBER						
		WIDTH: 900mm  RISE: 19 @ 189mm  GOING: 240mm (260mm TREAD)		AMENDED FINAL CONSTRUCTION	C.5.	14-07-17		
				FINAL CONSTRUCTION	B.J.P.	10-07-17		
				TO CONTRACTS	5.M.	23-06-17		
				PLAN CHECK	J.G.	05-06-17		
	FASCIA	MATERIAL: PREFINISHED ZINCALUME FASCIA COLOUR: MONUMENT BARGE COLOUR: MONUMENT		RE-DESIGN FOR COUNCIL	J.E.	04-05-17		
				BASIX ADDED \$ TO COUNCIL	N.E.	08-03-17		
				WINDOW WIO AMENDED	J.E.	09-02-17		
	GUTTERS & DOWNPIPES	TYPE: QUAD MATERIAL: PREFINISHED ZINCALUME		POV 19092	5.C.	01-02-17		
		GUTTER COLOUR: MONUMENT	B	TO CLIENT	J.E.	15-12-16		
		DOWNPIPE COLOUR: SURFMIST		TECHNICAL	J.E.	02-12-16		
	HOT WATER UNIT	CONNECT TO EXISTING		ISSUE	DRAWN	DATE		
				DESIGN CONSULTANT: PETER BROWN				
	PAINTING - REFER TO SPECIFICATION FOR THE EXTENT OF WORK	FIRST FLOOR EXTERNAL: BY CAPE COD FIRST FLOOR INTERNAL: BY CAPE COD	PROPOSED ADDITIONS & ALTERATIONS					
	PAINTING TO ALTERATION AND RENOVATION WORK TO BE BY THE OWNER		FOR MR M & MRS L MCALISTER					
	FINISHED GROUND LEVELS SHOWN ON PLAN ARE SUBJECT TO SITE CONDITIONS.			AT 36 HENRIETTA STREET WAVERLEY NSW 2024				
	DO NOT SCALE OFF DRAWINGS.  ALL DIMENSIONS SHOWN ARE THEORETICAL ONLY AND ARE SUBJECT TO SITE MEASURE DURING CONSTRUCTION.		COUNCIL: WAVERLEY					
	NO ALLOWANCE HAS BEEN MADE FOR SHRINKAGE OR MILLING.			A.B.N. 54 000 605 407  SUITE 41, 410 CHURCH STREET, NORTH PARRAMATTA 2151				
		GN AND PRINT IS THE PROPERTY OF CAPE COD AND IS PURPOSE OF ENTERING INTO A BUILDING CONTRACT		PHONE:	: (02) 9849 444 RS LICENCE NO. !	-4		

ISSUED FOR THE SOLE PURPOSE OF ENTERING INTO A BUILDING CONTRACT WITH THE COMPANY. IT MUST NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE COMPANY.

SPECIFICATION SUMMARY

STRUCTURAL TIMBER - All to ASA 1684.2

ROOF: ROOF TRUSSES

WALLS: F5 SOFTWOOD

SPECIAL NOTES

PROVIDE TWO (2) SMOKE DETECTORS AS SHOWN-9-

WITH THE BUILDING CODE OF AUSTRALIA (NCC).

SHEET: 1 OF 8


ELECTRICIAN TO CHECK/ENSURE THE EXISTING SMOKE DETECTORS COMPLY


AS PER THE NCC - ALL WET AREA WINDOWS TO HAVE TOUGHENED GLASS.

JOB NO: 7821/16

## EXTERNAL PAINT SCHEDULE

ITEM	BRAND eg. WATTYL	CODE	COLOUR
Soffit Lining	Dulux		White on White
Wall Cladding - B/work	Haymes		Surfmist
Pergola Beam	Haymes		Surfmist
Handrail Post	Haymes		Surfmist
Handrail Frame	Haymes		Surfmist
Balcony Beam	Haymes		Monument





Site Plan


No. : 36 Lot. : A

DP : 103643


AREA: 227.6m² (By Title) 228.7m² (By Calc)

## Legend








## Ground Floor Plan



Proposed First Floor Addition







WINDOW SCHEE	DULE (BASIX A274:	554)		CLIENT		ALUMINIUM TREND WINDO					
STANDARD NOTES:	•	· · · · · · · · · · · · · · · · · · ·		CLILINI		EX-STOCK COLOURS: PEAR	RL WHITE GLOSS, DUNE, STON	E BEIGE, MONUMENT,			
	3 ARE DRAWN AS VIEWED FROM	OUTSIDE		CLIENT:		ANODIC OFF WHITE, ANOI	DIC NATURAL MATT, WOODLAN	ID GREY, ULTRA BLACK.			
<ul> <li>ALL WINDOWS COME W</li> <li>WINDOW OPENINGS NO</li> </ul>	VITH "KEYED ALIKE" LOCKS DTED "R" HAVE RESTRICTED OPE	NINGS TO COMPLY WIT	H THE	BIJII DER:	DATE:		AILABLE: WHITE BIRCH, PRIMRI				
NCC 3.9.2.5	THE TOTAL PROPERTY OF EACH	THINGS TO COMMENT WIT		DOILDLIN.	DAIL	CHARCOAL, IRONSTONE.	EARL, DEEP OCEAN, SURF MIS	I, JASPER, IREND METALLI	TERRAIN: 3 W	IND LOAD: W 33 N	
	(WI) SA 1812T	COLOUR	GLAZING		SPECIAL NOTES		WIO DELETED	COLOUR	GLAZING		
		PEARL WHITE	SINGLE PYF LOW-E, (U-				W19 DLLLILD				
	N ELEVATION / STAIRWELL	INSECT SCREEN	5.7, SHGC					INSECT SCREEN			
F	ALUMINIUM	ALUMINIUM									
	AWNING OPEN / FIXED	FIBREGLASS MESH PEARL WHITE	REVEAL 140mm		_			R	EVEAL	4	
OPEN / FIX	OT EN / TIXED	COLOUR	GLAZING		SPECIAL NOTES						
	(W2) SA 1318	PEARL WHITE	SINGLE PYR	ROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY						
F	N ELEVATION / BED 2		LOW-E, (U-	VALUE:	WITH NCC.						
	ALUMINIUM	INSECT SCREEN	5.7, SHGC	.:0.47)							
	AWNING	ALUMINIUM FIBREGLASS MESH	REVEAL					<b>-</b>		†	
	OPEN / FIXED	PEARL WHITE	I 40mm								
	(W3) 5A 1306	COLOUR	GLAZING		SPECIAL NOTES						
		PEARL WHITE	SINGLE PYF LOW-E, (U-		TRANSLUCENT FILM BY BUILDER.			_			
	N ELEVATION / SHR	INSECT SCREEN	5.7, SHGC								
	ALUMINIUM	ALUMINIUM FIBREGLASS MESH	DEVENI					_			
	AWNING OPEN	PEARL WHITE	REVEAL I 40mm					F		4	
	GE 450 1810	COLOUR	GLAZING								
	(SPECIAL)	PEARL WHITE	SINGLE PYR								
	N ELEVATION / BED I	INSECT SCREEN	LOW-E, (U- 5.7, SHGC								
	ALUMINIUM	INSECT SCREEN	-								
	FIXED	N/A	REVEAL							]	
	TINED		I 40mm								
	(W5) SSD 2121	COLOUR PEARL WHITE	GLAZING								
		- I LAKE WITTE	SINGLE PYF LOW-E, (U-					_			
	E ELEVATION / BED I	INSECT SCREEN	5.7, SHGC	:0.47)							
		ALUMINIUM FIBREGLASS MESH	REVEAL					-  h		+	
	STACKER OPEN / OPEN / FIXED	PEARL WHITE	I 40mm							1	
	(4/6)	COLOUR	GLAZING		SPECIAL NOTES						
	(W6) 5A 1007	PEARL WHITE	SINGLE PY		RESTRICT OPENING TO 125mm TO COMPLY WITH NCC.						
	W ELEVATION / BED 3	INSECT SCREEN	LOW-E, (U- 5.7, SHGC		WITH NCC.						
	ALUMINIUM	ALUMINIUM									
	AWNING OPEN	FIBREGLASS MESH PEARL WHITE	REVEAL 140mm							4	
	OT EN	COLOUR			SPECIAL NOTES						
	(W7) 5A 1007	COLOUR PEARL WHITE	GLAZING SINGLE PYR	ROLYTIC	RESTRICT OPENING TO 125mm TO COMPLY						
	W ELEVATION / BED 3		LOW-E, (U-	VALUE:	WITH NCC.						
	ALUMINIUM	INSECT SCREEN ALUMINIUM	5.7, SHGC	47)							
AWNI	AWNING	FIBREGLASS MESH	REVEAL					7 <u> </u>			
	OPEN	PEARL WHITE	1 40mm								
(W8) SA 1309	(W8) SA 1309	COLOUR PEARL WHITE	GLAZING								
		- FEARL WHILE	SINGLE PYF LOW-E, (U-		RESTRICT OPENING TO 125mm TO COMPLY WITH NCC.			_			
	N ELEVATION / BED 3 ALUMINIUM	INSECT SCREEN	5.7, SHGC								
		ALUMINIUM FIBREGLASS MESH	REVEAL					$\dashv$ $\vdash$		-	
	AWNING OPEN	PEARL WHITE	I 40mm							1	
	(Wa)	COLOUR	GLAZING								
	(W9) 55 0618	PEARL WHITE	SINGLE CLE								
	S ELEVATION / HALL	INSECT SCREEN	(U-VALUE: SHGC: 0.7								
	ALUMINIUM	ALUMINIUM									
	SLIDING OPEN / FIXED	FIBREGLASS MESH PEARL WHITE	REVEAL I 40mm		_						
	OI LIN / I IALU	_	1 40mill								
or: MR M & MR	S L MCALISTER			AT: 3	36 HENRIETTA STREET, WAVERLEY	Y NSW 2024		SCALE: 1: NTS SH	EET: 8 OF 8 J	OB NO: 7821/16	Cape Coc