
Denotes Min. 3x 90x45 Studs In New Stud Wall, Bear Onto Exist, Brick Sub Floor Wall



PACKER LAYOUT

SCALE 1:100

* Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.

* Provide 100x50 plate to top of steel beams to allow fixing of joists over.

FOR: Mr. D. YEATES & Ms. L. HALLORAN


FINAL CONSTRUCTION - 20.12.17

AMENDED - 31.10.17 MJB PREPARED - 11.10.17 MJB

OF 4 SHEET:

JOB NO: 7854/17

AT: 2 WALKER STREET, CANADA BAY. NSW. 2046.



FLOOR JOISTS

SCALE 1:100

FOR: Mr. D. YEATES & Ms. L. HALLORAN

FINAL CONSTRUCTION - 20.12.17

AMENDED - 31.10.17 MJB PREPARED - II.IO.I7 MJB SHEET: 2 OF 4


JOB NO: 7854/17


AT: 2 WALKER STREET, CANADA BAY. NSW. 2046.

^{*} Set down wet area joists 35mm and shower recess joists an additional 25mm

^{*} SJ - Denotes tilling smart joists

^{*} LVL - Denotes tilling smart IVI





PORCH ROOF DETAIL

SCALE 1:100

FOR: Mr. D. YEATES & Ms. L. HALLORAN

AT: 2 WALKER STREET, CANADA BAY. NSW. 2046.

FINAL CONSTRUCTION - 20.12.17

AMENDED - 31.10.17 MJB PREPARED - 11.10.17 MJB SHEET: 3 OF 4

JOB NO: 7854/17

Cape Cod

