

























Electrical Services Layout		
Legend		
Item	Symbol	No.
Light Points (inc switch)	○	16
Down Lights (inc switch)	ⓓ	Nil
Wall Lights (inc switch)	⊔○	Nil
Two way switch	X—○—X	1
Single power points	•	Nil
Double power points	••	16
Wall oven - Electric GPO	WO	Nil
Stove - Electric GPO	ST	Nil
Wall oven - Gas & GPO	WO•	Nil
Stove - Gas & GPO	ST•	Nil
Range Hood GPO	RH•	Nil
Refrigerator GPO	R•	Nil
Microwave GPO	M•	Nil
Dishwasher GPO	DW•	Nil
T.V. Point	△	1
Ceiling Exhaust Fan	EF	Nil
Exhaust fan 3 in 1	3 IN 1	Nil
Exhaust fan 4 in 1	4 IN 1	1
Ceiling fan	✕	Nil
Phone point	▲	Nil
Saefty switch power	S.P	1
Safety switch lights	S.L	1
Other		Nil
Other		Nil
Other		Nil
NOTE: 1. Light switches where possible are placed 1300mm above floor and within 200mm from door architrave. 2. Power points will be placed 300mm above floor unless noted otherwise. 3. Owner to please mark up any changes to the layout in red.		
DATED:		
OWNER:		
OWNER:		
BUILDER:		

First Floor Electrical Layout



Electrical Services Layout		
Legend		
Item	Symbol	No.
Light Points (inc switch)		16
Down Lights (inc switch)		Nil
Wall Lights (inc switch)		Nil
Two way switch		1
Single power points		4
Double power points		12
Wall oven - Electric GPO		1
Stove - Electric GPO		Nil
Wall oven - Gas & GPO		1
Stove - Gas & GPO		Nil
Range Hood GPO		Nil
Refrigerator GPO		Nil
Microwave GPO		Nil
Dishwasher GPO		Nil
T.V. Point		1
Ceiling Exhaust Fan		1
Exhaust fan 3 in 1		Nil
Exhaust fan 4 in 1		Nil
Ceiling fan		2
Phone point		Nil
Safety switch Power		1
Safety switch lights		1
Other		Nil
Other		Nil
Other		Nil
NOTE:		
1. Light switches where possible are placed 1300mm above floor and within 200mm from door architrave.		
2. Power points will be placed 300mm above floor unless noted otherwise.		
3. Owner to please mark up any changes to the layout in red.		
DATED:		
OWNER:		
OWNER:		
BUILDER:		



Ground Floor Electrical Layout