

- pack down to existing top plate.
- * 'Z' Denotes Owner to ensure min three (3) stud cluster remains under B9 at removal of dividing wall. Builder to site check for 3/90x45 studs.

FOR: MR. C GUNNER & MS. R WILLIAMS

FINAL CONSTRUCTION - 07.06.16


PREPARED - 30.05.16 CS PREPARED - 12.05.16 CS

OF 8 SHEET:

Cape Cod

JOB NO: 7697/16

AT: 5 CONISTON PLACE, CASTLE HILL. NSW. 2154.



 Set down wet area joists 35mm and shower recess joists an additional 25mm

FOR: MR. C GUNNER & MS. R WILLIAMS

FINAL CONSTRUCTION - 07.06.16 PREPARED - 30.05.16 CS PREPARED - 12.05.16 CS

JOB NO: 7697/16


Cape Cod


SHEET: 2 OF 8


AT: 5 CONISTON PLACE, CASTLE HILL. NSW. 2154.


^{*} SJ - Denotes tilling smart joists


^{*} LVL - Denotes tilling smart IVI














CONSTRUCTION SECTION A

SCALE 1:20

FOR: MR. C GUNNER & MS. R WILLIAMS

FINAL CONSTRUCTION - 07.06.16

PREPARED - 30.05.16 CS PREPARED - 12.05.16 CS

SHEET: 8 OF 8