


PACKER LAYOUT

SCALE 1:100

- * STEEL BEAM DIMENSIONS SHOWN IN BRACKETS ARE THE DISTANCE BETWEEN TOP OF EXISTING CEILING JOISTS AND TOP OF NEW STEEL BEAMS
- * PROVIDE 90 X 45 PLATES OVER STEEL BEAMS B | \$ B5 AND 90 X 35 PLATE OVER STEEL BEAM B4 TO ALLOW FIXING OF JOISTS OVER
- * CUT AWAY/NOTCH EXISTING CEILING JOISTS IF REQUIRED TO ACHIEVE LEVELS FOR NEW BEAMS
- * PROVIDE FIRE CUT ENDS TO STEEL BEAMS WHERE SHOWN CIRCLED

FOR: MR R & MRS S EDWARDS	FINAL CONSTRUCTION - 19.08.16	PREPARED - 06.06.16		SHEET:	OF 6	
AT: 50 VARNA STREET, WAVERLEY		JOB NO: 7706/15	В	Cape	Cod	



FLOOR JOISTS - FIRST FLOOR

SCALE 1:100

- * PROVIDE 70 X 45 TRIMMERS FOR FIXING WET AREA FLOORING
- WHERE SHOWN DASHED
- * SET DOWN BATHROOM JOISTS 35mm AND SHOWER RECESS JOISTS AN ADDITIONAL 25mm
- * SJ DENOTES TILLING SMART JOISTS
- * LVL DENOTES TILLING SMART LVL

FOR: MR R & MRS S EDWARDS	FINAL CONSTRUCTION - 19.08.16 PREPARED - 06.06.16 SDS	SHEET: 2 OF 6
AT: 50 VARNA STREET, WAVERLEY	JOB NO: 7706/15 B	Cape Cod

